



500 West Big Beaver
Troy, MI 48084
troymi.gov

CITY COUNCIL AGENDA ITEM

Date: July 9, 2024

To: Robert J. Bruner, Acting City Manager

From: Megan E. Schubert, Assistant City Manager
R. Brent Savidant, Community Development Director

Subject: ANNOUNCEMENT OF PUBLIC HEARING – PLANNED UNIT DEVELOPMENT (File Number PUD 020 (JPLN2023-0021) – Proposed Village of Hastings PUD, East side of Livernois, North of Square Lake (PIN 88-20-03-301-088, -023, -024, -025 and 88-20-03-351-004), Section 3, Presently zoned NN (Neighborhood Node “Q”) and R-1B (One Family Residential) Zoning Districts.

The applicant GFA Development, Inc. seeks Conceptual Development Plan (CDP) and Preliminary Development Plan (PDP) approval for the Village of Hastings Planned Unit Development (PUD). The project features a total of 33 residential units comprised of 4 different housing types (single family detached, ranch style detached, single family attached and duplex). City Council is the approval body for PUD's, following a Planning Commission recommendation.

The Planning Commission held a public hearing on this item on April 9, 2024 and postponed the item to allow the applicant an opportunity to address some site design issues. The Planning Commission considered the item on May 28, 2024 and recommended approval of the project by a vote of 6-2.



A public hearing is scheduled for this item on August 12, 2024.


Legal Review

This item was submitted to the City Attorney for review pursuant to City Charter Section 3.17.

Attachments:

1. Maps
2. Planning Commission minutes from April 9, 2024 Planning Commission Regular meeting (excerpt)
3. Planning Commission minutes from May 28, 2024 Planning Commission Regular meeting (excerpt)
4. Report prepared by Carlisle/Wortman Associates, Inc. for May 28, 2024 Planning Commission meeting.
5. OHM Memo, dated August 24, 2023
6. PUD Application/Site Plan
7. Public comment





577 0 288 577 Feet



Note: The information provided by this application has been compiled from recorded deeds, plats, tax maps, surveys, and other public records and data. It is not a legally recorded map survey. Users of this data are hereby notified that the source information represented should be consulted for verification.

PLANNED UNIT DEVELOPMENT

7. **PUBLIC HEARING - PLANNED UNIT DEVELOPMENT (File Number PUD 020 JPLN2023-0021) - CONCEPT DEVELOPMENT PLAN (CDP) AND PRELIMINARY DEVELOPMENT PLAN (PDP) APPROVAL** – The Village of Hastings PUD, East Side of Livernois, North of Square Lake, (PIN 88-20-03-301-088, -023, -024, -025 and 88-20-03-351-004), Section 3, Presently Zoned NN (Neighborhood Node “Q”) and R-1B (One Family Residential) Zoning Districts

Mr. Carlisle provided a brief background of The Village of Hastings PUD application. He stated the applicant removed the privacy fence between the existing older homes and the adjacent new housing units and reduced the number of duplex units to two (2). Mr. Carlisle said the applicant has not provided building materials or an architectural color scheme. He asked the Planning Commission to hold a public hearing and consider public testimony. He said as part of the deliberations, the Planning Commission should consider if the project is consistent with the Master Plan, whether it meets the Site Plan Review Design Standards and whether it meets the PUD Standards.

In summary, Mr. Carlisle said any approval of the PUD application should be subject to the conditions as identified in his report dated March 15, 2024.

Applicant Gary Abitheira gave a PowerPoint presentation. He addressed the reduction of units, reorientation of entrance doors on units 9 through 12, the City Traffic Consultant report, traffic volume data from the RCOC (Road Commission of Oakland County) website, internal vehicular circulation, comparisons of density with previously approved PUD developments and the missing middle ranch style homes he is proposing. Mr. Abitheira walked through the PUD Standards one by one to substantiate how he feels the application meets the PUD Standards.

There was discussion, some comments related to:

- Applicant to keep the historic nature of the older homes, place them on the market for sale and incorporate such terms in the PUD Agreement.
- Walkability of the site.
- EVA (Emergency Vehicle Access); access and signage.
- Extension of sidewalk along Square Lake.
- Potential to provide a pedestrian crosswalk on Square Lake.
- Potential for additional green space in detention area.
- Circulation improvements requested by the City Traffic Consultant OHM; applicant has met.
- Trash pickup arrangement.
- Public amenities.
- Sustainability features.
- Design of ranch units as relates to the Site Plan Review Design Standards.
- Building materials and color scheme.
- Patios and/or decks on units.
- Inconsistency of building and lot dimension designations on the site plan.

It was the consensus of the Board members that the application does not meet the PUD Standard that references *innovative and creative site and building designs, solutions and materials*, and that the applicant could focus more on the Site Plan Review Design Standards.

It was clarified that the Long Lake and Crooks PUD development is the development that Ms. Dufrane referenced in a previous meeting stating it set a high bar for approval of a PUD development.

PUBLIC HEARING OPENED

- Michael Johnson, 450 E Square Lake; expressed support for the development, that any additional traffic that might be generated is negligible, concerns expressed by community and Board members have been addressed by applicant.
- Mary Rettig, 6860 Westaway; addressed definitions applied to different styles of housing units, square footage of units, concerns with parking and traffic.
- Allyson Wyckhuyse, 56 Telford; addressed orientation of her home as relates to the development and proposed public amenities.
- Sheila Lenz-Shomo, 6464 Fredmoor; addressed concerns with traffic, acceleration and deceleration lanes, density, internal vehicular circulation, and application meeting PUD Standards.
- Nanette Gearhart, 6197 Livernois; voiced opposition to the development, addressed concerns with parking and transition to existing neighborhood, would prefer the by-right proposal of single family residential.
- Leasa Williams, 159 Telford; voiced opposition to the PUD application, would prefer the by-right proposal of single family residential.
- Jeff Williams, 159 Telford; addressed PUD Standards that he feels application has not met.
- Ann Coleman, 6091 Livernois; addressed PUD Standards that she feels application has not met, support by-right proposal of single family residential.
- Dave Pampreen, 6408 Canmoor; addressed density of application in comparison to surrounding residential, concerns with artesian well allegedly on site.
- John Malott, 72 Telford; addressed comments of residents he surveyed within differential distances of the proposed PUD development, in support of the by-right proposal of single family residential.
- Deboral Louzecky, 6327 Donaldson; voiced opposition of the PUD development, prefer by-right proposal of single family residential, addressed PUD Standards that she feels are not met, concerns with residents west of Square Lake losing property.

PUBLIC HEARING CLOSED

Mr. Carlisle stated an application to develop single family residential at this site has not been submitted nor has it been through the site plan approval process. He said at this point it is not clear how many units might be allowed under the R-1B zoning classification.

Several board members shared comments as relates to a single family residential by-right development in comparison to the proposed PUD development.

Mr. Abitheira stepped forward to ask the Board's consideration in postponing the item because of the lateness of the meeting and that it would allow him the opportunity to improve the architectural design of the ranch style homes.

Resolution # PC-2024-04-018

Moved by: Fox

Seconded by: Buechner

RESOLVED, To postpone The Village of Hastings PUD, East side of Livernois, North of Square Lake, to allow the applicant to make improvements and provide updated elevations for the ranch style homes as specified in the Site Plan Review Design Standards, Section 8.06 of the Zoning Ordinance, as well as provide signage for the EVA, and address any outstanding items as identified in the Planning Consultant report dated March 15, 2024.

Yes: Buechner, Faison, Fox, Krent, Malalahalli, Perakis, Tagle

No: Hutson, Lambert

MOTION CARRIED

PLANNED UNIT DEVELOPMENT

5. **PLANNED UNIT DEVELOPMENT (File Number PUD 020 JPLN2023-0021) - CONCEPT DEVELOPMENT PLAN (CDP) AND PRELIMINARY DEVELOPMENT PLAN (PD) APPROVAL** – The Village of Hastings PUD, East side of Livernois, North of Square Lake, PIN 88-20-03-301-088, -023, -024, -025 and 88-20-03-351-004, Section 3, Presently Zoned NN (Neighborhood Node “Q”) and R-1B (One Family Residential) Zoning Districts

Mr. Savidant presented a brief background of the Village of Hastings PUD application and addressed the revisions to the application since last reviewed by the Planning Commission at their April 9, 2024 meeting. He said the revised plan addresses concerns relating to the building design and architecture, EVA (Emergency Vehicle Access) access and signage, extension of sidewalks and inclusion of crosswalks and trash pickup arrangement.

In summary, Mr. Savidant asked the Planning Commission to discuss whether the current proposal is consistent with the Master Plan and whether it meets the Site Plan Review Design Standards and the PUD Standards.

Gary Abitheira was present and said he had nothing more to add to the presentation given by the administration.

There was discussion, some comments related to:

- Trash removal arrangement among different housing units.
- Potential to provide right and left hand turning lanes on Livernois.
- Favorable comments on the revised elevations, preservation of historic homes and the applicant’s dedication to work with the Planning Commission.

Mr. Savidant explained the review and approval process of a PUD application. He said the Planning Commission is a recommending body only and that the City Council has the final decision on the application. Mr. Savidant stated a PUD Agreement would be prepared prior to the City Council consideration of the application, noting it is a legal contract between the City and the developer.

Mr. Savidant said numerous email messages received from the public since the April 9 meeting date were provided to the Planning Commission either in the agenda packet or at their seat prior to the beginning of tonight’s meeting.

A count was taken to determine the number of persons in the audience who were in support or in opposition of the proposed PUD application. There were 57 residents in opposition; one in support.

Mr. Fox cited data he researched on a U.S. Census survey relating to property values and home sales in communities with a mix of single family and multi-family homes in comparison to communities with only single family homes. The data signifies communities with a mix of single family and multi-family homes have higher property values and higher home sales. Mr. Fox said he is in support of the PUD application.

Resolution # PC-2024-05-029

Moved by: Fox
Seconded by: Malalahalli

WHEREAS, The applicant GFA Development, Inc. seeks Conceptual Development Plan (CDP) and Preliminary Development Plan (PDP) approval for the Village of Hastings Planned Unit Development (PUD), located on the east side of Livernois, north of Square Lake, in Section 3, approximately 6.05 acres in area; and

WHEREAS, The Village of Troy PUD features 3 detached single-family homes, 8 ranch style single family homes, 18 two-story attached homes and 4 single family duplex homes, for a total of 33 residential units; and

WHEREAS, The proposed development accomplishes a significant number of the Standards of Approval as per Section 11.03.B.

BE IT RESOLVED, That the Planning Commission recommends to City Council that Concept Development Plan Approval and Preliminary Development Plan Approval for the proposed Village of Hastings be granted.

Discussion on the motion on the floor.

There was discussion on whether to include a design consideration to have the Engineering Department look into providing left and right hand turning lanes.

Mr. Lambert said he would vote no on the motion to approve because he thinks the application does not meet enough of the PUD Standards.

Vote on the motion on the floor.

Yes: Buechner, Faison, Fox, Krent, Malalahalli, Perakis
No: Hutson, Lambert
Absent: Tagle

MOTION CARRIED



Carlisle | Wortman
ASSOCIATES, INC.

117 NORTH FIRST STREET SUITE 70 ANN ARBOR, MI 48104 734.662.2200 734.662.1935 FAX

Date: October 10, 2023
December 19, 2023
February 21, 2024
March 15, 2024
May 14, 2024

PUD and Preliminary Development Plan Approval Review For City of Troy, Michigan

Applicant: GFA Development Inc

Project Name: Village of Hastings

Plan Date: January 24, 2024

Location: East side of Livernois, north of Square Lake

Zoning: R-1B, Single Family Residential (approx. 4.9 acres) & NN-Q
Neighborhood Node, (approx. 1.1 acres)

Proposed Zoning: Planned Unit Development

Action Requested: PUD and Preliminary Development Plan Approval Review

BACKGROUND

An application has been submitted to conditionally rezone a +/-6.0 acre site to PUD in order to construct thirty (30) new residential units and preserve three (3) existing homes on site. Eight (8) will be ranch style single-family homes, eighteen (18) will be two-story attached row homes, and four (4) will be single-family duplex homes. The site currently has four (4) existing single-family homes of which three (3) will be preserved and incorporated into the entire development. The site includes five (5) parcels. Approximately 4.9 acres of the site is currently zoned R-1B, which does not permit multi-family residential; while approximately 1.1 acres of the site is zoned Neighborhood Node, which does allow multi-family residential.

The subject site is located on the east side of Livernois, north of Square Lake. Access is via a new twenty-eight (28) foot wide private road off Livernois along with an emergency vehicle access road off Square Lake in the southeast corner of the development. The 30-units will be distributed in the format outlined below:

- Four (4) one (1) unit detached ranches. Four (4) units total.
- Two (2) two (2) unit attached ranches. Four (4) units total.
- Three (3) five (5) unit multi-unit row homes. Fifteen (15) units total.
- One (1) three (3) unit multi-unit row homes. Three (3) units total.
- Two (2) two (2) unit single-family duplex homes. Four (4) units total.
- Three (3) existing (1) unit single family homes. Three (3) units total.

Total of Units: 30 new units + 3 existing units = 33 units.


All duplex and multi-unit row homes are two stories. One (1) duplex unit measures roughly 1,900 square feet and one (1) row home unit measures roughly 2,000 square feet.

The following benefits have been noted by the applicant:

1. *Preservation of three existing homes built.*
2. *Offer multiple styles of housing.*
3. *Emergency Vehicle Access from Square Lake Road.*
4. *1.3 acres of open space including communal sport court, putting green, and butterfly garden.*
5. *Landscaping will be viable, interesting, and inviting to encourage outdoor recreation and exercise.*
6. *Extensive interior sidewalks to promote walkability.*
7. *Maximum Building Height shall not exceed 2 stories or 30' in height.*
8. *Maximum lot area covered by buildings will be 18%.*

If the PUD is recommended for approval by the Planning Commission, a PUD Agreement will be drafted between the applicant and the City Attorney's office prior to consideration by the City Council.

Location of Subject Site:



Current Zoning:

R-1B, Single Family Residential & NN-Q Neighborhood Node.

Proposed Uses of Subject Parcels:

Thirty-three (33) multi-family and single-family dwelling units.


Current Use of Subject Properties:

Single Family Homes and undeveloped land.

Surrounding Property Details:

Direction	Zoning	Use
North	R-1B	Single Family Housing
South	NN-Q	Commercial / Office
East	R-1B	Single Family Housing
West	R-1B / NN-Q	Single Family Housing / Commercial

ZONING



The site includes a mix of zoned R1-B (one family residential) and NN, Neighborhood Node Zoning. Uses along this portion of Livernois and Square Lake Road are primarily low intensity office and retail located near the intersection. Institutional uses exist along Square Lake Road with Troy Preschool to the west of the intersection and Saint Elizabeth Ann Seton Church to the east of the intersection. Newer dense multi-family housing does exist south of the intersection along Livernois.

PUD PROCESS

A Planned Unit Development project is viewed as an integrated development concept. To that end, the provisions of this Article are not intended to be used as a device for avoiding the zoning requirements that would otherwise apply, but rather to allow flexibility and mixture of uses, and to improve the design, character and quality of new development. The use of a Planned Unit Development to permit variations from other requirements of this Ordinance shall only be approved when such approval results in improvements to the public health, safety and welfare in the area affected, and in accordance with the intent of this Article.

The approval of a Planned Unit Development (PUD) is a three-step process:

Step 1-Concept Plan: *The first step shall be application for and approval of a Concept Development Plan, which requires a legislative enactment amending the zoning district map so as to reclassify the property as a Planned Unit Development. A proposed Development Agreement shall be included and incorporated with the Concept Development Plan, to be agreed upon and approved coincident with said Plan. The Concept Development Plan and Development Agreement shall be approved by the City Council following the recommendation of the Planning Commission. Such action, if and when approved, shall confer upon the applicant approval of the Concept Development Plan and shall rezone the property to PUD in accordance with the terms and conditions of the Concept Development Plan approval.*

Step 2- Preliminary Development Plan Approval: *The second step of the review and approval process shall be the application for and approval of a Preliminary Development Plan (preliminary site plan) for the entire project, or for any one or more phases of the project. City Council shall have the final authority to approve and grant Preliminary Development Plan approvals, following a recommendation by the Planning Commission.*

Step 3- Final Development Plan Approval: *The third step of the review and approval process shall be the review and approval of a Final Development Plan (final site plan) for the entire project, or for any one or more phases of the project, and the issuance of building permits. Final Development Plans for Planned Unit Developments shall be submitted to the Zoning Administrator for administrative review, and the Zoning Administrator, with the recommendation of other appropriate City Departments, shall have final authority for approval of such Final Development Plans.*

The applicant is seeking a recommendation of approval for their Preliminary Development Plan.


PUD INTENT

As set forth in Section 11.01, the intent of the Planned Unit Development option is to permit flexibility in the design and use of residential and non-residential land which, through the implementation of an overall development plan, when applicable to the site, will:

1. Encourage developments that will result in a long-term contribution to social, environmental and economic sustainability in the City of Troy.
2. Permit development patterns that respond to changing public and private needs.
3. Encourage flexibility in design and use that will result in a higher quality of development and a better overall project than would be accomplished under conventional zoning, and which can be accommodated without sacrificing established community values.
4. Provide for the long-term protection and/or preservation of natural resources, natural features, and/or historic and cultural resources.
5. Promote the efficient use and conservation of energy.
6. Encourage the use, redevelopment and improvement of existing sites where current ordinances do not provide adequate protection and safeguards for the site or its surrounding areas, or where current ordinances do not provide the flexibility to consider redevelopment, replacement, or adaptive re-use of existing structures and sites.
7. Provide for enhanced housing, employment, recreation, and shopping opportunities for the citizens of Troy.
8. Ensure the compatibility of design and use between various components within the PUD and with neighboring properties and uses.
9. Ensure development that is consistent with the intent of the Master Plan.

PREVIOUS PLANNING COMMISSION REVIEWS

The following 14-unit townhome development was approved in 2018:



The applicant is revising the approved site layout shown above and expanding the project to the northwest.

The Concept Plan was first reviewed by the Planning Commission in July 2022. Discussion included:

- Previously approved development, housing types, timing and validity of approval, currently in engineering process
- Existing homes; historical in nature, and listed in Historic Preservation Chapter
- Neighborhood Node “Q” toured by Planning Commission and City Council
- Public benefit, preservation of two existing homes, housing types offered
- Intent of PUD development: provide flexibility from Zoning Ordinance regulations to allow a more creative and negotiable product


- On January 9, 2024, the Planning Commission considered a revised plan. After public commentary and lengthy deliberation, a vote to recommend approval of the plan to the City Council failed 4-5. No further action was taken.



REVISED PLANS

The applicant requested to submit a revised plan for further Planning Commission consideration. Per further discussion at the January 9, 2024 meeting, the applicant provided the following revisions in March 2024:


- Removal of the proposed privacy fence between the existing older homes and the adjacent new housing units.
- Reduction of two (2) units. Revisions include the removal of two (2) duplex units on the east side of the development.
- The four (4) remaining duplex units have a new footprint and layout.



The applicant brought the revised site plans to the Planning Commission meeting on April 9, 2024. Discussion at this meeting included:

- Preserving historic nature of older homes through terms in the PUD agreement
- Walkability of the site; extension of sidewalks and inclusion of crosswalks
- EVA (Emergency Vehicle Access); access and signage
- Additional green space, public amenities, and sustainability features
- Trash pickup arrangement
- Design, materials, and color scheme of units
- Inconsistency of building and lot dimension designations on the site plan

On May 14, 2024, the applicant submitted newly revised plans to the City's Planning Department. Through these revised plans, the applicant has addressed several concerns raised at the April 9th meeting, such as EVA access and signage, crosswalks, and the trash pickup arrangement. However, some concerns were not addressed, such as additional green space, public amenities, and sustainability features. These points are discussed further throughout this report.



NATURAL FEATURES

- Topography:** A topographic survey has been provided on sheet P-1.0. The site is relatively flat with the exception of the southeast corner where a natural depression exists and will be converted into the detention basin.
- Wetlands:** There are no state regulated wetlands on the site.
- Floodplain:** The site is not located within a flood hazard zone.
- Woodlands:** A tree inventory and replacement plan have been provided on Sheet T.1.0-T.1.1. The applicant surveyed a total of 305 trees on site. The composition of trees is predominantly woodland and invasive species with a small amount of landmark trees. Invasive species include silver maples, box elder, black walnut, elm, white mulberry, american elm, norway maple, catalpa, white poplar, green ash and cottonwood. Of the 305 on-site trees, 44 woodland trees and 5 landmark trees will be saved. Preserved trees will be primarily along the borders of the site and adjacent to the three (3) existing homes.

Replacement Details		
Protected Tree	Inches Removed	Replacement Required
Landmark	172 inches	172 inches
Woodland	329 inches	165 inches
Protected Tree	Inches Preserved	Credit
Landmark	94 inches	188 inches
Woodland	440 inches	880 inches
Protected Replacement Required	337 Inches	
Preservation Credit	1,068 Inches	
Total	0 inches of replacement required	
Total Tree Mitigation	0 inches of replacement required	

Items to be Addressed: None.

SITE ARRANGEMENT/SETBACKS/HEIGHT CONSIDERATION

The applicant is proposing to construct thirty (30) new residential units and maintain three (3) existing houses on site. Eight (8) new units will be ranch style single-family homes, eighteen (18) will be two-story attached row homes, and four (4) will be single-family duplex homes. The site currently has four (4) existing single-family homes of which three (3) will be preserved and incorporated into the entire development.

A detention basin is proposed for the southeastern portion of the site, which will be bordered by neighboring properties to the south and west, the site emergency vehicle access drive to the east, and on-site parking to the north. The plans include two (2) outdoor recreational areas: the northern central portion of the site features a sports court, butterfly garden, and putting green; and the southern central portion features a 420 square foot park with butterfly garden.

We note that our previous reports raised concerns about inconsistent setbacks found on the site plans. The applicant has addressed and alleviated these concerns with the latest site plan submitted on May 14, 2024. The applicant has shifted Units 13, 14, and 15, one-foot to the west to provide a compliant 30-foot rear setback.

Items to be Addressed: None.

PARKING

Section 13.06.G of the Zoning Ordinance requires:

	Required	Provided	Complies
Multiple-Family Residential			
1 space per each efficiency dwelling unit 2 spaces per each dwelling unit	2*33 units= 66 spaces	25 surface lot spaces 42 driveway spaces 30 garage spaces = 97 total	Complies

Items to be Addressed: None

SITE ACCESS AND CIRCULATION

Vehicular Access

The site will be accessed from Livernois Road via a two-lane entry. There is a one-lane Emergency Vehicular Access (EVA) proposed from Square Lake Road into the southeastern portion of the development. Based on Planning Commission comments on April 9, 2024, the applicant has provided signage around the EVA to inform that this lane is meant for emergency vehicles only.

Pedestrian Circulation

Five (5) foot wide sidewalks are shown throughout the development providing pedestrian connection to multiple units and open space amenities. To address concerns raised at the April 9, 2024 Planning Commission meeting, the applicant has also provided three (3) crosswalks in areas expected to have heavier pedestrian traffic. One (1) crosswalk connects the sidewalk south of the sports court to the adjacent sidewalk north of Unit 30. On the south side of the main road,

two (2) more crosswalks are provided where the sidewalk ends for vehicular entry into each parking lot.

Items to be Addressed: None.

LANDSCAPING

A landscaping plan has been provided on Sheets L-1.0 and L-1.1. The following table discusses the development's compliance with the landscape requirements set forth in Section 13.02.

	Required	Provided	Compliance
Greenbelt Planting			
Livernois: 1 tree per 30 feet of frontage	$463 / 30 = 15$	15	Complies
Property Lines			
<u>North (Residential):</u> 1 large evergreen tree per 10 lineal feet OR 1 narrow evergreen tree per 3 lineal feet	297-feet along western half / 10 = 30 trees	30 large evergreen trees	Complies
	305-feet along eastern half / 10 = 31 trees	31 large evergreen trees	Complies
<u>East (Residential):</u> 1 large evergreen tree per 10 lineal feet OR 1 narrow evergreen tree per 3 lineal feet	170-feet along northern quarter/3 = 57 trees	57 narrow evergreen trees	Complies
	586-feet along southern three quarters/3 = 195 trees	195 narrow evergreen trees	Complies
<u>South (Office):</u> Not required	N/A	2 trees	N/A
Parking Lot			
1 tree per 8 surface lot parking spaces	$25 / 8 = 3$ trees	None in parking lot; but 52 provided along the road	Complies
Subdivision and Site Condominium Landscaping			
1 tree per 50 lineal feet of public or private road frontage	$1,281 \text{ LF} / 50 = 26$ trees	52 trees	Complies

Overall			
Site landscaping: A minimum of 20% of the site area shall be comprised of landscape material	20%	26%	Complies

Trash Pickup

Ranch home residents will utilize private trash cans which shall be set along the road for pickup. Then, four (4) trash receptacles are provided within the parking lots for residents in the ROW and duplex style units. The four (4) trash receptacles are dispersed in a manner convenient for all units. We note that initially only three (3) trash receptacles were proposed on-site, and the applicant added a fourth trash receptacle following the April 9th Planning Commission meeting.

Items to be Addressed: None.

TRAFFIC

In an August 23rd, 2023 memo, OHM has reviewed traffic.

Traffic Counts:

Land Use	Number of Units	ITE Land Use Code	Number of Site Generation Trips								
			AM Peak Hour			PM Peak Hour			Daily		
			In	Out	Total	In	Out	Total	In	Out	Total
Single Family Detached	6	210	1	5	6	4	3	7	38	38	76
Single Family Attached	38	215	4	10	14	11	8	19	120	120	240
Site Totals – 44 units			5	15	20	15	11	26	158	158	316

OHM Conclusion

Traffic volumes are closely correlated with the number of residential units. Essentially all the trips generated by the Village of Hastings development will be delivered directly to Livernois Road, an arterial roadway, which will increase slightly over current conditions. The traffic generated by the proposed development would be minimal, adding less than 30 vehicle trips during the peak (“busiest”) hour. This equates to approximately one vehicle every 2-3 minutes during the peak hours. The traffic impact of this site on the adjacent road network is negligible and would be imperceptible to the majority of road users.

Items to be Addressed: None.

PHOTOMETRICS

The types of fixtures and footcandle measurements proposed are compliant with lighting standards. In regard to fixture height, the applicant notes: “No fixture to be mounted greater than 25 feet above grade. Fixtures at sports court to be no more than 15 feet above grade.”

Items to be Addressed: None.

FLOOR PLAN AND ELEVATIONS

Floor Plans

Ranch Unit:

The front façade of the ranch allows entry into the unit via the front door and through the garage. The unit features three (3) bedrooms, two (2) restrooms, a great room, kitchen, nook area, and laundry room. Ranch units can be built with either a 2-car garage or 3-car garage. The applicant has confirmed that this choice shall be made by the buyer at the time of sale. Ranch units with a 3-car garage will be slightly larger in width and will include a covered patio in the rear yard.

Ranch Duplex Unit:

Each ranch duplex unit is accessed via the front door or the 2-car garage. The unit includes (3) bedrooms, two (2) restrooms, a great room, kitchen, nook area, laundry room, and mud room.

2-story Duplex Unit:

The first floor of each 2-story duplex unit includes a 2-car garage, mechanical equipment area, and stairs. The main door entrance is located on the side of the unit. The second floor includes the living room, kitchen, laundry area, two (2) bedrooms, and one (1) restroom.

Multi-Unit ROW Homes/Townhouse:

The first floor of these units is where the 19' x 20' garage, living room, dining area, kitchen, pantry, and one (1) restroom are located. The second floor includes three (3) bedrooms, two (2) restrooms, and a laundry room. One (1) restroom is located in a common area and the other is solely accessible through the primary bedroom.

Elevations

The maximum proposed height of all housing units is 30 feet tall.

Building Materials

Overall, the same general building materials are proposed for all housing types at this development. These materials include asphalt shingles, brick veneer, board and batten siding, painted wood trim, and insulated vinyl windows. The only notable differences in materials are that the ROW homes also contain limestone veneer and the ranch duplexes have a couple of small areas with metal roofing. Colored renderings indicate that all housing types shall have a similar color scheme, including shades of red, orange, brown, white, gray, and black.

We note that since the April 9th Planning Commission meeting, the applicant has revised aspects of the building design to address architectural concerns. The “snout nose” appearance of the ranch units has been reduced, and more windows and architectural details have been incorporated to enhance natural light and building appearance. See the latest colored renderings below.

Rendering of Detached Ranch Unit, Dated May 14, 2024.



Rendering of Ranch Duplex Unit, Dated May 14, 2024.



Rendering of 2-story Duplex Unit, Dated May 14, 2024.



Rendering of Multi-Unit Townhouse, Dated May 14, 2024.



In light of these changes, we recommend the Planning Commission evaluate the proposed architecture in accordance with Site Plan Review Design Standards of Section 8.06.

Items to be Addressed: Planning Commission to evaluate proposed architecture in accordance with Site Plan Review Design Standards of Section 8.06.

PUD STANDARDS

As set forth in section 11.03, Standards for Approval, it should be demonstrated that the following standards will be met, as reasonably applicable to the site:

1. *The applicant shall demonstrate that through the use of the PUD option, the development will accomplish a sufficient number of the following objectives, as are reasonably applicable to the site, providing:*
2. *A mixture of land uses that would otherwise not be permitted without the use of the PUD provided that other objectives of this Article are also met.*
3. *A public improvement or public facility (e.g. recreational, transportation, safety and security) which will enhance, add to or replace those provided by public entities, thereby furthering the public health, safety and welfare.*
4. *A recognizable and material benefit to the ultimate users of the project and to the community, where such benefit would otherwise be infeasible or unlikely to be achieved absent these regulations.*
5. *Long-term protection and preservation of natural resources, natural features, and historic and cultural resources, of a significant quantity and/or quality in need of protection or preservation, and which would otherwise be unfeasible or unlikely to be achieved absent these regulations.*
6. *A compatible mixture of open space, landscaped areas, and/or pedestrian amenities.*
7. *Appropriate land use transitions between the PUD and surrounding properties.*
8. *Design features and techniques, such as green building and low impact design, which will promote and encourage energy conservation and sustainable development.*
9. *Innovative and creative site and building designs, solutions and materials.*
10. *The desirable qualities of a dynamic urban environment that is compact, designed to human scale, and exhibits contextual integration of buildings and city spaces.*
11. *The PUD will reasonably mitigate impacts to the transportation system and enhance non-motorized facilities and amenities.*
12. *For the appropriate assembly, use, redevelopment, replacement and/ or improvement of existing sites that are occupied by obsolete uses and/or structures.*
13. *A complementary variety of housing types that is in harmony with adjacent uses.*
14. *A reduction of the impact of a non-conformity or removal of an obsolete building or structure.*
15. *A development consistent with and meeting the intent of this Article, which will promote the intent of the Master Plan or the intent of any applicable corridor or sub-area plans. If conditions have changed since the Plan, or any applicable corridor or sub-area plans were adopted, the uses shall be consistent with recent development trends in the area.*
16. *Includes all necessary information and specifications with respect to structures, heights, setbacks, density, parking, circulation, landscaping, amenities and other design and layout features, exhibiting a due regard for the relationship of the development to the surrounding properties and uses thereon, as well as to the relationship between the various elements within the proposed Planned Unit Development. In determining whether these relationships have been appropriately addressed, consideration shall be given to the following:*
 - a. *The bulk, placement, and materials of construction of the proposed structures and other site improvements.*
 - b. *The location and screening of vehicular circulation and parking areas in relation to surrounding properties and the other elements of the development.*

- c. *The location and screening of outdoor storage, loading areas, outdoor activity or work areas, and mechanical equipment.*
 - d. *The hours of operation of the proposed uses.*
 - e. *The location, amount, type and intensity of landscaping, and other site amenities.*
17. *Parking shall be provided in order to properly serve the total range of uses within the Planned Unit Development. The sharing of parking among the various uses within a Planned Unit Development may be permitted. The applicant shall provide justification to the satisfaction of the City that the shared parking proposed is sufficient for the development and will not impair the functioning of the development, and will not have a negative effect on traffic flow within the development and/or on properties adjacent to the development.*
18. *Innovative methods of stormwater management that enhance water quality shall be considered in the design of the stormwater system. 18. The proposed Planned Unit Development shall be in compliance with all applicable Federal, State and local laws and ordinances, and shall coordinate with existing public facilities.*

SITE PLAN REVIEW STANDARDS

Site Plan review standards provide the Planning Commission with direction when reviewing the proposed site plan and design features of this development.

Section 8.06 outlines Site Plan Review Design Standards.


1. *Development shall ensure compatibility to existing commercial districts and provide a transition between land uses.*
 - a. *Building design shall enhance the character of the surrounding area in relation to building and parking placement, landscape and streetscape features, and architectural design.*
 - b. *Street fronts shall provide a variety of architectural expression that is appropriate in its context and prevents monotony.*
 - c. *Building design shall achieve a compatible transition between areas with different height, massing, scale, and architectural style.*
2. *Development shall incorporate the recognized best architectural building design practices.*
 - a. *Foster a lasting impact on the community through the provision of high quality design, construction, and detailing.*
 - b. *Provide high quality, durable materials, such as but not limited to stone, brick, glass, and metal. E.I.F.S. or material equivalent shall only be used as an accent material.*
 - c. *Develop buildings with creativity that includes balanced compositions and forms.*
 - d. *Design roofs that are appropriate to the architectural style of the building and create an appropriate visual exterior mass of the building given the context of the site.*

- e. *For commercial buildings, incorporate clearly defined, highly visible customer entrances using features such as canopies, porticos, arcades, arches, wing walls, ground plane elements, and/or landscape planters.*
 - f. *Include community amenities that add value to the development such as patio/seating areas, water features, art work or sculpture, clock towers, pedestrian plazas with park benches or other features located in areas accessible to the public.*
3. *Enhance the character, environment and safety for pedestrians and motorists.*
- a. *Provide elements that define the street and the pedestrian realm.*
 - b. *Create a connection between the public right of way and ground floor activities.*
 - c. *Create a safe environment by employing design features to reduce vehicular and pedestrian conflict, while not sacrificing design excellence.*
 - d. *Enhance the pedestrian realm by framing the sidewalk area with trees, awnings, and other features.*
 - e. *Improve safety for pedestrians through site design measures.*

SUMMARY

The Planning Commission has seen several revisions of the proposed project. We recommend the Planning Commission discuss whether the current proposal is consistent with the Master Plan, whether it meets the site plan design standards, and whether it meets the PUD standards.

Sincerely,



CARLISLE/WORTMAN ASSOC., INC.
Benjamin R. Carlisle, AICP, LEED AP
President



CARLISLE/WORTMAN ASSOC., INC.
Shana Kot
Community Planner

memorandum



Date: August 24, 2023


To: R. Brent Savidant, AICP
Scott G Finlay, PE

From: Stephen Dearing, PE, PTOE

Re: Village of Hastings – Mixed Residential
Site Review and Anticipated Traffic Impacts

We have reviewed the preliminary site plan for the Village of Hastings, prepared by PEA and dated August 9, 2023. There are a variety of issues and concerns that should be addressed and revised plans submitted.


1. The plans already proposed improvements to Livernois Rd in support of the development, widening to provide a center lane for left turns for SB movement into the site and a NB right turn lane. The geometry for the center lane needs to be changed for the width to be 11', not 10' as depicted. The right turn lane width needs to be dimensioned and should be at least 11' wide.
2. The Telford Court ROW looks to overlap with the parcel corner to the northeast of Ranch No. 3. Clarify this issue.
3. The developer should add sidewalk along the site's Square Lake Rd frontage, as there's only a few gaps remaining along that roadway.
4. Verify that emergency vehicles can navigate the proposed EVA to Square Lake by way of an AutoTurn analysis.
5. The following points relate to the image below:




- a. The aisle width of 20' for the parking lot does not conform to zoning ordinance requirements.
- b. Should have continuity of sidewalk, avoiding long transit of parking lot.
- c. The relocated portion adjacent to parking stalls needs to be 7' wide to account for bumper overhang.



6. The following points relate to the image below:



- a. All internal walks should be 5' wide.
 - b. Dead end turnarounds must be a minimum of 5' deep, not the 3' depicted.
7. Five of the ranch homes have some of the worst ped access within the site. Add ped connectivity for units #4-8.
 8. The stub of pavement between Ranch #8 and Duplex #9 is problematic. If the intent is to allow from the future extension of the street to the east, then have the pavement extend to the property line. If not, then truncate / eliminate the pavement east of the driveway for Ranch #8.
 9. Same issue for stub of pavement near Ranch # 3. In this case, will not be extending into adjacent property. Truncate / eliminate the pavement east of driveway for Ranch #3.
 10. The proposed driveway for the historic house that will remain adjacent to the new development access is illogical. The existing one car garage is orientated east-west with the door on the west side. The garage is not wide/deep enough to reorientate it to store vehicles north-south. Do not retain the existing driveway approach to Livernois; change to access the new site street.





Anticipated Traffic Impacts

Usually, a traffic study is performed to identify any needed roadway improvements that would be required to support a proposed development. In this case, the site plan already shows reasonable turn lane improvements for the site's point of access. But it may be considered appropriate to at least identify the trip generation that is likely to result from the proposed development.

The proposed site development consisting of 2 existing single-family homes to remain, as well as 8 new ranch homes, 6 duplexes and 28 townhouses. All but one existing home will be accessing Livernois with the site's single street to Livernois.

The Institute of Transportation Engineers (ITE) Trip Generation Manual, 11th Edition, provides trip generation rates for numerous land uses, based on thousands of studies throughout the United States and Canada. This data can then be used to estimate the number of vehicle trips generated by a development. For residential housing, traffic impacts are usually most noticeable during the peak hour of adjacent street traffic – that is, during morning and evening peak commuter periods, when traffic on the roads is most congested. In most areas, the morning (AM) peak is a one hour period that occurs between 7 am – 9 am, and the evening (PM) peak is a one hour period usually between 4 pm – 6 pm.

The table below provides the calculated number of trips generated for the proposed Village of Hastings, based on the ITE Trip Generation Manual, 11th Edition, for various residential building types (ITE Land Use Codes #210 and 215).

Land Use	No. of Units	ITE Land Use Code	Number of Site-Generated Trips								
			AM Peak Hour			PM Peak Hour			Daily		
			In	Out	Total	In	Out	Total	In	Out	Total
Single Family Detached	6	210	1	5	6	4	3	7	38	38	76
Single Family Attached	38	215	4	10	14	11	8	19	120	120	240
Site Totals – 44 Units			5	15	20	15	11	26	158	158	316

Single family detached is self-explanatory and includes the two existing historic houses. The category of single family attached encompasses the four ranches that share a common wall, the six duplex units and the 28 townhouse units.

During the morning (AM) peak hour, the proposed Village of Hastings development is expected to generate 20 new trips: 5 inbound (entering the site), and 15 outbound (exiting the site). During the evening (PM) peak hour, the proposed site is expected to generate 26 new vehicle trips: 15 inbound (entering the site) trips, and 11 outbound (exiting the site). This pattern coincides with residents typically leaving in the morning for work and returning home in the evening.


Traffic volumes are closely correlated with the number of residential units. Essentially all the trips generated by the Village of Hastings development will be delivered directly to Livernois Road, an arterial roadway, which will increase slightly over current conditions. The traffic generated by the proposed development would be minimal, adding less than 30 vehicle trips during the peak ("busiest") hour. This equates to approximately one vehicle every 2-3 minutes during the peak hours. The traffic impact of this site on the adjacent road network is negligible and would be imperceptible to the majority of road users.

PLANNED UNIT DEVELOPMENT
CONCEPT DEVELOPMENTAL PLAN

THE VILLAGE OF HASTINGS

PART OF THE SW 1/4 OF SECTION 3, T. 02N., R. 11E.,
CITY OF TROY, OAKLAND COUNTY, MICHIGAN

PERMIT / APPROVAL SUMMARY		
DATE SUBMITTED	DATE APPROVED	PERMIT / APPROVAL



INDEX OF DRAWINGS	
NUMBER	TITLE
	COVER SHEET
P-1.0	TOPOGRAPHIC SURVEY
P-2.0	PRELIMINARY SITE PLAN
P-2.1	ADDITIONAL SITE DETAILS
P-2.2	TRASH VEHICLE CIRCULATION PLAN
P-3.0	PRELIMINARY GRADING PLAN
P-4.0	PRELIMINARY UTILITY PLAN
L-1.0	PRELIMINARY LANDSCAPE PLAN
L-1.1	LANDSCAPE DETAILS
T-1.0	TREE PRESERVATION PLAN
T-1.1	TREE PRESERVATION LIST
ARCHITECTURAL PLANS	
A100	FIRST FLOOR UNIT PLAN
A200	ELEVATIONS
A300	3D VIEWS
A100	FIRST FLOOR UNIT PLAN
A200	ELEVATIONS - OPTION A
A200	ELEVATIONS - OPTION B
A300	3D VIEWS - OPTION A
A300	3D VIEWS - OPTION B
A100	FIRST FLOOR UNIT PLAN
A200	ELEVATIONS
A300	3D VIEWS
A101	FIRST FLOOR UNIT PLANS
A102	STANDARD SECOND FLOOR UNIT PLANS
A200	STANDARD NORTH & SOUTH ELEVATIONS
A201	STANDARD EAST & WEST ELEVATION
A400	STANDARD AXONMETRIC VIEWS
A100	FIRST FLOOR PLAN
A101	SECOND FLOOR PLAN
A200	ELEVATIONS
A300	3D VIEWS

DESIGN TEAM


OWNER/APPLICANT/DEVELOPER	CIVIL ENGINEER
GFA DEVELOPMENT, INC. 986 ELMSFORD DRIVE TROY, MI 48063 CONTACT: GARY ABITHEIRA PHONE: 248.840.2828 EMAIL: GABITHEIRA@WIDOPENWEST.COM	PEA GROUP 1849 POND RUN AUBURN HILLS, MI 48326 CONTACT: JOHN B. THOMPSON, PE PHONE: 844.813.2949 EMAIL: JTHOMPSON@PEAGROUP.COM
ARCHITECT	LANDSCAPE ARCHITECT
MOISEEV/GORDON ASSOCIATES, INC. 4351 DELEMERE COURT ROYAL OAK, MI 48073 CONTACT: ANDREW MOISEEV, RA PHONE: 248.549.4500 EMAIL: ANDREWWM@MGA-ARCHITECTS.NET	PEA GROUP 45 W. GRAND RIVER AVE., STE. 501 DETROIT, MI 48226 CONTACT: KIMBERLY DIETZEL, RLA PHONE: 844.813.2949 EMAIL: KDIEZEL@PEAGROUP.COM



REVISIONS	
DESCRIPTION	DATE
ORIGINAL ISSUE DATE	6/1/2023
REVISED PER PLANNER COMMENTS DATED 6/2/2023	8/9/2023
REVISED PER PLANNER COMMENTS DATED 8/24/2023	11/17/2023
REVISED PER PLANNING COMMISSION COMMENTS DATED 11/28/2023	12/7/2023
REVISED PER PLANNING COMMISSION COMMENTS DATED 1/9/2024	1/24/2024
REVISED PER PLANNING COMMISSION COMMENTS DATED 4/9/2024	4/22/2024
REVISED PER PLANNING REVIEW DATED 3/15/2024	4/23/2024
REVISED PER PLANNING COMMENTS DATED 5/6/2024	5/13/2024



S:\PROJECTS\2017\2017-009 GFA SQUARE LAKE - JPB\Draw\Shr Plans\17-009-17009.dwg



Legal Description

(Combined Parcel Per PEA Group)

Part of Lots 19 and 22 of "Supervisors Plat No. 7" as recorded in Liber 45 on pages 21 and 21A, Oakland County Records, together with part of the Southwest 1/4 of Section 3, Town 2 North, Range 11 East, City of Troy, Oakland County Michigan and being more particularly described as Commencing at the Southwest Corner of said Section 3; thence along the south line of said section, S89°43'00"E, 643.50 feet; thence N00°08'00"W, 74.00 feet to the north line of East Square Lake Road, 74' half width, and the Point of Beginning; thence along said north line, N89°43'00"W, 29.62 feet; thence N01°15'45"E, 72.26 feet to the north line of said Lot 22, said line also being the south line of said Lot 19; thence along said south line N89°43'00"W, 212.46 feet; thence N01°33'55"E, 98.99 feet; thence S89°43'00"E, 59.44 feet; thence N01°15'45"E, 121.05 feet to the easterly extension of the north line of Lot 18 of said Supervisors Plat; thence along said line, N89°43'00"W, 430.98 feet to the east line of Livernols Road, 33' half width; thence along said east line, N00°34'30"E, 483.76 feet to the easterly extension of the south line of "Telford Ridge" as recorded in Liber 206, page 24 Oakland County Records; thence along said south line, S89°43'00"E, 297.00 feet to the west line of said Telford Ridge; thence along said west line, S00°34'30"W, 170.00 feet to the south line of said Telford Ridge, said line also being the north line of the south 660 feet of the southwest 1/4 of said Section 3; thence along said south line, S89°43'00"E, 305.34 feet to the west line of tax parcel 20-03-301-033; thence along said west line, S00°08'00"E, 586.02 feet to the aforementioned north line of East Square Lake Road and the Point of Beginning. Containing 6.313 acres of land more or less.

BENCHMARKS

(CITY OF TROY DATUM)


- BM #300
SET BENCHMARK IN SOUTHEAST FACE OF POWER LIGHT POLE, NORTH SIDE OF SQUARE LAKE ROAD APPROX. 70' SOUTHEAST OF SOUTHEAST BUILDING CORNER OF JOHN'S MARKET AT EAST SIDE OF DRIVE ENTRANCE.
ELEV. - 743.36
- BM #301 - CITY OF TROY BM #1642
ARROW ON A HYDRANT LOCATED ON THE NORTH SIDE OF SQUARE LAKE ROAD, APPROX. 200' EAST OF LIVERNOIS ROAD AT THE PNC BANK.
ELEV. - 750.08
- BM #302
FOUND BOAT SPIKE IN SOUTH FACE OF UTILITY POLE, NORTH SIDE OF SQUARE LAKE ROAD, AT THE CENTERLINE OF 30' WIDE SITE FRONTAGE.
ELEV. - 737.51
- BM #303
ARROW ON HYDRANT, EAST SIDE OF LIVERNOIS, APPROX. 75' SOUTHWEST OF #6074 LIVERNOIS.
ELEV. - 750.66
- BM #304
ARROW ON HYDRANT, EAST SIDE OF LIVERNOIS, APPROX. 80' WEST OF #6170 LIVERNOIS.
ELEV. - 755.18

LEGEND

- IRON FOUND
 - IRON SET
 - NAIL FOUND
 - NAIL & CAP SET
 - BRASS PLUG SET
 - MONUMENT FOUND
 - MONUMENT SET
 - SEC. CORNER FOUND
 - R RECORDED
 - M MEASURED
 - C CALCULATED
- EXISTING
- OH-ELEC-W-ELEC, PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE
 - UG-CATV-UNDERGROUND CABLE TV, CATV PEDESTAL
 - UG-PHONE-TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE
 - UG-ELEC-ELECTRIC U.G. CABLE, MANHOLE, METER & MANHOLE
 - GAS VALVE & GAS LINE W/VALVE
 - WATERMAIN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE
 - SANITARY SEWER, CLEANOUT & MANHOLE
 - STORM SEWER, CLEANOUT & MANHOLE
 - COMBINED SEWER & MANHOLE
 - SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN
 - POST INDICATOR VALVE
 - WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF
 - MARBOX, TRANSFORMER, IRRIGATION CONTROL VALVE
 - UNIDENTIFIED STRUCTURE
 - SPOT ELEVATION
 - CONTOUR LINE
 - FENCE
 - GUARD RAIL
 - STREET LIGHT
 - CONC. CONCRETE
 - ASPH. ASPHALT
 - GRAVEL SHOULDER
 - WETLAND

REFERENCE DRAWINGS

- PRELIMINARY ALTA/NSPS SURVEY, PEA JOB NO. 2017-009, DATED JANUARY 24, 2018
- CABLE COMCAST MAP NO. 1319-404, DATED 4/03/07
- ELECTRIC DTE MAP 316-404 & 319-404, DATED 2/15/2017
- PHONE AT&T SKETCH VIA EMAIL, DATED 01/15/2017
- GAS CONSUMERS ENERGY QUARTER SECTION MAP NO. 02-61-03-3, DATED 10-16-14
- WATER MAIN CITY OF TROY GIS ONLINE
- SANITARY SEWER CITY OF TROY GIS ONLINE
- SEWER & WATER CITY OF TROY GIS ONLINE
- STORM SEWER CITY OF TROY GIS ONLINE
- OAKLAND COUNTY WATER RESOURCES COMMISSION - KING DRAIN MAP SHEET #11 SW SECTION 3
- KING DRAIN, OAKLAND COUNTY DRAIN COMMISSIONER JOB NO. 880119, SHEET NO. 3, DATED 9-10-93, 43'-BUILT 9-1-98
- STORM DRAIN SYSTEMS, SHEET 011, WATER RESOURCES COMMISSIONER



CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT

GFA DEVELOPMENT, INC.
3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE

THE VILLAGE OF HASTINGS
PART OF THE SW 1/4 OF SECTION 3, T. 02N., R. 11E., TROY, MI

REVISIONS

REV.	PER COMMENTS	DATE
REV. PER COMMENTS	6/2/2023	8/9/2023
REV. PER COMMENTS	8/24/2023	11/17/2023
REV. PER PC COMMENTS	11/28/2023	12/7/2023
REV. PER PC COMMENTS	1/9/2024	1/24/2024
REV. PER PC COMMENTS	4/9/2024	4/22/2024
REV. PER REVIEW	3/15/2024	4/23/2024
REV. PER PLANNING	5/6/2024	5/13/2024

ORIGINAL ISSUE DATE:
JUNE 1, 2023



DRAWING TITLE
TOPOGRAPHIC SURVEY

PEA JOB NO.	2017-009
P.M.	KR
DN.	EH
DES.	EH
DRAWING NUMBER:	

NOT FOR CONSTRUCTION

P-1.0

S:\PROJECTS\2017\2017-009 GFA SQUAKE LAKE - JRB\DWG\Site Plans\17-10009.dwg



SITE DATA:

LOCATION OF PROJECT: LIVERNOS ROAD, NORTH OF SQUARE LAKE ROAD		
SIZE OF PROPERTY: 6.31 ACRES GROSS, 6.05 ACRES NET		
PROPOSED USE OF PROPERTY: THREE (3) EXISTING HOMES TO REMAIN, EIGHT (8) RANCH STYLE SINGLE FAMILY HOMES, EIGHTEEN (18) 2 STORY ATTACHED SINGLE FAMILY HOMES, FOUR (4) SINGLE FAMILY DUPLEX HOMES.		
CURRENT ZONING: R-1B, ONE-FAMILY RESIDENTIAL DISTRICT AND (NN) NEIGHBORHOOD NODE Q, SITE TYPE NN-B, BUILDING FORM: C		
PROPOSED ZONING: PUD, PLANNED RESIDENTIAL DEVELOPMENT		
SURROUNDING PROPERTY DETAILS:		
DIRECTION NORTH SOUTH EAST WEST	ZONING R-1B, ONE-FAMILY RESIDENTIAL DISTRICT COMMERCIAL R-1B, ONE-FAMILY RESIDENTIAL DISTRICT NEIGHBORHOOD NODE Q	USE SINGLE-FAMILY HOMES COMMERCIAL SINGLE-FAMILY HOMES COMMERCIAL
REQUIRED AND PROVIDED LOT DIMENSIONS:		
FRONT	REQUIRED: 10'(NN) & 40'(R-1B) SETBACK	PROVIDED: 30' SETBACK
REAR	30'(NN) & 45'(R-1B) SETBACK	30' SETBACK
SIDES	N/A(NN) & 12.5'(R-1B) SETBACK	29.3' SETBACK
MAXIMUM HEIGHT	4 STORIES/55'(NN), 2.5 STORIES/30'(R-1B)	30 FEET, 2 STORY
OPEN SPACE	15%(NN)	26%
LOT COVERAGE BY ALL BLDGS	30%(NN)	18%
PARKING: REQUIRED: 2 SPACES PER DWELLING UNIT = 2 SPACES x 30 UNITS = 60 REQUIRED PARKING SPACES		
PROVIDED: 25 SURFACE LOT SPACES + 42 DRIVEWAY SPACES + 30 GARAGES SPACES = 97 PARKING SPACES		

PROJECT AND SITE DESCRIPTION:
PROPOSED DEVELOPMENT OF A 33-UNIT RESIDENTIAL CONDOMINIUM LOCATED ON LIVERNOS ROAD NORTH OF SQUARE LAKE ROAD. THE SITE CONSISTS OF 26 ATTACHED UNITS AND 4 DETACHED SINGLE FAMILY UNITS. ACCOMPANYING THE DEVELOPMENT IS THE PRESERVATION OF 3 CENTENNIAL SINGLE FAMILY HOMES. ACCESS TO ALL UNITS WILL BE VIA CONNECTION TO LIVERNOS ROAD, WITH TWO OF THE PRESERVED HOUSES HAVING DIRECT ACCESS TO LIVERNOS, AND AN EMERGENCY VEHICLE ACCESS (EVA) WILL BE PROVIDED TO SQUARE LAKE ROAD. THE PROPOSED RESIDENTIAL USE IS PERMITTED BY-RIGHT IN THE (NN) NEIGHBORHOOD NODE Q DISTRICT AND THE R-1B PORTION OF THE SITE. DUE TO THE MIXED HOUSING PRODUCTS AND MIXED ZONING A PUD IS PROPOSED FOR THIS PROPERTY.

NATURAL RESOURCES:
THE SITE CURRENTLY HAS MODERATE TREE COVER.

FLOODPLAIN:
THE PROPERTY IS NOT LOCATED WITHIN THE FLOOD HAZARD AREA INDICATED BY FLOOD INSURANCE RATE MAP (FIRM) NO. 26125C0532F DATED: SEPTEMBER 29, 2006 (ZONE X).

WETLAND:
PER THE 2022 SEMCOG WETLAND DATA, THE SITE CONTAINS NO WETLANDS.

ACCESS AND CIRCULATION:
VEHICULAR ACCESS AND CIRCULATION:
VEHICULAR ACCESS TO ALL UNITS WILL BE VIA A PRIVATE ROAD OFF OF LIVERNOS ROAD. THE NEW ROAD WILL HAVE A TWENTY-EIGHT (28) FOOT WIDE ACCESS AGREEMENT. AN EVA WILL BE PROVIDED TO SQUARE LAKE ROAD.

PEDESTRIAN ACCESS AND CIRCULATION:
SIDEWALKS ARE PROVIDED AT BUILDING ENTRANCES TO PARKING FIELDS. THIS WILL BE A WALK FRIENDLY DEVELOPMENT WITH CIRCULATION THROUGHOUT THE DEVELOPMENT WITH CONNECTIONS TO LIVERNOS ROAD VIA THE EVA.

UTILITIES:
UTILITIES ARE PLACED WITHIN EASEMENTS APPROVED AS TO SIZE AND LOCATION BY THE CITY ENGINEER.

ALL SITES ARE SERVED BY PUBLIC WATER, SANITARY SEWER, STORM WATER AND DETENTION/RETENTION SYSTEMS CONSTRUCTED TO CITY STANDARDS. AT THE EXPENSE OF THE DEVELOPER, EASEMENTS OVER THESE SYSTEMS SHALL BE CONVEYED AND RECORDED BEFORE OCCUPANCY PERMITS ARE ISSUED FOR DWELLING UNITS.

100-YEAR DETENTION IS PROPOSED WITH A RESTRICTED OUTLET DISCHARGING THROUGH CITY OF TROY STORM SEWER.

PEA
GROUP

t: 844.813.2949
www.peagroup.com

NORTH

02550100

SCALE: 1" = 50'

CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT

GFA
DEVELOPMENT,
INC.

3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE



THE VILLAGE
OF HASTINGS

PART OF THE SW 1/4 OF
SECTION 3, T. 02N., R. 11E.,
TROY, MI

REVIEWS	
REV. PER COMMENTS 6/2/2023	8/9/2023
REV. PER COMMENTS 8/24/2023	11/17/2023
REV. PER PC COMMENTS 11/28/2023	12/7/2023
REV. PER PC COMMENTS 1/9/2024	1/24/2024
REV. PER PC COMMENTS 4/9/2024	4/22/2024
REV. PER REVIEW 3/15/2024	4/23/2024
REV. PER PLANNING 5/6/2024	5/13/2024
ORIGINAL ISSUE DATE: JUNE 1, 2023	
DRAWING TITLE PRELIMINARY SITE PLAN	
PEA JOB NO. 2017-009	
P.M.	JBT
DN.	KMB
DES.	DSK
DRAWING NUMBER:	

P-2.0

NOT FOR CONSTRUCTION



LEGEND

- IRON FOUND
- ⊗ IRON SET
- NAIL FOUND
- ⊗ NAIL & CAP SET

- BRASS PLUG SET
- ⊗ MONUMENT FOUND
- MONUMENT SET

- ⊗ SEC. CORNER FOUND
- R RECORDED
- M MEASURED
- C CALCULATED

EXISTING

—OH—ELEC.—W—

ELEC. PHONE OR CABLE TV O.H. LINE; POLE & GUY WIRE

—UG—CATV—

UNDERGROUND CABLE TV, CATV PEDESTAL

⊗ UG—PHONE—

TELEPHONE U.G. CABLE, PEDESTAL, & MANHOLE

—UG—ELEC.—GAS—

ELECTRIC U.G. CABLE; MANHOLE; METER & HANDHOLE

—GAS—

GAS MAIN, VALVE & GAS LINE MANHOLE

—W—

WATERMAIN, HYD. GATE, VALVE, TAPPING SLEEVE & VALVE

—S—

SANITARY SEWER, CLEANOUT & MANHOLE

—C—

STORM SEWER, CLEANOUT & MANHOLE

—D—

CONFINED SEWER & MANHOLE

—S—

SQUARE, ROUND & REEFW. CATCH BASIN; YARD DRAIN

—P—

POST INDICATOR VALVE

—V—

WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF

—T—

MALIBO, TRANSFORMER, IRRIGATION CONTROL VALVE

—U—

UNDERGROUND STRUCTURE

—E—

SPOT ELEVATION

—C—

CONTOUR LINE

—F—

FENCE

—G—

GLARD RAIL

—S—

STREET LIGHT

—K—

SKION

—C—

CONC.

—A—

CONCRETE

—S—

ASPHALT

—G—

GRAVEL

—S—

GRAVEL SHOULDER

—W—

WETLAND

PROPOSED

—OH—ELEC.—W—

—UG—CATV—

⊗ UG—PHONE—

—UG—ELEC.—GAS—

—GAS—

—W—

—S—

—C—

—D—

—S—

—P—

—V—

—T—

—U—

—E—

—C—

—F—

—G—

—S—

—K—

—C—

—A—

—S—

—G—

—W—

—D—

—H—

—L—

—P—

—S—

—T—

—V—

—W—

—X—

—Y—



CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT
GFA
DEVELOPMENT,
INC.
1301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE
**THE VILLAGE
OF HASTINGS**
PART OF THE SW 1/4 OF
SECTION 3, T. 02N., R. 11E.,
TROY, MI

REVISIONS	
REV. PER COMMENTS 6/2/2023	8/9/2023
REV. PER COMMENTS 8/24/2023	11/17/2023
REV. PER PC COMMENTS 11/28/2023	12/7/2023
REV. PER PC COMMENTS 1/9/2024	1/24/2024
REV. PER PC COMMENTS 4/9/2024	4/22/2024
REV. PER REVIEW 3/15/2024	4/23/2024
REV. PER PLANNING 5/6/2024	5/13/2024

ORIGINAL ISSUE DATE:
JUNE 1, 2023

DRAWING TITLE

DRAWING TITLE

ADDITIONAL SITE DETAILS



PEA JOB NO.	2017-009
P.M.	JBT
DN.	KMB
DES.	DSK

DRAWING NUMBER:

NOT FOR CONSTRUCTION

P-2.1


S:\PROJECTS\2017\2017-009 GFA SQUARE LAKE - J8B (Dwg) (Site Plans) (C-2) SITE-17009.dwg



Rear-Load Garbage Truck
Overall Length 35.000ft
Overall Width 8.375ft
Overall Body Height 10.546ft
Min Body Ground Clearance 1.000ft
Track Width 8.375ft
Lock-to-lock time 6.00s
Curb to Curb Turning Radius 29.300ft

REAR-LOAD GARBAGE TRUCK

NOT FOR CONSTRUCTION



CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT
GFA DEVELOPMENT, INC.
3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE
THE VILLAGE OF HASTINGS
PART OF THE SW 1/4 OF SECTION 3, T. 02N., R. 11E., TROY, MI

REVISIONS		
REV. PER COMMENTS	6/2/2023	8/9/2023
REV. PER COMMENTS	8/24/2023	11/17/2023
REV. PER PC COMMENTS	11/28/2023	12/7/2023
REV. PER PC COMMENTS	1/9/2024	1/24/2024
REV. PER PC COMMENTS	4/9/2024	4/22/2024
REV. PER REVIEW	3/15/2024	4/23/2024
REV. PER PLANNING	5/6/2024	5/13/2024

ORIGINAL ISSUE DATE:
JUNE 1, 2023

DRAWING TITLE
TRASH VEHICLE CIRCULATION PLAN

PEA JOB NO.	2017-009
P.M.	JBT
DN.	KMB
DES.	DSK

DRAWING NUMBER:

P-2.2

REVISIONS		
REV. PER COMMENTS	6/2/2023	8/9/2023
REV. PER COMMENTS	8/24/2023	11/17/2023
REV. PER PC COMMENTS	11/28/2023	12/7/2023
REV. PER PC COMMENTS	1/9/2024	1/24/2024
REV. PER PC COMMENTS	4/9/2024	4/22/2024
REV. PER REVIEW	3/15/2024	4/23/2024
REV. PER PLANNING	5/6/2024	5/13/2024


ORIGINAL ISSUE DATE:
JUNE 1, 2023


DRAWING TITLE
**PRELIMINARY
GRADING PLAN**

PEA JOB NO.	2017-009
P.M.	JBT
DN.	KMB
DES.	DSK
DRAWING NUMBER:	

P-3.0

NOT FOR CONSTRUCTION





CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT
GFA DEVELOPMENT, INC.
3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE
THE VILLAGE OF HASTINGS
PART OF THE SW 1/4 OF
SECTION 3, T. 02N., R. 11E.,
TROY, MI

REVISIONS
REV. PER COMMENTS 6/2/2023 8/9/2023
REV. PER COMMENTS 8/24/2023 11/17/2023
REV. PER PC COMMENTS 11/28/2023 12/7/2023
REV. PER PC COMMENTS 1/9/2024 1/24/2024
REV. PER PC COMMENTS 4/9/2024 4/22/2024
REV. PER REVIEW 3/15/2024 4/23/2024
REV. PER PLANNING 5/6/2024 5/13/2024

ORIGINAL ISSUE DATE:
JUNE 1, 2023

DRAWING TITLE
**PRELIMINARY
UTILITY PLAN**

PEA JOB NO. 2017-009

P.M. JBT

DN. KMB

DES. DSK

DRAWING NUMBER:

P-4.0

LEGEND

EXISTING	PROPOSED
OH-ELEC-W-W	ELEC. PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE
UG-CATV	UNDERGROUND CABLE TV, CATV PEDESTAL
UG-PHONE	TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE
UG-ELEC-CH	ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE
GAS MAN. VALVE & GAS LINE HANDBOOK	GAS MAN. VALVE & GAS LINE HANDBOOK
WATERMAN. HYD. GATE VALVE, TAPPING SLEEVE & VALVE	WATERMAN. HYD. GATE VALVE, TAPPING SLEEVE & VALVE
SANITARY SEWER, CLEANOUT & MANHOLE	SANITARY SEWER, CLEANOUT & MANHOLE
STORM SEWER, CLEANOUT & MANHOLE	STORM SEWER, CLEANOUT & MANHOLE
COMBINED SEWER & MANHOLE	COMBINED SEWER & MANHOLE
SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN	SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN
POST INDICATOR VALVE	POST INDICATOR VALVE
WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF	WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF
MARLB. TRANSFORMER, IRRIGATION CONTROL VALVE	MARLB. TRANSFORMER, IRRIGATION CONTROL VALVE
UNIDENTIFIED STRUCTURE	UNIDENTIFIED STRUCTURE
SPOT ELEVATION	SPOT ELEVATION
CONTOUR LINE	CONTOUR LINE
FENCE	FENCE
GUARD RAIL	GUARD RAIL
STREET LIGHT	STREET LIGHT
SIGN	SIGN
CONC.	CONCRETE
ASPH.	ASPHALT
GRAVEL	GRAVEL SHOULDER
WETLAND	WETLAND
STD. HEAVY FLOW DUTY ONLY	STD. HEAVY FLOW DUTY ONLY
STD. HEAVY DEEP DUTY STRENGTH	STD. HEAVY DEEP DUTY STRENGTH

WATER MAIN BASIS OF DESIGN: (Unit Factors Based on Oakland County Unit Assignment Factors) Residential Dwelling

ULTIMATE DESIGN	
Number of Units	41.0
REU	41.0
People / REU	3.5
Average Flow (150 GPCPD)	144 People
	21,600 G.P.D.
	0.033 C.F.S.
	0.022 M.G.D.
Design Max. Flow = (2*avg)	43,200 G.P.D.
	0.067 C.F.S.
	0.043 M.G.D.

SQUARE LAKE SANITARY SEWER BASIS OF DESIGN: (Unit Factors Based on Oakland County Unit Assignment Factors) Residential Dwelling

ULTIMATE DESIGN	
Number of Units	35.0
REU (1.0 Per Dwelling)	35.0
Population / REU	3.5
Average Flow (100 GPCPD)	123 People
	12,300 G.P.D.
	0.019 C.F.S.
P (1000s)	0.123
Peaking Factor (PF)	4.22
PF = (18+sqrt(P))/(4+sqrt(P))	
Peak Flow (G.D.P.)	51,880 G.P.D.
Peak Flow (C.F.S.)	0.080 C.F.S.
8" Pipe Capacity Provided	0.906 C.F.S.

LIVERNOIS SANITARY SEWER BASIS OF DESIGN: (Unit Factors Based on Oakland County Unit Assignment Factors) Residential Dwelling

ULTIMATE DESIGN	
Number of Existing Units	4.0
Number of Existing Units Removed	2.0
Number of Proposed Units	6.0
Net REUs Added (1.0 Per Dwelling)	4.0
People / REU	3.5
Population (P)	14 People
Average Flow (100 GPCPD)	1,400 G.P.D.
	0.002 C.F.S.
P (1000s)	0.014
Peaking Factor (PF)	4.40
PF = (18+sqrt(P))/(4+sqrt(P))	
Peak Flow (G.D.P.)	6,159 G.P.D.
Peak Flow (C.F.S.)	0.010 C.F.S.
8" Pipe Capacity Provided	0.906 C.F.S.

Site Drainage Data		
Select County:	Oakland	
Existing		
Natural Greenspace area:	0.00 acre	C = 0.35
Select NCRS Soil type:	D	
Select NCRS Soil type:	D	
Impervious Area:	0.00 acre	C = 0.95
Greenbelt Area:	6.31 acre	C = 0.35
Total Area (A):	6.31 acre	
Weighted Coefficient of Runoff (C):	0.35	

Proposed		
Natural Greenspace area:	0.00 acre	C = 0.35
Select NCRS Soil type:	D	
Improved Greenspace area:	3.07 acre	C = 0.35
Select NCRS Soil type:	D	
Wooded Area:	0.00 acre	C = 0.35
Select NCRS Soil type:	D	
Impervious Area:	2.96 acre	C = 0.95
Greenbelt Area:	3.07 acre	C = 0.35
Total Area (A):	6.03 acre	
Weighted Coefficient of Runoff (C):	0.64	

Rainfall Intensity	
Flood Control Time of Concentration, Tc =	20.00 min

Rainfall Intensity	
Time of Concentration (Tc)	20.00 min
Since 15<Tc<60, use intensity equation	
I1 = 30.2 / ((T + 9.17)^0.81)	1.97 in/hr
I10 = 50.12 / ((T + 9.17)^0.81)	3.26 in/hr
I100 = 83.3 / ((T + 9.17)^0.81)	5.42 in/hr

CPVC: Channel Protection Volume Control Volume	
Vcpvc = (4719)/CA	18,212 cf

CPVC: Channel Protection Rate Control Volume: Extended Detention	
VED = (6897)/CA	26,617 cf

CPVC Allowable Outlet Rate	
QVED = VED / (48*60*60)	0.15 cfs

Water Quality Control	
Forbay Volume = (545)/CA	2.103 cf
Forbay Release Rate: QVF = VF/(48*60*60)	0.012 cfs

100-Year Allowable Outlet Rate	
Since 2<A<100, Qvr = 1.1055-0.206ln(A)	
QVER =	0.74 cfs/ac

100-Year Peak Allowable Discharge	
Q100P = QVER(A)	4.43 cfs

100-Year Runoff Volume	
V100R = (18,985)/CA	73,267 cf

100-Year Peak Inflow	
Q100IN = Q100P/A	20.92 cfs

Storage Curve Factor (Vs/Vr)	
R = 0.206-0.15 * ln(Q100P/Q100IN)	0.439

100-Year Storage Volume	
Vs = R(V100R)	32,164 cf

No infiltration will be provided, so no CPVC deduction is taken.	
V100 = Vs	32,164 cf


V100 must be larger or equal to VED:	
Is V100 >= VED?	Yes
V100 =	32,164 cf

Design Requirements	
CPVC Storage Volume: VCP,R =	NA cf
CPVC Storage Outflow Rate: QCP,R =	NA cfs
CPVC Extended Detention: VED =	26,617 cf
CPVC Allowable Outlet Rate: QVED =	0.15 cfs
100-Year Storage Volume, V100 =	32,164 cf
100-Year Allowable Outlet Rate: QVER =	4.43 cfs
100 Year Peak Inflow: Q100IN =	20.92 cfs

Detention Basin			
CPVC Storage Elevation:		740.00	26,617 cf
100-yr Storage Elevation:		740.42	32,164 cf
Elev. (ft)	Area (sf)	Vol. (cf)	Total Vol. (cf)
736.00	0	0	0
737.00	4,575	2,288	2,288
738.00	6,817	5,696	7,984
739.00	9,236	8,027	16,010
740.00	11,880	10,558	26,568
741.00	14,751	13,316	39,884

NOT FOR CONSTRUCTION

S:\PROJECTS\2017-2018-009 GFA SQUARE LAKE-488 (Sh. Plans)\L-1.0 LANDSCAPE-17009.dwg



KEY:

	= EVERGREEN SCREENING TREES
	= INTERIOR STREET TREES
	= GREENBELT TREES
	= REPLACEMENT TREES
	= GENERAL SITE TREES
	= ECONOMY PRAIRIE SEED MIX
	= STORMWATER SEED MIX
	= NON-IRRIGATED SEED LAWN
	= POLLINATOR SEED MIX
	= EXISTING TREES TO REMAIN WITH TREE PROTECTION FENCE

DECIDUOUS TREE LIST:

QUANTITY	KEY SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE	SPEC
13	AB2.5	Bowhall Maple	<i>Acer rubrum 'Bowhall'</i> (columnar)	2.5" Cal.	B&B
9	AG8	Autumn Brilliance Serviceberry	<i>Amelanchier x grandiflora 'Autumn Brilliance'</i>	8-10' Ht.	B&B
9	CB2.5	European Hornbeam	<i>Carpinus betulus</i>	2.5" Cal.	B&B
11	CC8	Eastern Redbud	<i>Cercis canadensis</i>	8-10' Ht.	B&B
9	CF2.5	Cherokee Brave Flowering Dogwood	<i>Cornus florida 'Combo NO.1'</i>	2.5" Cal.	B&B
2	GD2.5	Kentucky Coffee Tree	<i>Gymnocladus dioica - male only</i>	2.5" Cal.	B&B
8	LS2.5	Sweetgum	<i>Liquidambar styraciflua</i>	2.5" Cal.	B&B
8	LT2.5	Tulip Tree	<i>Liriodendron tulipifera</i>	2.5" Cal.	B&B
10	MS2.5	Royal Star Magnolia	<i>Magnolia stellata 'Royal Star'</i>	2.5" Cal.	B&B
8	QP2.5	Regal Prince Oak	<i>Quercus robur x bicolor 'Long'</i> (columnar)	2.5" Cal.	B&B
7	QR2.5	Red Oak	<i>Quercus rubra</i>	2.5" Cal.	B&B
5	TB2.5	Boulevard Linden	<i>Tilia americana 'Boulevard'</i> (columnar)	2.5" Cal.	B&B
99		TOTAL DEC			

EVERGREEN TREE PLANT LIST:

QUANTITY	KEY SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE	SPEC
17	AB8	Balsam Fir	<i>Abies balsamea</i>	8' Ht.	B&B
22	PA8	Norway Spruce	<i>Picea abies</i>	8' Ht.	B&B
22	PG8	Black Hills Spruce	<i>Picea glauca 'Densata'</i>	8' Ht.	B&B
5	PS8	Eastern White Pine	<i>Pinus strobus</i>	8' Ht.	B&B
66		TOTAL EVERGREEN			

NARROW EVERGREEN LIST:

QUANTITY	KEY SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE	SPEC
62	TO6	Techny Arborvitae	<i>Thuja occidentalis 'Techny'</i>	6' Ht.	B&B
34	TN6	Dark Green Arborvitae	<i>Thuja occidentalis 'Nigra'</i>	6' Ht.	B&B
51	TP6	Pyramidal Arborvitae	<i>Thuja occidentalis 'Pyramidalis'</i>	6' Ht.	B&B
36	JH6	Hetz Columnar Juniper	<i>Juniperus chinensis 'Hetzii Columnaris'</i>	6' Ht.	B&B
69	JS6	Blue Arrow Juniper	<i>Juniperus scopulorum 'Blue Arrow'</i>	6' Ht.	B&B
252		TOTAL NARROW EVERGREEN			

2 BUTTERFLY GARDEN
SCALE: 1" = 10'-0"

1 SEATING AREA
SCALE: 1" = 10'-0"

LANDSCAPE CALCULATIONS:
PER CITY OF TROY ZONING ORDINANCE - FORM BASE DISTRICT (NN) NEIGHBORHOOD NODE Q; SITE TYPE NN:B; BUILDING FORM C

5.03 C-1a. = GENERAL SITE LANDSCAPE:
REQUIRED: 15% OF SITE AREA SHALL BE LANDSCAPE MATERIAL
274,863.6 SF * 15% = 41,229.5 SQ FT REQUIRED

PROVIDED: 71,465 SQ FT LANDSCAPE (26%)

13.02 B. = SCREENING BETWEEN USES:
REQUIRED: ABUTS R-1B USE SPACE TO THE NORTH AND EAST
REQUIRES SCREEN ALT. 1 (1 NARROW EVG. / 3')
OR ALT. 2 (1 LARGE EVG. TREE / 10 LF)

NORTH PROPERTY LINE -
WESTERN SEGMENT 297 LF AND EASTERN SEGMENT 305 LF.
ALT. 2: 297 LF / 10 = 30 AND 305 LF / 10 = 31 LARGE EVG. TREES
PROVIDED: WESTERN SEGMENT: 30 8' HT LARGE EVG. TREES
EASTERN SEGMENT: 31 8' HT LARGE EVG. TREES

EAST PROPERTY LINE -
NORTHERN SEGMENT 170 LF AND SOUTHERN SEGMENT 586 LF.
ALT. 1: 170 LF / 3 = 57 AND 586 LF / 3 = 195 NARROW EVG. TREES
PROVIDED: NORTHERN SEGMENT: 57, 6' HT. NARROW EVG. / 3' OC.
SOUTHERN SEGMENT: 195, 6' HT. NARROW EVG. / 3' OC.

13.02 F. INTERIOR STREET TREES:
REQUIRED: 1 TREE PER 50 LF OF INTERIOR STREETS
1281 LF / 50 = 26 TREES REQUIRED (EACH SIDE)

PROVIDED: 52 PROPOSED TREES

13.02 D2. GREENBELT:
REQUIRED: 1 TREE / 30 LF OF FRONTAGE TO PUBLIC RD.
LIVERNOS ROAD - 463 LF FRONTAGE / 30 = 15 TREES
E. SQUARE LAKE ROAD - 42 LF FRONTAGE / 30 = 2 TREES

PROVIDED: LIVERNOS ROAD: 15 TREES
E. SQUARE LAKE ROAD: 2 TREES

REPLACEMENT TREES:
SEE SHT. T-1.0 AND T-1.1 FOR EXISTING TREE LIST AND TREE PRESERVATION PLAN.

REQUIRED: 35" DBH TO REPLACE REMOVED REGULATED TREES

PROVIDED: 14 TREES AT 2.5" (14 * 2.5 = 35") PROVIDED

- GENERAL PLANTING NOTES:**
- LANDSCAPE CONTRACTOR SHALL VISIT SITE, INSPECT EXISTING SITE CONDITIONS AND REVIEW PROPOSED PLANTING AND RELATED WORK. IN CASE OF DISCREPANCY BETWEEN PLAN AND PLANT LIST, PLAN SHALL GOVERN QUANTITIES. CONTACT LANDSCAPE ARCHITECT WITH ANY CONCERNS.
 - CONTRACTOR SHALL VERIFY LOCATIONS OF ALL ON SITE UTILITIES PRIOR TO BEGINNING CONSTRUCTION ON HIS/HER PHASE OF WORK. ELECTRIC, GAS, TELEPHONE, CABLE TELEVISION MAY BE LOCATED BY CALLING MISS DIG 1-800-482-7171. ANY DAMAGE OR INTERRUPTION OF SERVICES SHALL BE THE RESPONSIBILITY OF CONTRACTOR. CONTRACTOR SHALL COORDINATE ALL RELATED ACTIVITIES WITH OTHER TRADES ON THE JOB AND SHALL REPORT ANY UNACCEPTABLE JOB CONDITIONS TO OWNER'S REPRESENTATIVE PRIOR TO COMMENCING.
 - ALL PLANT MATERIAL TO BE PREMIUM GRADE NURSERY STOCK AND SHALL SATISFY AMERICAN ASSOCIATION OF NURSEYMEN STANDARD FOR NURSERY STOCK. ALL LANDSCAPE MATERIAL SHALL BE NORTHERN GROWN, NO. 1. GRADE.
 - CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES SHOWN ON LANDSCAPE PLAN PRIOR TO PRICING THE WORK.
 - THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT ANY PLANT MATERIAL NOT MEETING SPECIFICATIONS.
 - ALL SINGLE STEM SHADE TREES TO HAVE STRAIGHT TRUNKS AND SYMMETRICAL CROWNS.
 - ALL SINGLE TRUNK SHADE TREES TO HAVE A CENTRAL LEADER; TREES WITH FORKED OR IRREGULAR TRUNKS WILL NOT BE ACCEPTED.
 - ALL MULTI STEM TREES SHALL BE HEAVILY BRANCHED AND HAVE SYMMETRICAL CROWNS. ONE SIDED TREES OR THOSE WITH THIN OR OPEN CROWNS SHALL NOT BE ACCEPTED.
 - ALL EVERGREEN TREES SHALL BE HEAVILY BRANCHED AND FULL TO THE GROUND, SYMMETRICAL IN SHAPE AND NOT SHEARED FOR THE LAST FIVE GROWING SEASONS.
 - ALL TREES TO HAVE CLAY OR CLAY LOAM BALLS, TREES WITH SAND BALLS WILL BE REJECTED.
 - NO MACHINERY IS TO BE USED WITHIN THE DRIP LINE OF EXISTING TREES. HAND GRADE ALL LAWN AREAS WITHIN THE DRIP LINE OF EXISTING TREES.
 - ALL TREE LOCATIONS SHALL BE STAKED BY LANDSCAPE CONTRACTOR AND ARE SUBJECT TO THE APPROVAL OF THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION OF THE PLANT MATERIAL.
 - IT IS MANDATORY THAT POSITIVE DRAINAGE IS PROVIDED AWAY FROM ALL BUILDINGS.
 - ALL PLANTING BEDS SHALL RECEIVE 3" SHREDDED HARDWOOD BARK MULCH WITH PRE EMERGENT. SEE SPECIFICATIONS. SHREDDED PALETTE AND DYED MULCH WILL NOT BE ACCEPTED.
 - ALL LANDSCAPED AREAS SHALL RECEIVE 3" COMPACTED TOPSOIL.
 - SEE SPECIFICATIONS FOR ADDITIONAL COMMENTS, REQUIREMENTS, PLANTING PROCEDURES AND WARRANTY STANDARDS.
 - FOR NON-LAWN SEED MIX AREAS, AS NOTED ON PLAN, BRUSH MOW ONCE SEASONALLY FOR INVASIVE SPECIES CONTROL.
 - CONTRACTOR SHALL NOT INSTALL PLANTS UNDER BUILDING OVERHANG AND SHALL NOTIFY LANDSCAPE ARCHITECT IF DRAWINGS CONFLICT WITH BUILDING OVERHANGS.
 - TREES SHALL NOT CONFLICT/ BLOCK PROPOSED REGULATORY/ DIRECTION SIGNAGE, MONUMENT SIGNS, ADDRESS OR LIGHT POLES. SHIFT TREES AS NECESSARY TYP.



CAUTION!!
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT
GFA DEVELOPMENT, INC.
3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE
THE VILLAGE OF HASTINGS
PART OF THE SW 1/4 OF SECTION 3, T. 02N., R. 11E., TROY, MI

REVISIONS

REV.	PER COMMENTS	DATE
REV. PER COMMENTS	6/2/2023	8/9/2023
REV. PER COMMENTS	8/24/2023	11/17/2023
REV. PER PC COMMENTS	11/28/2023	12/17/2023
REV. PER PC COMMENTS	1/9/2024	1/24/2024
REV. PER PC COMMENTS	4/9/2024	4/22/2024
REV. PER REVIEW	3/15/2024	4/23/2024
REV. PER PLANNING	5/6/2024	5/13/2024

ORIGINAL ISSUE DATE:
JUNE 1, 2023

DRAWING TITLE
PRELIMINARY LANDSCAPE PLAN

PEA JOB NO.	2017-009
P.M.	JBT
DN.	LAW
DES.	LAW
DRAWING NUMBER:	

Economy Prairie Seed Mix	
Stantec Native Plant Nursery 574-586-2412	
stantec.com/native-plant-nursery	
<u>Botanical Name</u>	<u>Common Name</u>
Permanent Grasses/Sedges/Rushes:	
<i>Andropogon gerardii</i>	Big Bluestem
<i>Bouteloua curtipendula</i>	Side Oats Grama
<i>Carex spp.</i>	Prairie Sedge Mix
<i>Elymus canadensis</i>	Canada Wild Rye
<i>Panicum virgatum</i>	Switch Grass
<i>Schizachyrium scoparium</i>	Little Bluestem
<i>Sorghastrum nutans</i>	Indian Grass
Temporary Cover:	
<i>Avena sativa</i>	Common Oat
<i>Lolium multiflorum</i>	Annual Rye
Forbs & Shrubs:	
<i>Asclepias syriaca</i>	Common Milkweed
<i>Asclepias tuberosa</i>	Butterfly Weed
<i>Chamaecrista fasciculata</i>	Partridge Pea
<i>Coreopsis lanceolata</i>	Sand Coreopsis
<i>Echinacea purpurea</i>	Broad-leaved Purple Coneflower
<i>Helianthus annuus</i>	False Sunflower
<i>Lupinus perennis</i>	Wild Lupine
<i>Monarda fistulosa</i>	Wild Bergamot
<i>Penstemon digitalis</i>	Foxglove Beard Tongue
<i>Pycnanthemum virginianum</i>	Common Mountain Mint
<i>Ratibida pinnata</i>	Yellow Coneflower
<i>Rudbeckia hirta</i>	Black-Eyed Susan
<i>Solidago speciosa</i>	Showy Goldenrod
<i>Symphoricarpon laeve</i>	Smooth Blue Aster
<i>Symphoricarpon nove-angliae</i>	New England Aster

Stantec Native Plant Nursery 574-586-2412	
stantec.com/native-plant-nursery	
<u>Botanical Name</u>	<u>Common Name</u>
Permanent Grasses/Sedges/Rushes:	
<i>Bolboschoenus fluviatilis</i>	River Bulrush
<i>Carex cristatella</i>	Crested Oval Sedge
<i>Carex lurida</i>	Bottlebrush Sedge
<i>Carex vulpinoidea</i>	Brown Fox Sedge
<i>Elymus virginicus</i>	Virginia Wild Rye
<i>Glyceria striata</i>	Fowl Marina Grass
<i>Juncus effusus</i>	Common Rush
<i>Leersia oryzoides</i>	Rice Cut Grass
<i>Panicum virgatum</i>	Switch Grass
<i>Schoenoplectus tabernaemontani</i>	Softstem Bulrush
<i>Scirpus atrovirens</i>	Dark Green Rush
<i>Scirpus cyperinus</i>	Wool Grass
Temporary Cover:	
<i>Avena sativa</i>	Common Oat
<i>Lolium multiflorum</i>	Annual Rye
Forbs & Shrubs:	
<i>Alisma ssp.</i>	Water Plantain (Various Mix)
<i>Asclepias incarnata</i>	Swamp Milkweed
<i>Bidens ssp.</i>	Bidens (Various Mix)
<i>Helenium autumnale</i>	Sneezeweed
<i>Iris virginica</i>	Blue Flag
<i>Lycopus americanus</i>	Common Water Horehound
<i>Mimulus ringens</i>	Monkey Flower
<i>Oligoneuron ridentii</i>	Riddell's Goldenrod
<i>Penthorum sedoides</i>	Ditch Stonecrop
<i>Polygonum ssp.</i>	Pinkweed (Various Mix)
<i>Rudbeckia subtomentosa</i>	Sweet Black-Eyed Susan
<i>Rudbeckia triloba</i>	Brown-Eyed Susan
<i>Sagittaria latifolia</i>	Common Arrowhead
<i>Senna hebecarpa</i>	Wild Senna
<i>Symphytirichum novae-angliae</i>	New England Star
<i>Thalictrum dasycarpum</i>	Purple Meadow Rue

Solar Pollinator Habitat Mix	
Stantec Native Plant Nursery 574-586-2412	
stantec.com/native-plant-nursery	
<u>Botanical Name</u>	<u>Common Name</u>
Permanent Grasses:	
<i>Bouteloua curtipendula</i>	Side-Oats Grama
<i>Carex bicknellii</i>	Copper-Shouldered Oval Sedge
<i>Koeleria macrantha</i>	June Grass
<i>Schizachyrium scoparium</i>	Little Bluestem
<i>Sporobolus heterolepis</i>	Prairie Dropseed
Temporary Cover:	
<i>Avena sativa</i>	Common Oat
Forbs:	
<i>Allium cernuum</i>	Nodding Onion
<i>Aquilegia canadensis</i>	Wild Columbine
<i>Asclepias syriaca</i>	Common Milkweed
<i>Chamaecrista fasciculata</i>	Partridge Pea
<i>Coreopsis lanceolata</i>	Sand Coreopsis
<i>Dalea purpurea</i>	Purple Prairie Clover
<i>Liatris aspera</i>	Rough Blazing Star
<i>Lupinus perennis</i> v. <i>occidentalis</i>	Wild Lupine
<i>Monarda punctata</i>	Horse Mint
<i>Penstemon hirsutus</i>	Hairy Beard Tongue
<i>Solidago nemoralis</i>	Old-Field Goldenrod
<i>Symphytotrichum ericoides</i>	Heath Aster
<i>Zizia aurea</i>	Golden Alexanders

NOTE:
 BRICK MASONRY VENEER:
 MANUF: BELDEN BRICK
 COLOR: BELCREST 500

LIMESTONE:
 SUBMIT SAMPLE FOR APPROVAL

SUBMIT SHOP DRAWINGS
 FOR REVIEW FOR APPROVAL

2" LIMESTONE RECESSED SIGN PANEL WITH STUD MOUNTED DIMENSIONAL LETTERING. REFER TO SIGN CONTRACTOR FOR LETTERING SPECS.

PANEL ANCHORS. ATTACH TO TOPS AND BOTTOM OF LIMESTONE SIGN PANEL AND CMU BLOCK. SUBMIT SAMPLES

FINISH GRADE

COMPACTED SUBGRADE 95% MOD. PROCTOR

2'-6" X 17'-6"

3'-0" LONG LIMESTONE CAP. END CAP TO TAPER 3 SIDES. SEAL JOINTS WITH EPOXY SEALANT.

RIGID COPPER FLASHING

4" THICK BRICK VENEER

C.M.U. BLOCK WITH #4 REBAR AT 12" O.C. WITH GROUT FILLED CELLS

HORIZONTAL JOINT REINFORCED LADDER, EVERY 2 COURSES

MORTAR FILLED BACK UP

5" THICK LIMESTONE BASE WITH 1" CHAMFER

1" THICK MIN. MORTAR SETTING BED

CAST-IN-PLACE CONCRETE FOUNDATION

#5 REBAR @ 12" O.C. E.W.

Dimensions:
 2'-2"
 1"
 2'-0"
 1" TYP.
 11"
 3'-8"
 1'-5"
 9"
 1'-0"
 1" TYP.
 4"
 3'-6"
 2'-6" X 17'-6"

TREE PROTECTION WILL BE ERECTED PRIOR TO START OF CONSTRUCTION ACTIVITIES AND SHALL REMAIN IN PLACE UNTIL CONSTRUCTION IS COMPLETE

NO PERSON MAY CONDUCT ANY ACTIVITY WITHIN THE DRIP LINE OF ANY TREE DESIGNATED TO REMAIN; INCLUDING, BUT NOT LIMITED TO PLACING SOLVENTS, BUILDING MATERIAL, CONSTRUCTION EQUIPMENT OR SOIL DEPOSITS WITHIN DRIP LINES

GRADE CHANGES MAY NOT OCCUR WITHIN THE DRIP LINE OF PROTECTED TREES

DURING CONSTRUCTION, NO PERSON SHALL ATTACH ANY DEVICE OR WIRE TO ANY REMAINING TREE

ALL UTILITY SERVICE REQUESTS MUST INCLUDE NOTIFICATION TO THE INSTALLER THAT PROTECTED TREES MUST BE AVOIDED. ALL TRENCHING SHALL OCCUR OUTSIDE OF THE PROTECTIVE FENCING

TREES LOCATED ON ADJACENT PROPERTY THAT MAY BE AFFECTED BY CONSTRUCTION ACTIVITIES MUST BE PROTECTED

TREES TO BE PRESERVED SHALL BE IDENTIFIED WITH FLAGGING PRIOR TO THE TREE CLEARING OPERATIONS

PROVIDE FENCE AROUND CRITICAL ROOT ZONE OF TREE

FENCE SHALL BE PLACED IN A CIRCLE WITH A MINIMUM RADIUS OF 1' PER 1" DIAMETER OF THE TREE MEASURED AT 4.5' ABOVE GROUND

4" HIGH PROTECTIVE FENCING WITH STEEL POSTS - 10' O.C.

EXISTING SOIL

SUBMIT SHOP DRAWINGS
FOR REVIEW FOR
APPROVAL

5

MASONRY PIER DETAIL

SCALE: 1/8" = 1'-0"

6'-5"

2" 1/2" 2"

2" 1/2" 2"

4" THICK BRICK VENEER

FINISH GRADE

2" THICK LIMESTONE
DECORATIVE STONE WITH
1" CHAMFER

HORIZONTAL JOINT
REINFORCED LADDER,
EVERY 2 COURSES

MORTAR FILLED BACK UP

5" THICK LIMESTONE
BASE WITH 1" CHAMFER

1" THICK MIN. MORTAR
SETTING BED

CAST-IN-PLACE
CONCRETE FOUNDATION

#5 REBAR @ 12" O.C.
E.W.

3'-6"

3'-6" SQ.

COMPACTED SUBGRADE
95% MOD. PROCTOR

STAKING/GUying LOCATION

WIDE NYLON OR PLASTIC STRAPS, CONNECT FROM TREE TO STAKE AND ALLOW FOR FLEXIBILITY. REMOVE AFTER (1) ONE YEAR. (DO NOT USE WIRE & HOSE)

THREE 2"x2" HARDWOOD STAKES OR STEEL T-POSTS DRIVEN A MIN. OF 18" DEEP FIRMLY INTO SUBGRADE PRIOR TO BACKFILLING

SHREDDED HARDWOOD BARK MULCH TO DRIFPLINE. 3" DEEP AND LEAVE 3" CIRCLE OF BARE SOIL AROUND TREE TRUNK. DO NOT PLACE MULCH IN CONTACT WITH TREE TRUNK. FORM SAUCER WITH 4" HIGH CONTINUOUS RIM

FINISH GRADE

SPECIFIED PLANTING MIX, WATER & TAMP TO REMOVE AIR POCKETS, AMEND SOIL PER SITE CONDITIONS & TREE REQUIREMENTS

EXPOSE ROOT FLARE OF TREE. CONTRACTOR MAY HAVE TO REMOVE EXCESS SOIL FROM TOP OF ROOTBALL. REMOVE ALL BURLAP FROM TOP 1/3 OF ROOTBALL. DISCARD ALL NON-BIODEGRADABLE MATERIAL OFF SITE

PLACE ROOTBALL ON UNEXCAVATED OR TAMPED SOIL

MIN. TYP. 18"

MIN. TYP. 12"

3"

2

EVERGREEN TREE PLANTING DETAIL

SCALE: 1" = 3'-0"

CLIENT

**GFA
DEVELOPMENT,
INC.**

3301 MIRAGE DRIVE
TROY, MI 48063

PROJECT TITLE

**THE VILLAGE
OF HASTINGS**

PART OF THE SW 1/4 OF
SECTION 3, T. 02N., R. 11E.,
TROY, MI

Diagram illustrating the cross-section of an aluminum edge detail. The layers from top to bottom are:

- TURF (indicated by a dimension of 4" and a hatched pattern)
- SURE-LOC E-Z EDGE ALUMINUM EDGING OR APPROVED EQUAL WITH BLACK FINISH (a solid line)
- BED MEDIA (a layer of small circles)
- COMPACTED SUBGRADE (a hatched pattern)

EDGING NOTES:

1. MANUFACTURER: SURE-LOC (OR APPROVED EQUAL)
PHONE#: 1.800.787.3562
PRODUCT: E-Z EDGE
FINISH: BLACK
2. 4 - 6' SECTIONS ALUMINUM EDGING (24 TOTAL LF),
12 SPIKES PER BOX
3. SLIDE ENDS TOGETHER, OVERLAP MATERIAL 4", AND
INSERT STAKE AT 45° ANGLE FOR
CONNECTION BETWEEN SECTIONS
4. STAKE SHALL SECURELY ENGAGE EDGING AND SHALL
BE ENTIRELY BELOW TOP OF SURFACE OF EDGING
5. INSTALL AS PER MANUFACTURER'S SPECIFICATIONS
WITH TOP OF EDGING $\frac{1}{2}$ "- $\frac{3}{4}$ " ABOVE COMPACTED
FINISH GRADE. FINISH GRADE TO BE COMPACTED ON
BOTH SIDES OF EDGING TO MAINTAIN STABILITY

7 ALUMINUM EDGE DETAIL

SCALE: 1/2" = 1'-0"

4
C-1.0

3'-0"

7'-0"

5'-0"

5'-0"

LIMESTONE PIER CAP
WITH 1" OVERHANG

VERTICAL EXPANSION JOINT BETWEEN
WALL AND PIER - REFER TO DETAIL

BRICK MASONRY PIER
BELOW

LIMESTONE WALL CAP
WITH 1" OVERHANG

BRICK MASONRY
WALL BELOW

5
L-1.0

4

MASONRY WALL AND PIER PLAN ENLARGEMENT

SCALE: 1/8" = 1'-0"

DECIDUOUS TREE PLANTING DETAIL

The diagram illustrates the required materials and construction methods for installing a deciduous tree. It includes a plan view showing stake placement at 120-degree intervals and a cross-section showing the root flare, mulch layers, and soil compaction.

- SECURE TREE WRAP WITH BIODEGRADABLE MATERIAL AT TOP & BOTTOM, REMOVE AFTER FIRST WINTER**
- DO NOT PRUNE TERMINAL LEADER PRUNE ONLY DEAD, BROKEN BRANCHES AS DIRECTED BY LANDSCAPE ARCHITECT**
- STAKE JUST BELOW BRANCHES WITH 2"-3" WIDE NYLON OR PLASTIC STRAPS, CONNECT FROM TREE TO STAKE AND ALLOW FOR FLEXIBILITY. REMOVE AFTER (1) ONE YEAR. (DO NOT USE WIRE & HOSE)**
- (3) THREE 2"x2" HARDWOOD STAKES DRIVEN A MIN. OF 18" DEEP FIRMLY INTO SUBGRADE PRIOR TO BACKFILLING**
- SHREDDED HARDWOOD BARK MULCH TO DRIPLINE. 3" DEEP AND LEAVE 3" CIRCLE OF BARE SOIL AROUND TREE TRUNK. DO NOT PLACE MULCH IN CONTACT WITH TREE TRUNK. FORM SAUCER WITH 4" HIGH CONTINUOUS RIM**
- SPECIFIED PLANTING MIX, WATER & TAMP TO REMOVE AIR POCKETS, AMEND SOIL PER SITE CONDITIONS & TREE REQUIREMENTS**
- FINISH GRADE**
- EXPOSE ROOT FLARE OF TREE. CONTRACTOR MAY HAVE TO REMOVE EXCESS SOIL FROM TOP OF ROOTBALL. REMOVE ALL BURPLAP FROM TOP 1/3 OF ROOTBALL. DISCARD ALL NON-BIODEGRADABLE MATERIAL OFF SITE**
- PLACE ROOTBALL ON UNEXCAVATED OR TAMPED SOIL**




Labels:

- 120°
- 120°
- 120°
- STAKING/GUYING LOCATION
- 3"
- 18" MIN. TYP.
- 12" MIN. TYP.
- 1

SCALE: 1" = 3'-0"

REVISONS		
REV. PER COMMENTS	6/24/2023	8/9/2023
REV. PER COMMENTS	8/24/2023	11/17/2023
REV. PER PC COMMENTS	11/28/2023	12/7/2023
REV. PER PC COMMENTS	1/9/2024	1/24/2024
ORIGINAL ISSUE DATE:		
JUNE 1, 2023		
DRAWING TITLE		
LANDSCAPE DETAILS		
PEA JOB NO.	2017-009	
P.M.	JBT	
DN.	LAW	
DES.	LAW	
DRAWING NUMBER:		

NOT FOR CONSTRUCTION L-1.1




**GFA
DEVELOPMENT,
INC.**
3301 MIRAGE DRIVE
TROY, MI 48063

PART OF THE SW 1/4 OF
SECTION 3, T. 02N., R. 11E.
TROY, MI

DRAWING NUMBER:


LANDMARK TREES			
LANDMARK TREES REMOVED:	10	(REPLACE AT 100% OF REMOVED DBH)	
172" DBH x 1 =		172" REPLACEMENT	
LANDMARK TREES SAVED:	5	(CREDIT OF 2X DBH)	
94" DBH x 2 =		188" CREDIT	
172	-	188	= -16
-16" DBH REQUIRED FOR REPLACEMENT			



T-1.0

TAG	CODE	DBH	COMMON NAME	LATIN NAME	CONDITION	NOTE	CLASS	SAVE / REMOVE	ON-SITE
1	E	6	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
2	E	7	American Elm	Ulmus americana	Very Poor		INVASIVE	S	Y
3	CT	11	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y
4	BW	13	Black Walnut	Juglans nigra	Very Poor		WOODLAND	S	Y
5	B	8	Basswood	Tilia americana	Fair		WOODLAND	S	Y
6	BX	8	Box elder	Acer negundo	Very Poor		INVASIVE	S	Y
7	B	9	Basswood	Tilia americana	Fair		WOODLAND	S	Y
8	BX	6	Box elder	Acer negundo	Poor		INVASIVE	S	Y
9	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
10	E	6	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
11	B	6	Basswood	Tilia americana	Poor		WOODLAND	S	Y
12	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
13	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y
14	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
15	E	7	American Elm	Ulmus americana	Very Poor		INVASIVE	S	Y
16	E	7	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
17	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
18	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y
19	NM	11	Norway Maple	Acer platanoides	Fair		INVASIVE	S	Y
20	E	12	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
21	BX	12	Box elder	Acer negundo	Very Poor		INVASIVE	S	Y
22	E	9	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
23	E	7	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
24	CT	11	Cottonwood	Populus deltoides	Good		INVASIVE	S	Y
25	B	9	Basswood	Tilia americana	Poor		WOODLAND	S	Y
26	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y
27	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
28	E	10	American Elm	Ulmus americana	Good		INVASIVE	S	Y
29	E	13	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
30	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
31	NM	15	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
32	NM	15	Norway Maple	Acer platanoides	Very Poor		INVASIVE	S	Y
33	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
34	B	10	Basswood	Tilia americana	Poor		WOODLAND	S	Y
35	B	11	Basswood	Tilia americana	Poor		WOODLAND	S	Y
36	E	6	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
37	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
38	BC	7	Wild Black Cherry	Prunus serotina	Fair		WOODLAND	S	Y
39	E	6	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
40	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
41	B	9	Basswood	Tilia americana	Fair		WOODLAND	S	Y
42	B	8	Basswood	Tilia americana	Poor		WOODLAND	S	Y
43	B	8	Basswood	Tilia americana	Very Poor		WOODLAND	S	Y
44	B	6	Basswood	Tilia americana	Very Poor		WOODLAND	S	Y
45	BC	10	Wild Black Cherry	Prunus serotina	Good		WOODLAND	S	Y
46	B	8	Basswood	Tilia americana	Very Poor		WOODLAND	S	Y
47	B	8	Basswood	Tilia americana	Fair		WOODLAND	S	Y
48	B	8	Basswood	Tilia americana	Very Poor		WOODLAND	S	Y
49	B	11	Basswood	Tilia americana	Poor		WOODLAND	S	Y
50	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
51	B	7	Basswood	Tilia americana	Fair		WOODLAND	S	Y
52	B	7	Basswood	Tilia americana	Fair		WOODLAND	S	Y
53A	GA	7	Green Ash	Fraxinus pennsylvanica	Very Poor		INVASIVE	S	Y
53B	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
54	E	7	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
55	BW	8	Black Walnut	Juglans nigra	Fair		WOODLAND	S	Y
56	B	11	Basswood	Tilia americana	Fair		WOODLAND	S	Y
57	E	10	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
58	B	12	Basswood	Tilia americana	Fair		WOODLAND	S	Y
59	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
60	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
61	CT	11	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y
62	NM	12	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
63	B	10	Basswood	Tilia americana	Fair		WOODLAND	S	Y
64	CT	21	Cottonwood	Populus deltoides	Good		INVASIVE	S	Y
65	B	10	Basswood	Tilia americana	Fair		WOODLAND	S	Y
66	B	12	Basswood	Tilia americana	Fair		WOODLAND	S	Y
67	CT	12	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y
68	NM	7	Norway Maple	Acer platanoides	Poor		INVASIVE	S	Y
69	NM	15	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
70	BX	9	Box elder	Acer negundo	Poor		INVASIVE	S	Y
71	B	11	Basswood	Tilia americana	Fair		WOODLAND	S	Y
72	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
73	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y
74	B	13	Basswood	Tilia americana	Fair		WOODLAND	S	Y
75	B	12	Basswood	Tilia americana	Fair		WOODLAND	S	Y
76	B	11	Basswood	Tilia americana	Fair		WOODLAND	S	Y
77	B	11	Basswood	Tilia americana	Fair		WOODLAND	S	Y
78	BX	9	Box elder	Acer negundo	Fair		INVASIVE	S	Y
79	CT	14	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y
80	B	7	Basswood	Tilia americana	Fair		WOODLAND	S	Y
81	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y
82	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
83	B	7	Basswood	Tilia americana	Poor		WOODLAND	S	Y
84	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y
85	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y
86	PW	14	White Poplar	Populus alba	Good		INVASIVE	S	Y
87	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y
88	E	9	American Elm	Ulmus americana	Poor		INVASIVE	S	Y
89	BX	11	Box elder	Acer negundo	Poor		INVASIVE	S	Y
90	E	10	American Elm	Ulmus americana	Good		INVASIVE	S	Y
91	E	8	American Elm	Ulmus americana	Fair		INVASIVE	S	Y
92	BX	11	Box elder	Acer negundo	Poor		INVASIVE	S	Y
93	BX	13	Box elder	Acer negundo	Poor		INVASIVE	S	Y
94	B	14	Basswood	Tilia americana	Very Poor		WOODLAND	S	Y
95	BX	16	Box elder	Acer negundo	Poor		INVASIVE	S	Y
96A	B	9	Basswood	Tilia americana	Poor		WOODLAND	S	Y
96B	B	9	Basswood	Tilia americana	Poor		WOODLAND	S	Y
97	BX	10	Box elder	Acer negundo	Poor		INVASIVE	S	Y
98	BX	11	Box elder	Acer negundo	Very Poor		INVASIVE	S	Y
99	CT	11	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y
100	RO	8	Red Oak	Quercus rubra	Poor		WOODLAND	S	Y
101	B	7	Basswood	Tilia americana	Fair		WOODLAND	S	Y
102	BX	12	Box elder	Acer negundo	Poor		INVASIVE	S	Y
103	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y

TAG	CODE	DBH	COMMON NAME	LATIN NAME	CONDITION	NOTE	CLASS	SAVE / REMOVE	ON-SITE
104	BX	7	Box elder	Acer negundo	Very Poor		INVASIVE	S	Y
105	BX	9	Box elder	Acer negundo	Very Poor		INVASIVE	S	Y
106	BX	12	Box elder	Acer negundo	Poor		INVASIVE	S	Y
107	BX	17	Box elder	Acer negundo	Poor		INVASIVE	S	Y
108	BX	9	Box elder	Acer negundo	Poor		INVASIVE	S	Y
109	B	12	Basswood	Tilia americana	Fair		WOODLAND	S	Y
110	B	10	Basswood	Tilia americana	Fair		WOODLAND	S	Y
111	B	12	Basswood	Tilia americana	Fair		WOODLAND	S	Y
112	B	10	Basswood	Tilia americana	Fair		WOODLAND	S	Y
113	B	8	Basswood	Tilia americana	Fair		WOODLAND	S	Y
114	B	8	Basswood	Tilia americana	Fair		WOODLAND	S	Y
115	BX	7	Box elder	Acer negundo	Fair		INVASIVE	S	N
116	BX	8	Box elder	Acer negundo	Fair		INVASIVE	S	N
117	PW	6	White Poplar	Populus alba	Good		INVASIVE	S	N
1001	BS	10	Blue Spruce	Picea pungens	Poor		WOODLAND	R	Y
1002	AU	15	Austrian Pine	Pinus nigra	Fair		WOODLAND	R	Y
1003	SC	11	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	S	Y
1004	B	23	Basswood	Tilia americana	Good		LANDMARK	R	Y
1005	SM	12	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y
1006	NS	14	Norway Spruce	Picea Abies	Fair		WOODLAND	R	Y
1007	WS	7	White Spruce	Picea glauca	Poor		WOODLAND	S	Y
1008	NM	27	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1009	WS	14	White Spruce	Picea glauca	Fair		WOODLAND	S	Y
1010	TH	7	Thornapple/Hawthorne	Cragaeus spp.	Poor		WOODLAND	S	Y
1011	TH	11	Thornapple/Hawthorne	Cragaeus spp.	Poor		WOODLAND	S	Y
1012	SU	17	Sugar Maple	Acer saccharum	Fair		LANDMARK	S	Y
1013	NM	10	Norway Maple	Acer platanoides	Fair		INVASIVE	R	Y
1014	NM	13	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1015	NM	11	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1016	WS	10	White Spruce	Picea glauca	Poor		WOODLAND	S	Y
1017	SU	14	Sugar Maple	Acer saccharum	Very Poor	dead	WOODLAND	S	Y
1018	SC	12	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	S	Y
1019	NM	11	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
1020	SM	22	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y
1021	SC	20	Scotch Pine	Pinus sylvestris	Good		LANDMARK	S	Y
1022	NM	12	Norway Maple	Acer platanoides	Fair		INVASIVE	S	Y
1023	SC	7	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	S	Y
1024	NM	21	Norway Maple	Acer platanoides	Good		INVASIVE	S	N
1025	SC	13	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1026	NM	8	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1027	NM	10	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1028	NM	10	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
1029	NM	8	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
1030	NM	9	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1031	NM	9	Norway Maple	Acer platanoides	Good		INVASIVE	S	Y
1032	BX	14	Box elder	Acer negundo	Fair		INVASIVE	S	Y
1033	BX	11	Box elder	Acer negundo	Fair		INVASIVE	S	N
1034	AU	16	Austrian Pine	Pinus nigra	Fair		WOODLAND	S	N
1035	NM	6	Norway Maple	Acer platanoides	Good		INVASIVE	S	N
1036	AU	17	Austrian Pine	Pinus nigra	Very Poor	dead	WOODLAND	S	Y
1037	NM	12	Norway Maple	Acer platanoides	Fair		INVASIVE	S	N
1038	BX	18	Box elder	Acer negundo	Fair		INVASIVE	S	Y
1039	WC	6	White Cedar	Thuja occidentalis	Good		WOODLAND	R	Y
1040	WC	6	White Cedar	Thuja occidentalis	Fair		WOODLAND	R	Y
1041	BX	10	Box elder	Acer negundo	Fair		INVASIVE	R	Y
1042	NM	12	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1043	SM	12	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y
1044	SC	11	Scotch Pine	Pinus sylvestris	Very Poor	dead	WOODLAND	R	Y
1045	SM	43	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y
1046	NM	8	Norway Maple	Acer platanoides	Good		INVASIVE	R	Y
1047	SM	16	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y
1048	SC	14	Scotch Pine	Pinus sylvestris	Poor		WOODLAND	R	Y
1049	SC	14	Scotch Pine	Pinus sylvestris	Poor		WOODLAND	R	Y
1050	SM	6	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y
1051	SM	22	Silver Maple	Acer saccharinum	Good		INVASIVE	R	Y
1052	NM	8	Norway Maple	Acer platanoides	Very Poor		INVASIVE	R	Y
1053	SM	30	Silver Maple	Acer saccharinum	Poor		INVASIVE	R	Y
1054	SU	7	Sugar Maple	Acer saccharum	Good		WOODLAND	S	N
1055	TH	7	Thornapple/Hawthorne	Cragaeus spp.	Very Poor	x2 dead	WOODLAND	S	Y
1056	SC	13	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1057	SC	12	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1058	SC	13	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1059	BX	8	Box elder	Acer negundo	Fair		INVASIVE	S	Y
1060	BX	8	Box elder	Acer negundo	Fair	x2	INVASIVE	S	Y
1061	BS	6	Blue Spruce	Picea pungens	Fair		WOODLAND	S	N
1062	NS	6	Norway Spruce	Picea Abies	Fair		WOODLAND	S	N
1063	NS	6	Norway Spruce	Picea Abies	Fair		WOODLAND	S	N
1064	NS	7	Norway Spruce	Picea Abies	Good		WOODLAND	S	N
1065	NS	6	Norway Spruce	Picea Abies	Fair		WOODLAND	S	N
1066	SC	17	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	S	N
1067	CT	25	Cottonwood	Populus deltoides	Good		INVASIVE	R	Y
1068	WP	21	(Eastern) White Pine	Pinus strobus	Fair		LANDMARK	R	Y
1069	BW	16	Black Walnut	Juglans nigra	Good		WOODLAND	S	Y
1070	AU	20	Austrian Pine	Pinus nigra	Good		LANDMARK	S	Y
1071	MH	16	Bitternut Hickory	Carya cordiformis	Good	bitternut hickory	LANDMARK	R	Y
1072	SH	16	Shagbark Hickory	Carya ovata	Good	hickory	LANDMARK	R	Y
1073	SH	8	Shagbark Hickory	Carya ovata	Very Poor	hickory	WOODLAND	R	Y
1074	SC	12	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1075	SC	10	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1076	SC	10	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1077	SC	9	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1078	SC	9	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1079	SC	8	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1080	SC	14	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1081	SC	8	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1082	SC	13	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1083	SC	16	Scotch Pine	Pinus sylvestris	Fair	x1	WOODLAND	R	Y
1084	SM	10	Silver Maple	Acer saccharinum	Good		INVASIVE	R	Y
1085	SC	14	Scotch Pine	Pinus sylvestris	Fair		WOODLAND	R	Y
1086	BT	9	Butternut	Juglans cinerea	Good		LANDMARK	R	Y
1087	SM	10	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y
1088	SM	16	Silver Maple	Acer saccharinum	Good		INVASIVE	R	Y
1089	BX	12	Box elder	Acer negundo	Fair		INVASIVE	R	Y
1090	BS	12	Blue Spruce	Picea pungens	Good		WOODLAND	S	Y
1091	SM	12	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y



FIRST FLOOR PLAN
Scale: 3/8" = 1'-0"



Moiseev/Gordon Associates, Inc.
4351 Delemere Court
Royal Oak, MI 48073

248.549.4500 voice
248.549.7300 facs.

www.mga-architects.net

Copyright

© 2024
Moiseev/Gordon Associates, Inc.
Use of these drawings is limited
to the client for the subject project.
Common law copyright is reserved
by the Architect.

Use figured dimensions only.
Do not scale the drawings.

Client:

GFA
Development -
Ranch Unit

Project Title:
VILLAGE OF
HASTINGS

Troy, MI


Sheet Title:
FIRST FLOOR
UNIT PLAN

Project Number: 22312
Drawn By: AJM, JS
Checked By: AJM
Approved By: AJM
Date: 06-16-2023


Issued:
Owner's Review 06-16-23
Owner's Review 11-09-23
Site Plan Approval 04-29-24

Sheet Number:

A100




5/13/2024 5:48:59
PM




1 FRONT ELEVATION

Scale: 3/16" = 1'-0"




4 RIGHT ELEVATION

Scale: 3/16" = 1'-0"




2 REAR ELEVATION

Scale: 3/16" = 1'-0"




3 LEFT ELEVATION

Scale: 3/16" = 1'-0"




1 FRONT ELEVATION

Scale: 3/16" = 1'-0"




4 RIGHT ELEVATION

Scale: 3/16" = 1'-0"




2 REAR ELEVATION

Scale: 3/16" = 1'-0"



3 LEFT ELEVATION

Scale: 3/16" = 1'-0"





www.mga-architects.net

Copyright

© 2024

**Use figured dimensions only.
Do not scale the drawings.**

Client:

GFA
Development -
Ranch Unit

Project Title:

VILLAGE OF
HASTINGS

Troy, MI

Sheet Title:

BD VIEWS -
OPTION B

Project Number: **22312**

Drawn By: **JS**

Checked By: **AJM**
Approved By:

Approved By: **AJM**
Date: **06-16-2023**


ssued:

Owner's Review 06-16-23

Owner's Review	11-09-23
Site Plan Approval	04-29-24


Sheet Number:

A300







5/13/2024 5:49:14 PM






5/14/2024 8:59:31 AM

Scale: $3/16" = 1'-0"$



RANCH UNIT -
3 CAR
GARAGE



First Floor

Scale: 3/16" = 1'-0"



Moiseev/Gordon Associates, Inc.
4351 Delemere Court
Royal Oak, MI 48073

248.549.4500 voice
248.549.7300 faxes.

www.mga-architects.net

Copyright

© 2024
Moiseev/Gordon Associates, Inc.
Use of these drawings is limited
to the client for the subject project.
Common law copyright is reserved
by the Architect.

Use figured dimensions only.
Do not scale the drawings.

Client:

5 UNIT
TOWNHOUSE

Project Title:

The Village of
Hastings

Troy, MI

Sheet Title:

STANDARD
SECOND FLOOR
UNIT PLANS

Project Number: 22312

Drawn By: AJM, JS

Checked By: AJM

Approved By: AJM


Date: 11-03-23

Issued:

Owner's Review 06-29-23
Site Plan Approval 4-30-24

Sheet Number:

A102



4/29/2024 2:15:32
PM




Second Floor


Scale: 3/16" = 1'-0"




1 SOUTH ELEVATION
Scale: 3/16" = 1'-0"




2 NORTH ELEVATION
Scale: 3/16" = 1'-0"



1 WEST ELEVATION
A101 Scale: 3/16" = 1'-0"



2 EAST ELEVATION
A101 Scale: 3/16" = 1'-0"





FIRST FLOOR PLAN

Scale: 3/8" = 1'-0"



Moiseev/Gordon Associates, Inc.
4351 Delemere Court
Royal Oak, MI 48073

248.549.4500 voice
248.549.7300 facs.

www.mga-architects.net

Copyright

© 2024
Moiseev/Gordon Associates, Inc.
Use of these drawings is limited
to the client for the subject project.
Common law copyright is reserved
by the Architect.

Use figured dimensions only.
Do not scale the drawings.

Client:

GFA
Development -
Ranch Duplex

Project Title:

VILLAGE OF
HASTINGS

Troy, MI

Sheet Title:

FIRST FLOOR
UNIT PLAN

Project Number: 22312

Drawn By: AJM, JS

Checked By: AJM


Approved By: AJM

Date: 06-16-2023





Issued:
Owner's Review 06-16-23
Owner's Review 11-09-2023

Sheet Number:


A100





5/13/2024 6:14:22
PM











www.mga-architects.net

© 2024

Use figured dimensions only.
Do not scale the drawings.

TWO STORY
DUPLEX


VILLAGE OF
HASTINGS

ELEVATIONS



Issued:

Review	08-04-16
Owner's Review	06-16-23
Owner's Review	11-08-23
Site Plan Approval	4-26-2024

A200



4/29/2024 2:52:39 PM



4 LEFT ELEVATION
Scale: 3/16" = 1'-0"



www.mga-architects.net

© 2024

Use of these drawings is limited
to the client for the subject project.
Common law copyright is reserved
by the Architect.

Use figured dimensions only.
Do not scale the drawings.


TWO STORY
DUPLEX

VILLAGE OF
HASTINGS




3D VIEWS

Date:06-16-2023

A300



4/29/2024 2:52:42 PM





Ranch Duplex Units
Village of Hasting

MGA Project Number 22312 May 14, 2024
Moiseev/Gordon Associates, Inc.
4351 Delemere Court Royal Oak, MI 48073

www.mga-architects.net
248.549.4500 voice 248.549.7300 facs

MGA
Architects/Designers
www.mga-architects.net
info@mga-architects.net
248.549.4500



3 – Car Ranch Unit
Village of Hasting

MGA Project Number 22312 May 14, 2024
Moiseev/Gordon Associates, Inc.
 4351 Delemere Court Royal Oak, MI 48073

www.mga-architects.net
 248.549.4500 voice 248.549.7300 faxes

MGA

Architects/Designers
www.mga-architects.net
info@mga-architects.net
248.549.4500



5 Unit – Townhouse
Village of Hasting
 MGA Project Number 22312 April 30, 2024
Moiseev/Gordon Associates, Inc.
 4351 Delemere Court Royal Oak, MI 48073

www.mga-architects.net
 248.549.4500 voice 248.549.7300 faxes

MGA
 Architects/Designers
www.mga-architects.net
info@mga-architects.net
 248.549.4500



Ranch Duplex Units
Village of Hasting

MGA Project Number 22312 May 14, 2024

Moiseev/Gordon Associates, Inc.
4351 Delemere Court Royal Oak, MI 48073

www.mga-architects.net
248.549.4500 voice 248.549.7300 facs

MGA

Architects/Designers
www.mga-architects.net
info@mga-architects.net
248.549.4500



2 Story Duplex Unit
Village of Hasting
MGA Project Number 22312 April 29, 2024
Moiseev/Gordon Associates, Inc.
4351 Delemere Court Royal Oak, MI 48073

www.mga-architects.net
248.549.4500 voice 248.549.7300 faxes

MGA
Architects/Designers
www.mga-architects.net
info@mga-architects.net
248.549.4500

From: Lynn Cronin

To: Planning

Cc: Larry Cronin

Subject: Development

Date: Wednesday, October 18, 2023 6:38:02 PM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

This letter is in regards to the potential development north of Square Lake Road and east of Livernois, Parcel ID88-20-03-301-088. We are OPPOSED to the developer wanting to rezone the R1B to a PUD. We are OPPOSED to any multi-level structures such as the ones near the southwest corner of Square Lake Road, the Tisbury Square Townhouses.

We SUPPORT a development that maintains lot sizes consistent with Troy's Master Plan that was approved by a previous Troy Planning Commission and City Council.

Thank you for your consideration.

Larry and Lynn Cronin

130 Telford Dr.

Troy, MI 48085

From: [Jeff W](#)
To: [Planning](#)
Subject: Rezone Request Parcel Id: 20-03-301-088, -023, -024, -025, & 20-03-351-004
Date: Wednesday, October 25, 2023 12:42:15 PM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Board Members....

I spoke last night at the Planning Commission meeting, 10-24-23....Non Agenda. There is a rezone request for the land near Troy Corners (Square Lake rd and Livernois) coming up on November 28th. I mentioned that, as one of the subdivision representatives, I would like to personally invite any and all Board Members to briefly stop by my house on 159 Telford Dr to view the properties in question. This rezone request is one of the largest for this corner in my 24 years living in Telford Ridge. My thoughts are that each of you could view the location from a different perspective. Instead of seeing the upcoming rezone request on paper, aerial shots or driving by, come and get a feel for the neighborhood and the surroundings. See what's here and get an up close visual on what it would be if the rezone request gets approved. Looking forward to meeting everyone....

Thanks for the consideration,
Jeff and Leasa Williams
159 Telford Dr
248 670 2020
kingwilly91@gmail.com

From: twig.teams-0v@icloud.com
To: [Planning](#)
Subject: "Village of Hastings"
Date: Tuesday, November 28, 2023 10:19:34 AM

[You don't often get email from twig.teams-0v@icloud.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear planning commission,

I am opposed to the village of Hastings project near Square Lake and Livernois. We should not be allowing developers to demolish 100+ year old historic structures just like the houses proposed demolished for this project. Historically, these four corners have been a population center; its own community called Troy Corners. I know that's long gone, but these old homes were a part of the original Troy Corners. Although, Troy has a bad reputation for demolishing historic homes and buildings for projects like this one. The community of Big Beaver was wiped off the face of the earth by bad suburban planning policies of previous Troy planning commissions. But all of you on the planning commission have a chance to help save historic houses, and make progress towards a better reputation for the city of Troy. It is my understanding that the developers plan calls for preserving two of four historic homes. That's not good enough. They have plenty of land behind the houses already, why are they being so greedy? The planning commission should not allow this project in its current state. I'd support it without the demolition of two (or more) historically significant homes.

I'd like to add that despite sharing concerns with members of an HOA, I think HOAs are bad and I encourage the dissolution of each and every one.

I cannot make the meeting but want my voice heard. Thank you for your consideration.

Sent from my iPhone

From: [Lynn Cronin](#)
To: [Planning](#)
Cc: [Larry Cronin](#)
Subject: Development
Date: Wednesday, October 18, 2023 6:38:02 PM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

This letter is in regards to the potential development north of Square Lake Road and east of Livernois, Parcel ID88-20-03-301-088. We are OPPOSED to the developer wanting to rezone the R1B to a PUD. We are OPPOSED to any multi-level structures such as the ones near the southwest corner of Square Lake Road, the Tisbury Square Townhouses.

We SUPPORT a development that maintains lot sizes consistent with Troy's Master Plan that was approved by a previous Troy Planning Commission and City Council.

Thank you for your consideration.

Larry and Lynn Cronin
130 Telford Dr.
Troy, MI 48085

From: [Bob Bruner](#)
To: [Planning](#)
Cc: [Mark F Miller](#); [Megan E Schubert](#)
Subject: FW: Village of Hastings
Date: Monday, October 30, 2023 9:41:58 AM

FYI

-----Original Message-----

From: Nannette Gearhart <nannettegearhart@gmail.com>
Sent: Sunday, October 29, 2023 7:43 PM
To: City Council Email <CityCouncilEmail@troy.mi.gov>
Subject: Village of Hastings

[Some people who received this message don't often get email from nannettegearhart@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello I am emailing you tonight to make sure you are aware of the Village of Hastings development at Square Lake Road and Livernois. This project will require rezoning and demolition of at least 2 100 year old homes on Livernois. I live on the corner of Livernois and Aspinwall and myself and most of the neighbors are very upset with this project and feel that this area is the last unique area of Troy that has several 100 year old houses that the owners have spent many years and lots of money preserving these homes!!! This project does not belong in this area which includes 42 condominiums and 3 ranch houses. I plan on attending the Planning Commission Public Hearing on November 28th and hope that we have support in not moving forward with this proposal. Thank you Nannette Gearhart 6197 Livernois for the past 27 years

Sent from my iPhone

From: marv schoenherr

To: Planning

Subject: Proposed Village of Hastings Planned Unit Development PUD-020

Date: Friday, October 13, 2023 9:48:38 AM

Planning Commission,

The Telford Ridge HOA met with this developer on May 15, 2023 to discuss his proposed site plan for this development. After much discussion, he agreed to not make Telford Dr. a through street to Sq. Lake Rd., keep all buildings at two (2) stories, eliminate the pickle ball courts and put single family homes on the far east end of the proposed development. He further agreed to submit the revised plan to the Telford Ridge HOA prior to the planning meeting scheduled on October 24, 2023, which he has not done. So, his credibility is immediately in question.

We totally understand progress, as we live in what used to be a 'pasture', but we also live in this city because it has 'sanctuary' neighborhoods such as Telford Ridge. However, Troy is turning into a multi-family building community. Greenspace and yards for families to enjoy are getting lost in three and four storied buildings with covered parking spaces and concrete lots while traffic is increasing at an alarming rate.

We can agree to a rezoning IF this developer does exactly what he told us he would do, and we would have to see the site plan as submitted to the city for approval. However, if he does not, we are totally against this rezoning. He can build single family dwellings in accordance with the current zoning requirements.

This type of construction/zoning is not in the spirit of why we moved to Troy. The city, in our opinion, has not placed the residents' interest over tax collection.

We ask that you seriously consider this application, as well as those in the future, to keeping Troy a beautiful community and not a cluttered community.

In conclusion, we are against this rezoning without the consensus of the Telford Ridge HOA to the proposed site plan as discussed with this developer on May 15, 2023.

Respectfully,

Marv & Cindy Schoenherr
115 Telford Dr.
Troy, MI 48085

Ann Coleman
6091 Livernois Road
Troy, MI 48098

City of Troy Planning Commission
500 W Big Beaver Road
Troy, MI 48084

April 14, 2024

Dear Planning Commission,

I am writing to follow up on the topic of rezoning R1B to PUD that was discussed Tuesday April 9, 2024.

It was not my, nor do I believe anyone's intent, to create surprise among the commission. I and my neighbors have put many, many hours of learning, exploring, and thought into the proposal to rezone the R1B at Square Lake and Livernois roads to PUD.

An either-or choice was presented to the Telford HOA by the developer. The developer has not reached out to talk to me, or anyone on the west side of Livernois Road that I know of. In addition, I have repeatedly heard at commission meetings that the developer has the right to build the 14 units on Square Lake because of past decisions, he is within his rights, unless the PUD development can go in. So, I truly believe that we have an either-or choice. I respect the developer's rights.

In thinking about the loss of old/historic homes to build new single-family homes with adjacent unit development on Square Lake, vs keeping the homes and seeing unit development behind them, I would rather see the new homes in R1B. For 3 reasons:

- 1) *The developer has not maintained the old/historic homes from the curb view.* The landscape has overgrown, a chopped wood fence has fallen apart (although on Sunday the 14th I saw a man repairing it after years), and mold/mildew covers the siding. This tells me that he truly does not care about these homes as assets to the neighborhood. I do not trust his words that say he will repair them. I trust his previous actions. And there is no guarantee that a new owner would maintain them as historic. It would be a niche sale.
- 2) *The intent of this area has not changed, and I agree with the intent of the master plan for this area.* "The Master Plan recognizes that **single-family residential neighborhoods are vital components of the City....** The R-1A through R-1E Districts are further intended to **preserve and improve upon the quality of residential neighborhoods while permitting a limited number of other compatible uses** which support residential neighborhoods."
- 3) If the precedent is set to increase density of housing this will lead to a ripple effect of widening the road and *I will lose my house because it sits close it.* It is obvious that the properties on the east side of Livernois, south of Square Lake are likely going to be re-developed, along with the area to the east that the developer says he owns. We have many more homes getting built. Any density greater than R1B is concerning.

I believe that community development, when there is conflict, ought to be worked out through discussion and compromise. I believe I am a stakeholder. If I am wrong about these things, I humbly ask for correction.

Thank you, as always, for your service.

Respectfully submitted,

Ann Coleman

From: [Shelley Stenger](#)
To: [Hirak Chanda](#); [David Hamilton](#); [Ellen C Hodorek](#); [Mark A Gunn](#); [Ethan Baker](#); [Planning](#); [Rebecca A. Chamberlain-Creangă](#); [Theresa Brooks](#)
Subject: PUD and Troy Corners
Date: Monday, May 13, 2024 8:43:21 PM

Some people who received this message don't often get email from shellsellshomes1@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commision and City Council members,

I am out of town so I wanted to send this to be included in the public remarks at the next meeting. I will keep this short and sweet.

My mom and I live on 437 E Hurst Drive near historic Troy Corners. My mom has lived here for 62 years after my dad built our house. We love our neighborhood but we do not like what has been happening in our area in the last handful of years.... beginning with the townhouses next to Peppy's Pizza.

I have attended the previous planning and council meetings and am afraid that we are not being heard. I believe there is some confusion about what the residents want and I want to be clear.

I know that there are other townhomes already approved on Square Lake Road by John's party store. But we are very **opposed to the PUD** that is proposed for the northeast corner of the intersection. We would much rather only have the townhouses on Square Lake Road ~ but with a larger setback than the buildings next to Peppy's. The PUD does not meet the requirements, plain and simple. Please hear our plea and do not approve the PUD.



We also agree with the majority of the neighbors regarding our Node, no high density, no three- story, etc. Please, please keep any more large developments off of our 2 lane road. Too much traffic already. And we need to keep property values up in Troy! We are not a low income neighborhood.

Thank you for all of your time and effort in this matter. We really do appreciate your hard work!

Shelley Stenger & Shirley Hardwick



Certified Pricing Strategy Advisor
Certified Real Estate Negotiation Expert



Website: Shellsellshomes1.com

From: [Jen Gillie](#)
To: [Planning](#)
Subject: Re: Stop Rezoning of Troy Corners Development
Date: Monday, April 22, 2024 7:21:26 PM

[You don't often get email from jenniferrobingillie@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am newer to the neighborhood and live at 212 Booth Rd. It took my family 5 years to find a house in this neighborhood. We choose this neighborhood because we love the big yards and not having neighbors so close. We moved from Royal Oak. We chose this neighborhood because of the community, we have over 10 families with kids around my son's age of 9, some younger. My son didn't learn to ride a bike until this past summer because the streets of Royal Oak, the houses were so congested you never knew if someone would be backing out of their driveway!

My biggest concern is the safety of my child and the children who ride their bikes and scooters in the street, if the builder ends up connecting our neighborhood to his multi family home plan this could increase the traffic on our streets by more than 68 cars based on his 34 unit development. 68 more cars driving our streets.

My next concern is our infrastructure, my yard is partially under water now, I feel this could cause more problems for our area adding that kind of density.

I understand that Troy Corners will at some point be developed. Let's keep the same look and feel of our community. Single family homes on 1/2 acres lots! We moved to this area for a reason!! Less congestion and more room for our family and our children to stay safe!

My other concern is possible redevelopment of our beautiful neighborhood. If Gary gets his way and connects our neighborhood through 400 Ottawa. Family's could start moving out and selling and then our beautiful ranches could all turn into multi family homes. Living in Royal Oak the last 18 years was a sad site to see all of the big foot homes moving in as they tore down the small ranches. When I first moved here I would stare out my back kitchen window and watch the sunrise! The most beautiful and relaxing view I had ever seen! And I have it here in Troy and didn't need to be on vacation to have such a beautiful view. Something I had not seen in years living in royal oak. All I could see were houses! Please let's keep our community in tact and keep the same feel that I am sure is the reason why we all live here. We do not want to live on top of each other and would like a safe place for our kids to grow up!

It would be a win for everyone if Gary would do single family homes, he would still make money as that's all he truly cares about! And it would keep the families of Troy Corners happy and this long drawn out fight would be over.

Sincerely,
Jennifer Gillie

> On Dec 9, 2023, at 12:22 PM, Jen Gillie <jenniferrobingillie@gmail.com> wrote:

>

> I am a resident on Booth Rd, just north of the Troy corners site. I am not ok with this being zoned for PUD. This area needs to stay single family homes to maintained the integrity of our neighborhoods we love so much!

>

> We recently moved from the Royal Oak area for the quiet neighborhood with a small town feel. We do not approve or desire to have high rise buildings. This will add unnecessary congestion to our area and the need to do future upgrades of our roads that we do not need today!

- >
- > Keep our small town feel, please do not approve this to be rezoned!
- >
- > Jennifer Gillie

Brent Savidant

From: Rosemarie Thommes <rthommes@aol.com>
Sent: Sunday, May 12, 2024 11:09 AM
To: Planning
Cc: Ethan Baker
Subject: Strong Opposition to Proposed PUD at Livernois Rd and Square Lake Rd

You don't often get email from rthommes@aol.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To: City of Troy Planning Commission

I am writing to reiterate my strong opposition to the proposed Planned Unit Development (PUD) near the Neighborhood Node at Livernois Rd and Square Lake Rd. This letter serves as a continuation of my previous communications on this matter.

My opposition is based on several key concerns:

- **Traffic Congestion:** Livernois Rd and Square Lake Rd are only two-lane roads, and I, along with many other residents, believe the traffic studies underestimate the significant impact this PUD will have. These roads cannot handle the additional traffic generated by a high-density development.
- **Neighborhood Character:** This proposal disrupts the established character of our neighborhood. The existing single-family homes, many over 100 years old, contribute significantly to the charm of the area. A PUD with multi-family units would be a stark contrast and not a welcome addition. It would disrupt the look and feel of the community, similar to the negative impact of the 3-story townhomes built on Livernois.
- **Inaccurate Comparisons:** The builder's argument referencing other approved PUDs is irrelevant. Those developments were situated on major roads with multiple lanes, unlike the narrow, local roads surrounding this proposed site.
- **Unaffordable Housing:** GFA's claim of providing affordable housing solutions is misleading. With starting prices of \$600,000 for homes and \$350,000 for townhomes, these units will be out of reach for most residents seeking affordability.

Alternative Solutions:

Instead of this ill-suited PUD, I urge the Commission to consider alternative locations for such developments:

- **Vacant Office Buildings:** There are numerous vacant office buildings in Troy that could be repurposed for multi-family housing.
- **Demolished Hotel Site:** The vacant site at Crooks Rd and I-75, where a hotel once stood, presents another perfect opportunity for a PUD with existing infrastructure already in place.
- **Long Lake Rd and Crooks Rd PUD:** The proposed PUD at this location seems like a much better fit and makes far more sense, with existing infrastructure capable of supporting additional traffic.

The entire community surrounding the proposed PUD at Livernois Rd and Square Lake Rd strongly opposes this development. We urge the Commission to maintain the current zoning and protect the character of our neighborhood.

Thank you for your time and consideration.

Sincerely,
Rosemarie Thommes
335 Ottawa Drive

From: [Planning](#)
To: [Brent Savidant](#)
Subject: FW: PUD Project: August 12th Council Meeting
Date: Tuesday, July 9, 2024 2:16:07 PM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)



Jackie Ferencz
Office Manager |
City of Troy Planning Dept
O: 248.524.3364



From: Dylan J Clark <Dylan.Clark@troymi.gov>
Sent: Tuesday, July 9, 2024 12:36 PM
To: Planning <planning@troymi.gov>
Subject: Fw: PUD Project: August 12th Council Meeting

Best,



Dylan Clark, M.P.A.
Management Analyst

Troy City Manager's Office
O: 248-524-1087

From: Rosemarie Thommes <rthommes@aol.com>
Sent: Monday, July 8, 2024 8:50 AM
To: Ethan Baker <Ethan.Baker@troymi.gov>; Ethan Baker <ethan@ethandbaker.com>; City Council Email <CityCouncilEmail@troymi.gov>
Subject: PUD Project: August 12th Council Meeting

Some people who received this message don't often get email from rthommes@aol.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To the Esteemed City Council Members of Troy,

We are writing to express our strongest opposition to the proposed Planned Unit Development (PUD) located near Square Lake Road and Livernois, which is scheduled to be presented at the August 12th council meeting. This development poses a number of serious concerns that threaten the well-being of our community.

Traffic Gridlock: The most pressing issue is the single access point planned for this development. This already congested intersection, with its single lane in each direction, will be overwhelmed by the influx of traffic, especially during peak hours. The current traffic study fails to accurately reflect the true impact this PUD will have.

Incompatible Development: This PUD is entirely out of character for the existing neighborhood. The area is already a mishmash of developments, further burdened by the poorly planned 3-story townhouses built near Peppi's. This PUD adds to the haphazard nature of the area, straining resources and infrastructure.

Environmental Destruction: The proposed development disregards the sensitive environmental aspects of the land. Claims by developer Gary Abitheria of GFA Development regarding his commitment to the community **ring hollow** when considering his threat to demolish classic homes and his wetland destruction activities on Ottawa Drive, which violated EGLE regulations.

Unnecessary Rezoning: The PUD necessitates the rezoning of property from R1-B, a move vehemently opposed by surrounding residents. Troy has numerous other locations far better suited for such high-density developments. Areas like the Long Lake and Crooks Road project or vacant office buildings and empty properties near the I-75 and Crooks Road exit possess existing infrastructure that can accommodate the increased traffic and noise associated with multi-family units.

Loss of Green Space: The PUD will result in the destruction of valuable green space, impacting local wildlife and further straining our already strained storm water management systems. This quadrant of Troy is particularly susceptible to flooding, and this development will only exacerbate the problem.

Unwanted by Residents: The overwhelming sentiment among residents surrounding this proposed PUD is one of opposition. This project is simply not wanted by the people who call this area home. The Troy City Council should prioritize the desires of its current residents.

Alternative Solutions: Troy can achieve necessary development goals without sacrificing the character of established neighborhoods and the environment. Focusing efforts on revitalizing underutilized office buildings and vacant properties near major

roadways presents a far more responsible approach.

We urge you to reject the proposed PUD at Square Lake Road and Livernois. This development prioritizes profit over the well-being of our community and environment. Troy deserves better.

Sincerely,

Rosemarie Thommes

Dave Sicheneder

Residents and Voters residing at 335 Ottawa Drive

From: [Brad Sheppard](#)
To: [Ethan Baker](#); [Theresa Brooks](#); [Hirak Chanda](#); [Rebecca A. Chamberlain-Creanga](#); [Mark A Gunn](#); [David Hamilton](#); [Ellen C Hodorek](#); [City Manager External Contact](#); [Brent Savidant](#); [Planning](#)
Subject: Development near Square Lake and Livernois
Date: Wednesday, June 26, 2024 4:38:56 PM

Some people who received this message don't often get email from bradshep1@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear City Council and Planning Committee,

This note is in regards to the development north of Square Lake Road and East Livernois, Parcel ID 88-20-03-301-088. As a long time Troy resident, I wanted to express my concern and opposition to the developer's desire to rezone this area from R1B to a PUD. One reason I do NOT support this development effort is due to lot sizes that will not be consistent with Troy's Master Plan. I am opposed to a PUD at this location. Overall, my biggest concern with this development is related to the increase in traffic around this area that will be associated with a large development being added on this corner. The traffic is already heavy around this area especially during school start/end times. A development planned in the way this PUD is being considered is very concerning to me that it will become unbearable. I live in the Sylvan Glen subdivision and increased traffic will greatly impact the quality of my daily life. So please consider my concern and deny the PUD as the first step to help quality of life for long-term Troy residents.

Thank you,
Brad Sheppard

From: Lynn Cronin
To: Planning
Cc: Larry Cronin
Subject: For your consideration
Date: Tuesday, January 2, 2024 3:29:50 PM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To: The Troy Planning Commission
From: Larry and Lynn Cronin
Date: January 2, 2024

As long time residents (37 years) of Troy we are opposing the rezone request from a R-1B to a PUD in the historic Troy Corners area of Square Lake and Livernois.

Before you make your decision, please consider:

1. This area does not qualify for a PUD per the Zoning Ordinance.
2. This would not be a good transition and is not the correct application for a PUD.
3. This does not follow the Old or New Master Plan which specifically asks for limited residential in the Neighborhood Nodes.
4. This is not equal to or compatible with the neighboring properties.

We hope you will consider the well being and quality of life issues of an established Troy neighborhood surrounding this zone as you make your decision.

Respectfully,
Larry and Lynn Cronin
130 Telford Dr.
Troy, MI

From: Danielle Vozel

To: Planning

Subject: Stop Rezoning of Troy Corners Development

Date: Sunday, December 17, 2023 8:46:07 AM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello,

I am writing about my concern for the proposed new development at the northeast corner of square lake and Livernois. I live on Hurst just a couple streets north of this area with my husband and our 2 young children. We moved into this neighborhood last year because we fell in love with how quiet and welcoming this area is. This development would drastically increase traffic and noise in this area. Especially with the elementary school just ½ a mile down the street on Livernois, this would cause more issues for quite a lot of people. Please consider helping us keep our historical, warm, welcoming small neighborhood in the great city of Troy and do not approve this rezoning.

Thank you,
Danielle Loiselle

From: Danielle Favret

To: Planning

Subject: Square Lake and Livernois development

Date: Thursday, December 21, 2023 10:51:45 AM

You don't often get email from daniellefav44@gmail.com. [Learn why this is important](#)

Hello Planning Commission,

My name is Danielle Favret and I have lived in Troy at 6390 Montclair Dr, Troy, MI 48085 for the last 27 years. I have seen a lot of change over the years and understand the desire for growth and the appeal of living in Troy. I have so many good things to say about our city and our community and our schools. I could go on at length about wonderful experiences we have had in this community with such amazing people.

I am writing to you today to voice my opinion regarding the proposed development for square lake and Livernois. I am very opposed to this high density project. It does not fit in with our current neighborhood structure of single residences and in my specific neighborhood primarily ranch style homes. The intersection at square lake and Livernois is narrow and cannot handle the increased traffic such a large development will bring. If you look at the condos that were built on the south side of square lake and Livernois you can see a development that clearly doesn't fit aesthetically. Please do not allow this to happen again.

I appreciate the opportunity to share my opinion with you and am very hopeful that you will listen to the Troy citizens who feel strongly about this and are doing the research to protect and preserve the integrity of Troy as a residential community for the very long term view.
Thank you, Danielle Favret

From: [Wendy Dingwall](#)

To: [Planning](#)

Subject: Proposed development at Troy Corners (Livernois and Square Lake)

Date: Sunday, December 10, 2023 1:17:45 PM

You don't often get email from wendydingwall@live.com. [Learn why this is important](#)

I am writing in opposition to the proposed development in the area referred to as "Troy Corners" (Square Lake and Livernois).

I live at 5638 Folkstone, near this area. I frequently walk/run in the area. The proposal to increase population density in this area will likely result in increased traffic and congestion. Square Lake often backs up all the way from Rochester to Donaldson during rush hour periods, making it dangerous to cross on foot.

In addition, the development along Livernois on the other side of Square Lake has already increased density in the area and does not fit with the surrounding area. Buildings 3 or more stories tall should be along Big Beaver or Crooks (former Northfield Hilton site is available and desperately in need of development).

Please do not grant permission for the proposed development in this area.

Respectfully,

Wendy Dingwall
Michael Dingwall

From: Jen Gillie

To: Planning

Subject: Stop Rezoning of Troy Corners Development

Date: Saturday, December 9, 2023 12:22:06 PM

[You don't often get email from jenniferrobingillie@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am a resident on Booth Rd, just north of the Troy corners site. I am not ok with this being zoned for PUD. This area needs to stay single family homes to maintained the integrity of our neighborhoods we love so much!

We recently moved from the Royal Oak area for the quiet neighborhood with a small town feel. We do not approve or desire to have high rise buildings. This will add unnecessary congestion to our area and the need to do future upgrades of our roads that we do not need today!

Keep our small town feel, please do not approve this to be rezoned!

Jennifer Gillie

From: [Ryan Loiselle](#)

To: [Planning](#)

Subject: Stop Rezoning of Troy Corners Development

Date: Sunday, December 17, 2023 8:51:09 AM

You don't often get email from ryan.loiselle1@gmail.com. [Learn why this is important](#)

Hello,

I am writing about my concern for the proposed new development at the northeast corner of square lake and Livernois. I live on Hurst just a couple streets north of this area with my wife and our 2 young children. We moved into this neighborhood last year because we fell in love with how quiet and welcoming this area is. This development would drastically increase traffic and noise in this area. Especially with the elementary school just 1/2 a mile down the street on Livernois, this would cause more issues for quite a lot of people. Please consider helping us keep our historical, warm, welcoming small neighborhood in the great city of Troy and do not approve this rezoning.

Thank you,

Ryan Loiselle

From: Brenda Seldon

To: Planning

Subject: Rezoning and development for Troy Corners

Date: Sunday, December 10, 2023 8:26:06 AM

You don't often get email from brendaseldon@gmail.com. [Learn why this is important](#)

Dear Planning Commission,

Im writing to express my concerns as a resident and owner of property of 51 Aspinwall regarding the proposed rezoning development east of livernois and North of square lake (also known as Troy Corners). I attended the planning meeting on November 28th and expressed my concerns regarding this proposal for this development however, thought I would reiterate my concerns again in writing.

- 1) it will no doubt add more traffic on my street with people cutting through to avoid traffic backed up at the light.
- 2) cars cutting through and drive too fast on my street when cutting through
- 3) cars regularly turn on my street but backup in my driveway since I am the first house deciding that they need to turn around
- 4) I have noise concerns for additional traffic, additional neighbors and construction that would come with this development.
- 5) I have plumbing and sewer concerns. Since I have lived here, I have had at least 3 sewage backups in my basement. I approached the city on one occasion with them telling me it is not a city issue . I replaced all the plumbing in the floor of mybasement as a result. I have a concern of the new plumbing and sewer load that this new development would cause and of the city could even handle this development. I know if I get another backup in my basement I will be pissed (pardon my language) and I will look into taking action against the city.
- 6) in my eyes, this new development and the proposed structures are an eyesore. They are not what I would like to see in my direct neighborhood. I brought here for the nice size lot, because there is openness behind me and I like the quiet and nature it provides. I like to see the deer in my backyard. If this development goes through, it will take away from that and change the look and feel of this neighborhood.
- 7) Who would buy these new homes on the new development anyway? I feel they are overpriced and the setup of this development is not conducive to the amount of proposed units or structural integrity for this area.

I am confident that the planning commission will take all of my pain points and come to the right decision.

This development should not go through and instead of moving Troy forward, I feel it will put us in a position that you will lose residents in this area for the very reason.

Thank you for your consideration and hearing my concerns.

Regards, Brenda Seldon

From: Stephanie Heidt
To: Planning
Subject: Troy Corners Rezoning
Date: Saturday, December 16, 2023 7:53:37 AM

[You don't often get email from steph_klo@hotmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Committee,

I kindly request that you deny to PUD request at Troy Corners as a resident of the neighborhood. The planning is the single family homes is one thing but the condos is another. Our neighborhood is known for having large lots and space, it's one of the things that attracted us to the area and we would like to keep this precedence for our neighborhood. Square Lake and Livernois are not set up to absorb any more traffic than they already have. If a PUD was to go in the streets, would need to be widen to help with the traffic flow. Traffic already backs up at the lights and it has become a very busy intersection. I also fear this will cause even more traffic on the neighborhood side streets and cars already use the neighborhood as a cut through going 50+ mph endangering our children please don't add to that.

Please vote not to the rezoning.

Sincerely,
Stephanie Heidt

From: [Walenda Green](#)

To: [Planning](#)

Date: Thursday, December 21, 2023 2:18:15 PM

You don't often get email from greenwalenda@gmail.com. [Learn why this is important](#)

Development at Sq. Lake and Livernois on West side.

I am opposed to 3 story Condo's. Homes or 2 story Condo's aren't bad.

Walenda Green

From: Walenda Green

To: Planning

Date: Saturday, December 16, 2023 10:03:24 AM

You don't often get email from greenwalenda@gmail.com. [Learn why this is important](#)

Property on Livernois North of Sq. Lake.

As someone who has lived in Troy all her life. I wonder what Troy is doing to this once beautiful city? We are looking like Southfield. Once a great and beautiful city now has turned into a ugly city. No more Condo's. The city wants to destroy Troy. Why do you think people are moving out of Troy? Troy is into destroying a once beautiful place. I am totally against building more Condo's and destroying wet lands.

Walenda Green

From: Jay Welch

To: Planning

Subject: Development, Livernois and Square lake

Date: Thursday, December 7, 2023 9:04:28 PM

You don't often get email from jaysusr@gmail.com. [Learn why this is important](#)

Greetings, planners

I am emailing you tonight to express my opposition for the new development Being proposed at the corner of Livernois and Square Lake Roads, by builder, Gary Abetheria. We do not need any more multifamily housing in this area coupled with the fact that he is planning on tearing down historic homes, and changing the face of Troy corners – the original Troy. If you have any questions, you can contact me at 248-709-4285. Thanks, Jay Welch.

Sent from mobile platform

Please excuse and typos & brevity

From: [Jennifer Bruns](#)

To: [Planning](#)

Subject: proposed development at Square Lake and Livernois

Date: Friday, December 8, 2023 10:07:07 AM

You don't often get email from jenkbruns@gmail.com. [Learn why this is important](#)

To Whom It May Concern:

I am writing to express my opposition to the proposed rezoning at the corner of Square Lake and Livernois. Please do not allow this developer to build high rise condos on that land. I live close to this intersection and I have concerns about how this will impact traffic and noise. Please leave this area for only the building of single family homes.

Thank you,

Jennifer Bruns
5964 Donaldson Dr
Troy

From: [Theresa Clancy](#)

To: [Planning](#)

Subject: Save Troy Corners!

Date: Friday, December 8, 2023 11:04:36 AM

You don't often get email from signuptheresa@gmail.com. [Learn why this is important](#)

Hi,

As a 29+ year resident of Troy, I am usually in favor of most things the Planning Commission approves. However, the proposed plan at Troy Corners is just wrong for the area. Too much density in buildings that are much too tall for that area. I urge you to not approve this as proposed!

Thank you,
Theresa Clancy

From: C Cof
To: Planning
Subject: Troy Corners
Date: Friday, December 8, 2023 7:18:32 AM

[You don't often get email from colorcc.222@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please stop building PUD properties! Please save the character of our city! Troy Corners should not be affected by this type of building.

Thank you. Cari Coffey
198 Aspinwall

From: Lucas, Linda

To: Planning; Ethan Baker

Subject: 11/28 meeting

Date: Thursday, November 30, 2023 9:53:01 AM

Some people who received this message don't often get email from linda.lucas@tenneco.com. [Learn why this is important](#)

Good Morning

I would like to put in my 2 cents about the building proposal that was spoken at the public meeting on 11/28 I am a resident in Troy at 99 E Lovell. You may think this doesn't affect me since I am further north of this area but it does. I feel like this building proposal does not "fit" our area. It is a homey, country like feel now and that is what brought us to the area 22 years ago.

I think the homes are too closely mashed in according to the slides that were shown. I also was completely shocked about the "emergency entrance" that only ambulance and other emergency traffic could go through on Square Lake Rd, it sounds like the residents would be trapped, only one way in and one way out. Very strange way of designing this. Also It sounds like the level of traffic will be ridiculous morning and night. There is already a large jam up in traffic, you add 42 more homes in the area multiply that by the average of 4 people per home that is an additional 168 people on the road at any given time. I also didn't like the builders suggestion of there could be a fire at the rentals he has (the 4 old houses on Livernois). That remark was ominous and sounds like a threat of sorts.

I also do not like the lack of green space. I didn't see ANY green on the slides.

The builder suggested that these would be affordable, when asked how affordable with the ranch homes he said approx. 650k. That's affordable? I don't know of a soul who would be interested in an area for 650k that has basically no backyard and trapped in a one way in one way out street.

Please reconsider any approval of this mess above, it doesn't fit the area, and I would think that the City of Troy should be conscious of the feelings of the citizens. I too was shocked of the Townhomes built next to Peppy's and in other areas of Troy. Honestly they are eyesores. I cannot imagine how the new building proposal would look. Also consider that a lot of these homes will basically be in the backyards of folks that have lived in this area for years. This is not fair.

Thank you

Sincerely

Linda Lucas

99 E Lovell

Troy MI 48085

Phone: 248-709-6978

CONFIDENTIALITY WARNING:

This email may contain privileged or confidential information and is for the sole use of the intended recipient(s).

Any unauthorized use or disclosure of this communication is prohibited. If you believe that you have received this email in error, please notify the sender immediately and delete it from your system.

<https://disclaimer.tenneco.com/>

For more information regarding our company, please visit www.tenneco.com

© Copyright Tenneco Inc. and/or its affiliates. All rights reserved.

From: Erin Thompson

To: Planning

Subject: Proposed development NE corner SQ Lake and Livernois

Date: Thursday, December 7, 2023 9:44:27 PM

[You don't often get email from emthompson29@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To whom it concerns

Please do not allow more obnoxious multi-story, multi-family homes to be built at this corner of Troy. This corner has historical value. There are homes over 100 years old. It's already overly congested. We don't want this in our community. Residents, current residents that appreciate the city, need to be valued and heard. Stop the overdevelopment of our city!

If you should need any further follow up, please reach out.

Erin Ciaciuch
Troy Resident

Sent from my iPhone

From: [Walenda Green](#)
To: [Planning](#)
Date: Saturday, December 16, 2023 10:03:24 AM

You don't often get email from greenwalenda@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Property on Livernois North of Sq. Lake.

As someone who has lived in Troy all her life. I wonder what Troy is doing to this once beautiful city? We are looking like Southfield. Once a great and beautiful city now has turned into a ugly city. No more Condo's. The city wants to destroy Troy. Why do you think people are moving out of Troy? Troy is into destroying a once beautiful place. I am totally against building more Condo's and destroying wet lands.

Walenda Green

From: [Wendy Dingwall](#)
To: [Planning](#)
Subject: Proposed development at Troy Corners (Livernois and Square Lake)
Date: Sunday, December 10, 2023 1:17:45 PM

You don't often get email from wendydingwall@live.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am writing in opposition to the proposed development in the area referred to as "Troy Corners" (Square Lake and Livernois).

I live at 5638 Folkstone, near this area. I frequently walk/run in the area. The proposal to increase population density in this area will likely result in increased traffic and congestion. Square Lake often backs up all the way from Rochester to Donaldson during rush hour periods, making it dangerous to cross on foot.

In addition, the development along Livernois on the other side of Square Lake has already increased density in the area and does not fit with the surrounding area. Buildings 3 or more stories tall should be along Big Beaver or Crooks (former Northfield Hilton site is available and desperately in need of development).

Please do not grant permission for the proposed development in this area.

Respectfully,

Wendy Dingwall
Michael Dingwall

From: [Lynn Cronin](#)
To: [Planning](#)
Cc: [Larry Cronin](#)
Subject: For your consideration
Date: Tuesday, January 2, 2024 3:29:50 PM

[You don't often get email from lynncro1@yahoo.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To: The Troy Planning Commission
From: Larry and Lynn Cronin
Date: January 2, 2024

As long time residents (37 years) of Troy we are opposing the rezone request from a R-1B to a PUD in the historic Troy Corners area of Square Lake and Livernois.

Before you make your decision, please consider:

1. This area does not qualify for a PUD per the Zoning Ordinance.
2. This would not be a good transition and is not the correct application for a PUD.
3. This does not follow the Old or New Master Plan which specifically asks for limited residential in the Neighborhood Nodes.
4. This is not equal to or compatible with the neighboring properties.

We hope you will consider the well being and quality of life issues of an established Troy neighborhood surrounding this zone as you make your decision.

Respectfully,
Larry and Lynn Cronin
130 Telford Dr.
Troy, MI

From: [Lynn Cronin](#)
To: [Planning](#)
Cc: [Larry Cronin](#); [Jeff W](#)
Subject: Rezoning Considerations
Date: Wednesday, January 3, 2024 8:17:52 PM

[You don't often get email from lynncro1@yahoo.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

Upon further consideration we had a few more thoughts regarding the development north of Square Lake and east of Livernois, parcel Id 88-20-03-301-088. We are opposed to the developer wanting to rezone the RB1 to a PUD as this location does not meet the nine points needed to qualify for a PUD. We are opposed to any 3 story structures such as the ones on the southwest corner of Square Lake.

Here are a few more factual impacts this change would bring to our community for you to consider:

1. Are there storm water impacts that would be realized?
2. What about impacts on local school enrollment?
3. Can our fire and police departments provide adequate protection for the proposed development?
4. Is there adequate water and sewer infrastructure available to meet the new demand without compromising the current residents in this vicinity?
5. Are there traffic implications to consider as this corner is the corridor to three Troy schools which currently provide high volume traffic?

Again we respectfully request you consider the multiple impacts the rezoning of this site would have on your current residents and their quality of life.

Sincerely,
Larry and Lynn Cronin
130 Telford Dr.
Troy, MI 48085

From: [Walenda Green](#)
To: [Planning](#)
Date: Thursday, December 21, 2023 2:18:15 PM

You don't often get email from greenwalenda@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Development at Sq. Lake and Livernois on West side.

I am opposed to 3 story Condo's. Homes or 2 story Condo's aren't bad.

Walenda Green

From: [Jay Welch](#)
To: [Planning](#)
Subject: Development, Livernois and Square lake
Date: Thursday, December 7, 2023 9:04:28 PM

You don't often get email from jaysusr@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Greetings, planners

I am emailing you tonight to express my opposition for the new development Being proposed at the corner of Livernois and Square Lake Roads, by builder, Gary Abetheria. We do not need any more multifamily housing in this area coupled with the fact that he is planning on tearing down historic homes, and changing the face of Troy corners – the original Troy. If you have any questions, you can contact me at 248-709-4285. Thanks, Jay Welch.

Sent from mobile platform

Please excuse and typos & brevity

From: [Jennifer Bruns](#)
To: [Planning](#)
Subject: proposed development at Square Lake and Livernois
Date: Friday, December 8, 2023 10:07:07 AM

You don't often get email from jenkbruns@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To Whom It May Concern:

I am writing to express my opposition to the proposed rezoning at the corner of Square Lake and Livernois. Please do not allow this developer to build high rise condos on that land. I live close to this intersection and I have concerns about how this will impact traffic and noise. Please leave this area for only the building of single family homes.

Thank you,

Jennifer Bruns
5964 Donaldson Dr
Troy

From: [Theresa Clancy](#)
To: [Planning](#)
Subject: Save Troy Corners!
Date: Friday, December 8, 2023 11:04:36 AM

You don't often get email from signuptheresa@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi,

As a 29+ year resident of Troy, I am usually in favor of most things the Planning Commission approves. However, the proposed plan at Troy Corners is just wrong for the area. Too much density in buildings that are much too tall for that area. I urge you to not approve this as proposed!

Thank you,
Theresa Clancy

From: [C.Cof](#)
To: [Planning](#)
Subject: Troy Corners
Date: Friday, December 8, 2023 7:18:32 AM

[You don't often get email from colorcc.222@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please stop building PUD properties! Please save the character of our city! Troy Corners should not be affected by this type of building.

Thank you. Cari Coffey
198 Aspinwall

From: [Lucas, Linda](#)
To: [Planning](#); [Ethan Baker](#)
Subject: 11/28 meeting
Date: Thursday, November 30, 2023 9:53:01 AM

Some people who received this message don't often get email from linda.lucas@tenneco.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Morning

I would like to put in my 2 cents about the building proposal that was spoken at the public meeting on 11/28

I am a resident in Troy at 99 E Lovell. You may think this doesn't affect me since I am further north of this area but it does. I feel like this building proposal does not "fit" our area. It is a homey, country like feel now and that is what brought us to the area 22 years ago.

I think the homes are too closely mashed in according to the slides that were shown. I also was completely shocked about the "emergency entrance" that only ambulance and other emergency traffic could go through on Square Lake Rd, it sounds like the residents would be trapped, only one way in and one way out. Very strange way of designing this. Also It sounds like the level of traffic will be ridiculous morning and night. There is already a large jam up in traffic, you add 42 more homes in the area multiply that by the average of 4 people per home that is an additional 168 people on the road at any given time. I also didn't like the builders suggestion of there could be a fire at the rentals he has (the 4 old houses on Livernois). That remark was ominous and sounds like a threat of sorts.

I also do not like the lack of green space. I didn't see ANY green on the slides.

The builder suggested that these would be affordable, when asked how affordable with the ranch homes he said approx. 650k. That's affordable? I don't know of a soul who would be interested in an area for 650k that has basically no backyard and trapped in a one way in one way out street.

Please reconsider any approval of this mess above, it doesn't fit the area, and I would think that the City of Troy should be conscious of the feelings of the citizens. I too was shocked of the Townhomes built next to Peppy's and in other areas of Troy. Honestly they are eyesores. I cannot imagine how the new building proposal would look. Also consider that a lot of these homes will basically be in the backyards of folks that have lived in this area for years. This is not fair.

Thank you

Sincerely
Linda Lucas
99 E Lovell
Troy MI 48085
Phone: 248-709-6978

CONFIDENTIALITY WARNING:

This email may contain privileged or confidential information and is for the sole use of the intended recipient(s).

Any unauthorized use or disclosure of this communication is prohibited. If you believe that you have received

this email in error, please notify the sender immediately and delete it from your system.

<https://disclaimer.tenneco.com/>

For more information regarding our company, please visit www.tenneco.com
© Copyright Tenneco Inc. and/or its affiliates. All rights reserved.

From: [Erin Thompson](#)
To: [Planning](#)
Subject: Proposed development NE corner SQ Lake and Livernois
Date: Thursday, December 7, 2023 9:44:27 PM

[You don't often get email from emthompson29@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To whom it concerns

Please do not allow more obnoxious multi-story, multi-family homes to be built at this corner of Troy. This corner has historical value. There are homes over 100 years old. It's already overly congested. We don't want this in our community. Residents, current residents that appreciate the city, need to be valued and heard. Stop the over-development of our city!

If you should need any further follow up, please reach out.

Erin Ciaciuch
Troy Resident

Sent from my iPhone

From: [Brenda Seldon](#)
To: [Planning](#)
Subject: Rezoning and development for Troy Corners
Date: Sunday, December 10, 2023 8:26:06 AM

You don't often get email from brendaseldon@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

Im writing to express my concerns as a resident and owner of property of 51 Aspinwall regarding the proposed rezoning development east of livernois and North of square lake (also known as Troy Corners). I attended the planning meeting on November 28th and expressed my concerns regarding this proposal for this development however, thought I would reiterate my concerns again in writing.

- 1) it will no doubt add more traffic on my street with people cutting through to avoid traffic backed up at the light.
- 2) cars cutting through and drive too fast on my street when cutting through
- 3) cars regularly turn on my street but backup in my driveway since I am the first house deciding that they need to turn around
- 4) I have noise concerns for additional traffic, additional neighbors and construction that would come with this development.
- 5) I have plumbing and sewer concerns. Since I have lived here, I have had at least 3 sewage backups iny basement. I approached the city on one occasion with them telling me it is not a city issue . I replaced all the plumbing in the floor of my basement as a result. I have a concern of the new plumbing and sewer load that this new development would cause and of the city could even handle this development. I know if I get another backup in my basement I will be pissed (pardon my language) and I will look into taking action against the city.
- 6) in my eyes, this new development and the proposed structures are an eyesore. They are not what I would like to see in my direct neighborhood. I brought here for the nice size lot, because there is openness behind me and I like the quiet and nature it provides. I like to see the deer in my backyard. If this development goes through, it will take away from that and change the look and feel of this neighborhood.
- 7) Who would buy these new homes on the new development anyway? I feel they are overpriced and the setup of this development is not conducive to the amount of proposed units or structural integrity for this area.

I am confident that the planning commission will take all of my pain points and come to the right decision.

This development should not go through and instead of moving Troy forward, I feel it will put us in a position that you will lose residents in this area for the very reason.

Thank you for your consideration and hearing my concerns.

Regards, Brenda Seldon

From: [Danielle Favret](#)
To: [Planning](#)
Subject: Square Lake and Livernois development
Date: Thursday, December 21, 2023 10:51:45 AM

You don't often get email from daniellefav44@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Planning Commission,

My name is Danielle Favret and I have lived in Troy at 6390 Montclair Dr, Troy, MI 48085 for the last 27 years. I have seen a lot of change over the years and understand the desire for growth and the appeal of living in Troy. I have so many good things to say about our city and our community and our schools. I could go on at length about wonderful experiences we have had in this community with such amazing people.

I am writing to you today to voice my opinion regarding the proposed development for square lake and Livernois. I am very opposed to this high density project. It does not fit in with our current neighborhood structure of single residences and in my specific neighborhood primarily ranch style homes. The intersection at square lake and Livernois is narrow and cannot handle the increased traffic such a large development will bring. If you look at the condos that were built on the south side of square lake and Livernois you can see a development that clearly doesn't fit aesthetically. Please do not allow this to happen again.

I appreciate the opportunity to share my opinion with you and am very hopeful that you will listen to the Troy citizens who feel strongly about this and are doing the research to protect and preserve the integrity of Troy as a residential community for the very long term view.
Thank you, Danielle Favret

From: [Danielle Vozel](#)
To: [Planning](#)
Subject: Stop Rezoning of Troy Corners Development
Date: Sunday, December 17, 2023 8:46:07 AM

[You don't often get email from daniellevozel@yahoo.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello,

I am writing about my concern for the proposed new development at the northeast corner of square lake and Livernois. I live on Hurst just a couple streets north of this area with my husband and our 2 young children. We moved into this neighborhood last year because we fell in love with how quiet and welcoming this area is. This development would drastically increase traffic and noise in this area. Especially with the elementary school just 1/2 a mile down the street on Livernois, this would cause more issues for quite a lot of people. Please consider helping us keep our historical, warm, welcoming small neighborhood in the great city of Troy and do not approve this rezoning.

Thank you,
Danielle Loiselle

From: [Jen Gillie](#)
To: [Planning](#)
Subject: Stop Rezoning of Troy Corners Development
Date: Saturday, December 9, 2023 12:22:06 PM

[You don't often get email from jenniferrobingillie@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am a resident on Booth Rd, just north of the Troy corners site. I am not ok with this being zoned for PUD. This area needs to stay single family homes to maintained the integrity of our neighborhoods we love so much!

We recently moved from the Royal Oak area for the quiet neighborhood with a small town feel. We do not approve or desire to have high rise buildings. This will add unnecessary congestion to our area and the need to do future upgrades of our roads that we do not need today!

Keep our small town feel, please do not approve this to be rezoned!

Jennifer Gillie

From: [Ryan Loiselle](#)
To: [Planning](#)
Subject: Stop Rezoning of Troy Corners Development
Date: Sunday, December 17, 2023 8:51:09 AM

You don't often get email from ryan.loiselle1@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello,

I am writing about my concern for the proposed new development at the northeast corner of square lake and Livernois. I live on Hurst just a couple streets north of this area with my wife and our 2 young children. We moved into this neighborhood last year because we fell in love with how quiet and welcoming this area is. This development would drastically increase traffic and noise in this area. Especially with the elementary school just 1/2 a mile down the street on Livernois, this would cause more issues for quite a lot of people. Please consider helping us keep our historical, warm, welcoming small neighborhood in the great city of Troy and do not approve this rezoning.

Thank you,

Ryan Loiselle

From: [Stephanie Heidt](#)
To: [Planning](#)
Subject: Troy Corners Rezoning
Date: Saturday, December 16, 2023 7:53:37 AM

[You don't often get email from steph_klo@hotmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Committee,

I kindly request that you deny to PUD request at Troy Corners as a resident of the neighborhood.

The planning is the single family homes is one thing but the condos is another. Our neighborhood is known for having large lots and space, it's one of the things that attracted us to the area and we would like to keep this precedence for our neighborhood.

Square Lake and Livernois are not set up to absorb any more traffic than they already have. If a PUD was to go in the streets, would need to be widen to help with the traffic flow. Traffic already backs up at the lights and it has become a very busy intersection. I also fear this will cause even more traffic on the neighborhood side streets and cars already use the neighborhood as a cut through going 50+ mph endangering our children please don't add to that.

Please vote not to the rezoning.

Sincerely,
Stephanie Heidt

From: [Jeff W](#)
To: [Planning](#); [Ethan Baker](#)
Subject: Troy Corners NO PUD Rezone
Date: Monday, April 15, 2024 10:01:03 AM

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

I wanted to follow up on the many topics and comments made during last Tuesday night's Planning Commission meeting on April 9th, 2024. I believe the meeting started off very productively. The Neighborhood Node review for the Troy Corners location was a bit hard to follow and understand. I am concerned that this changed to attached residential. Which might make it denser. I did like that multiple commissioners made mention how unique, quiet, and special our node is, especially the Northeast corner. We were very encouraged that we were all on the same page.

When it came to addressing the PUD, that's when things got very confusing. The entire community was back (in person or with representation) to address another re-application for a PUD, when there were only (2) units removed from the last meeting. This is a lot of time and effort spent on another meeting when there was almost zero change from the last application.

Our team of representatives spoke about ***the only two options*** that have ever been presented. Option #1 is the PUD or Option #2 By-Right development. We have had many HOA meetings with the developer, and he has only given us (2) options. He has made it crystal clear that we

need to support the PUD, or he will put up 3 story condos. He also leverages that he will attach our Telford Ridge subdivision to Square Lake Rd or at the very least attach it to his new development. That is upsetting for everyone who lives in Telford Ridge. He said he would do this just because he could unless we support his PUD. He is leveraging properties he has not closed on. These are the two properties to the east of Plan A. We accept that these are likely to be developed; this is what makes us so focused on traffic. If you approve PUD now, there becomes an argument for more changeover into denser construction.

The decision from Previous Planning Commissioners approving the 3 story condos, is pushing the support of the PUD to get past the 3-story approval. This is very upsetting. On top of that, there have been 3 questionable extensions. Why would extensions be given if the 3 story condos are not even an option and highly disliked by the Planning Commission.

As a community, we DO NOT like the 3 story condos. BUT we have weighed the pros and cons of Option A and Option B. We found that R-1B is what the vast majority of all the surrounding neighbors are open to supporting vs the mass of condos in the center of the PUD. We have over 90%+ of all Telford Ridge residents supporting NO PUD. We have a petition with over 92 neighbors that are within 1000 linear feet from this development that are NO PUD.

The developer was in good faith given the extensions

over and over. But the developer is using the extensions as a means to leverage and frighten everyone involved. We are all on the same team, all stakeholders that care for the interest of Troy as a whole. The developer is dividing us by the choices we must make due to only having two choices to choose from.

Gary has full control to not build 3 story condos. It is not up to the residents to negotiate a solution that was set in motion by a previous planning commission and now a continuation of extensions.

As was mentioned previously, everyone has to give a little to get a little and no one is fully going to like what they end up with.

We **DO NOT** support a PUD above everything else.

Regards,
Jeff Williams
HOA President
Telford Ridge Subdivision
159 Telford Dr
248 670 2020

From: [Fred Eckhout](#)
To: [Planning](#)
Subject: Troy Development Concerns
Date: Monday, March 11, 2024 3:30:48 PM

You don't often get email from feckhout@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Commissioners:

I am writing to express my concern about excessive development in Troy. Every little parcel of land, every small stand of woods, every green space (outside of the Civic Center) is being replaced by a building. Troy will soon look like Birmingham--a city with no undeveloped land and a very unfavorable circumstance.

Over my forty years of residing in Troy, I have watched corn fields turn into subdivisions, roads change from small two-lane pathways to four-lane boulevards, and wooded corners evolve into small shopping centers. It seems like enough has been done. Overdevelopment is now characterized by a lack of architectural cohesion to the detriment of aesthetics. Many instances can be cited but a couple stand out: small tear downs being replaced by stand-alone big-foots and a 7-11 totally mismatched with the neighboring apartments (Wattles and Crooks; the kiddie corner apartment proposal should be rejected and the much ballyhooed housing shortage addressed through vacant office space conversion).

Great care should be taken with developing the vacant KMart site. It doesn't matter how long it takes to get the concept right. Somerset Mall was well-done and has stood the test of time; Somerset Apartments, not so much. Aesthetics, green space, and continued professional property management will go a long way to making the property a lasting treasure.

Thank you for your service and attention to these matters.

Fred Eckhout
Troy Resident

From: [Dr Claudia](#)
To: [Planning](#)
Subject: Master Plan concerning the Wattles/Crooks neighborhood node
Date: Sunday, March 10, 2024 4:21:56 PM

You don't often get email from drdaude@mindspring.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To Whom It May Concern,

I understand you will be discussing the master plan regarding the Wattles and Crooks neighborhood node. I am aware that the same developer from a couple years ago will propose a new, yet very similar complex in that area. I wish to voice our opposition to this and our support of changing this neighborhood node.

Quite frankly, if this new proposal is even allowed before the commission, we find it a slap in the face to the HUNDREDS of neighbors who showed up in opposition the last time this was brought before you. Hundreds of hours, dedicated volunteers, emails rallying neighbors, money spent....this was all done to show Troy what is important to us and what we are willing to fight against. We do not need multiplexes of single family apartments that will congest the area and increase the population at our schools. Our son's class now sits at 27 students, too many students for one teacher to adequately educate. Continuing to allow these complexes to be built will overcrowd and have an affect on the current fabulous reputation of the Troy School District.

Please show the residents of Troy, specifically in the area of Wattles and Crooks, that you not only appreciated and heard our concerns but that you will act accordingly for our future.

Thank you,

Scott and Claudia Leman

1075 Fountain Dr

Troy, MI 48098

From: [Nannette Gearhart](#)
To: [Planning](#); [Nannette Gearhart](#)
Subject: Troy
Date: Tuesday, March 12, 2024 6:20:39 PM

[You don't often get email from nannettegearhart@gmail.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I'm in total agreement with the last 2 articles in the Troy Times!!! I support approving single family homes over rezoning for multi family buildings especially in areas that are not appropriate such as the Square Lake and Livernois "Hastings Village" proposal and the 400 Ottawa proposal. We don't need any additional developers disrespecting or disrupting our current neighborhoods in Troy!!! Please leave our wildlife ie deer and wild turkeys alone!!!

Thank you, Nannette Gearhart 6197 Livernois Road, Troy

Sent from my iPhone

From: [Karen Shaw](#)
To: [Planning](#)
Cc: treasurer@woodlandsoftroy.com; mlipinski@advtechnologies.com
Subject: Wattles & Crooks Node Deveopment
Date: Sunday, March 10, 2024 1:06:30 PM

[You don't often get email from kshawmi@comcast.net. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am writing to you as a concerned citizen living in the Woodlands Sub-division. Once again the residents of the area must band together to fight the over-development of our main intersection, Wattles & Crooks. Two to three years ago we fought to prevent a multi-dwelling housing project just north of Wattles on the west side of Crooks proposed by the same developer. Lengthy research was submitted by several residents that convinced the commission that this was not a good thing for those living in the immediate area. After months of fighting, the residents won their case and the development was denied.

Nothing has changed so For all of the same reasons that existed then, the addition of either a daycare center or an apartment complex is NOT wanted now. Why do you continue to entertain plans such as this for that corner? Take a look at the previous case and you have all the reasons this development should not take place. And, by the way, why hasn't the zoning for this node been updated to reflect what the area citizens want?

I, for one, voted for the mayor & city council members because their campaign platforms supported a change to the Master Plan concerning the nodes. Nothing has been done to change our node since those elections. These officials do not seem to be listening to the residents adjacent to the Wattles and Crooks node. I think it's about time they did. I am VERY UNHAPPY with the performance of my city's officials at this time.

Karen Shaw
4040 Glencastle Dr.
Troy, MI 48098
Sent from my iPad

From: [Chuck Shepherd](#)
To: [Planning](#)
Subject: Comment for PUD at Livernois and Square Lake
Date: Monday, April 8, 2024 8:42:08 PM

You don't often get email from jcs621@gmail.com. [Learn why this is important](#)

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Planning Commission,

I am writing today in support of the PUD at Livernois and Long Lake. I will start by saying I regularly drive through this intersection multiple times per week on my way to and from work and have been doing so for the last 8 years. I genuinely do not understand the comments relating to traffic. No matter what time I drive through, rush hour or not, I never wait more than 1 light cycle and I never have. Given all the development in the surrounding areas, I don't see how 32 more units will increase traffic markedly when it hasn't changed in the previous 8 years.

I support this project because it includes the types of housing both that residents are asking for (ranches) and that will be affordable compared to the \$600k+ houses you see elsewhere in the city. This commission has several times discussed affordability, but when types of housing that are affordable are proposed and discussed there are many trifling objections that are rarely if ever made in discussions about purely single family development.

Lastly, I am disappointed there was no discussion about the benefit to local businesses. There are quite a few in the NW plaza and a couple others nearby. Having customers within walking distance is always good for our local businesses.

Please support the community and local businesses by approving this project.

Thanks,
Chuck Shepherd

From: J M

To: Planning

Cc: Ethan Baker; Jeff W.

Subject: Opposition to the PUD proposal at Square Lake and Livernois

Date: Saturday, May 25, 2024 10:55:04 AM

Dear Troy Planning Commission,

Thank you for your service. I know it is not easy serve on a committee such as yours weighing what is best for Troy AND the immediate surrounding areas in each proposal. As I have written previously, my wife Terri and I have been residents of Troy since 1987. We currently live in the Telford Ridge subdivision in the Troy Corners area, having moved here in 1999. We picked it for its quiet residential feel with a bit of small town mixed in. Most all of our neighbors in Telford Ridge and the surrounding areas feel much the same way. I know this because I have gone door to door speaking directly with many of them regarding the proposed development north of Square Lake Rd and east of Livernois, Parcel Id's

88-20-03-351-004

88-20-03-301-023

88-20-03-301-024

88-20-03-301-025

88-20-03-301-088

I believe this is currently being called 'The Village of Hastings' scheduled to be discussed in the Planning Commission meeting on May 28, 2024.

As a Troy Corners area resident, I am strongly OPPOSED to the developer wanting to rezone these R1B areas to any other type of zoning such as a PUD. Additionally, I am OPPOSED to any 3 story structures, such as the ones near the southwest corner of Square Lake Rd, the Tisbury Square Townhouses, or any multi-unit structures of any kind on parcels currently zoned as R1B. As I indicated, I have spoken to many of the Troy Corners area residents, I can say the overwhelming majority of those I have talked to also OPPOSE this proposal.

Changing the zoning for these currently zoned R1B areas will forever negatively affect the area's historical significance by inserting an overly dense condominium development that does not fit with the surrounding R1B zoned neighborhoods. Moreover, it will present unwanted potential utility, drainage, traffic and safety concerns along with significantly negatively impacting residents and wildlife in the area.

If there is to be any development on these parcels, I would support a residential development of single (NOT attached) individual residential homes only, consistent with the current R1B zoning such as those in the Telford Ridge subdivision. However, I am strongly OPPOSED to any such development connecting to the Telford Ridge streets in any way.

At the last Planning Commission meeting the commission seemed to be a 'leaning' toward approving the PUD proposal as a preference to the so-called 'by rights' proposal.

It seemed as though this was to avoid a previous Planning Commission mistake where 3 story condos were approved on the single parcel behind John's Market. Why recommend this PUD proposal that so many are against in order to avoid a previous mistake? It would seem the more prudent and forthright approach would be to work with the developer on the original 'by rights' proposal to make it more acceptable. This PUD proposal would be an even bigger mistake by affecting many more residents in the area. As you know, many Troy Corners area residents have publicly spoken out against this PUD. Unfortunately, I will not have the opportunity to publicly voice my opposition to this proposal on May 28. Please consider this letter to be my strong OPPOSITION to this PUD.

In all the previous meetings regarding this PUD proposal, and I suspect on May 28, you will have heard MANY of those local residents affected by this PUD proposal voice and write their objections to it. Thank you for hearing us. The question is; have you really LISTENED?

Once again, thank you for your service and for taking the time to read through my concerns.

Sincerely,

John Malott
72 Telford Court
Troy, MI 48085