



500 West Big Beaver  
Troy, MI 48084  
troymi.gov

## CITY COUNCIL AGENDA ITEM

Date: January 26, 2022

To: Mark F. Miller, City Manager

From: Robert J. Bruner, Assistant City Manager  
R. Brent Savidant, Community Development Director

Subject: PUBLIC HEARING – PRELIMINARY SITE PLAN REVIEW (File Number SP2021-0020) – Proposed Adler Cove (One Family Residential Cluster), South side of Long Lake, East of John R (Parcels 88-20-13-100-012, 88-20-13-100-014 and 88-20-13-100-025), Currently Zoned R-1C (One Family Residential) Zoning District


The petitioner Mondrian Properties submitted the above referenced Preliminary Site Plan application for a 20-unit One Family Residential Cluster on a 10-acre parcel. The development proposes to preserve 38% of dedicated open space. Housing option types which range in size from a 1,900 square foot ranch with second floor option to a 2,900 square foot colonial.

City Council has the authority to approve these types of developments following a recommendation by the Planning Commission. The Planning Commission held a public hearing on this item on December 14, 2021 and recommended approval of this item by a vote of 8-0.

A City Council public hearing has been scheduled for February 14, 2022.



### Attachments:

1. Maps
2. Minutes from December 14, 2021 Planning Commission Regular meeting (excerpt)
3. Agenda item from December 14, 2021 Planning Commission Regular meeting.
4. Public comment.



Note: The information provided by this application has been compiled from recorded deeds, plats, tax maps, surveys, and other public records and data. It is not a legally recorded map survey. Users of this data are hereby notified that the source information represented should be consulted for verification.





Note: The information provided by this application has been compiled from recorded deeds, plats, tax maps, surveys, and other public records and data. It is not a legally recorded map survey. Users of this data are hereby notified that the source information represented should be consulted for verification.

**PRELIMINARY SITE PLAN REVIEW**

5. PUBLIC HEARING - PRELIMINARY SITE PLAN REVIEW (File Number SP2021-0020) – Proposed Adler Cove (One Family Residential Cluster), South side of Long Lake, East of John R (Parcels 88-20-13-100-012, 88-20-13-100-014 and 88-20-13-100-025), Currently Zoned R-1C (One Family Residential) Zoning District

Mr. Carlisle reviewed the Preliminary Site Plan application for the proposed Adler Cove cluster development option. He reported the applicant is seeking five additional units above the parallel plan density and proposes to provide 38% of the total site as open space. Mr. Carlisle addressed the wetlands, floodplain and tree preservation. He reported the applicant received confirmation from FEMA that the application is reflective of the current conditions of the floodplain and there would be no development within the floodplain. Mr. Carlisle addressed access to the site, lot sizes, housing types, Open Space requirements and Cluster standards.

Mr. Carlisle addressed the applicant's request for relief of the required perimeter setbacks for the proposed decks on units 14 through 18. He gave an explanation clarifying that due to the additional buffer required in a cluster option, the decks are further away from the northern property line with a cluster layout than a conventional layout and displayed graphics for a visual view. As well, Mr. Carlisle displayed graphics showing the layout of the development with a conventional application versus a cluster development option.

Mr. Carlisle said the Planning Commission shall determine if requirements are met to qualify for a cluster development option, if the required standards have been met and if the additional number of units is commensurate with open space being preserved. He cited considerations for Planning Commission this evening are the applicant's request to seek relief on the encroachment of the decks and to indicate building materials. Mr. Carlisle said the Planning Commission could postpone the item to make further refinements to the application or forward with a recommendation to City Council for their consideration.

There was discussion on:

- Applicant's request for relief of setback requirements for decks.
  - Action by Zoning Board of Appeals (ZBA) not required.
  - Cluster provision allows Planning Commission to make recommendation to City Council on request for relief.
  - Differences in setback requirements; conventional development versus cluster option.
  - If encroachment permitted, approval could be conditioned that applicant use permeable paving surface for less impact on absorption of rainwater.
  - Previously approved cluster development (Park View on Beach) as relates to individual homeowners going before ZBA to seek relief of setback requirements to construct decks.



- Collar of open space on periphery of property; as relates to width, vegetation, screening of adjacent properties.
- Planning Consultant recited section of Zoning Ordinance that allows consideration of setback requirements within open space.
- Open space accessibility to homes.
- In theory, applicant can build within floodplain and wetlands, with fill and grade and permission by FEMA.

Ms. Dufrane assured Board members that approval of relief of setback requirements for the proposed decks on units 14 through 18 can be accomplished legally through the cluster application; the request does not have to go through ZBA.

Present were Planner Jim Eppink of J. Eppink Partners Inc., property owner Joseph Maniaci of Mondrian Properties and Civil Engineer John Thompson of Professional Engineering Associates.

Mr. Eppink reviewed the property location and project description. He addressed the wetlands, floodplain, existing Gibson drain and updated maps from FEMA. He noted the western edge of the parcels favor the open space. Mr. Eppink addressed differences of the development if the parcels were planned conventionally or with a cluster option. He indicated that 16 units could be constructed under the conventional plan, not 15 as noted in the Planning Consultant report.

Mr. Eppink addressed the applicant's history in preserving open space by utilizing the cluster option for developments in Troy. He addressed housing types, the request of relief of setback requirements for the proposed decks and the values of a cluster development.

There was discussion on:

- Site amenities; existing trails, no plans to add or enhance trails.
- Home variety; no prescribed number of styles, any style can be built on any lot, 2<sup>nd</sup> floor loft and 1<sup>st</sup> floor master bedroom options available for ranches.
- Detention basin; naturally landscaped, properly engineered.
- Price range of homes.
- Consideration to designate in Zoning Ordinance requirements on housing types, specify percentage of each style.
- Intent of cluster option.
- Adjacent home east of development; cluster option provides screening with existing vegetation and undergrowth that conventional plan does not.
- Sustainable elements of housing.
- Building materials; brick, hardie board siding, more information from applicant prior to City Council consideration.
- Open space under homeowners' ownership; passive/recreational, use by middle school for exploration, safety, maintenance.
- Tree preservation as relates to conventional or cluster development.

- Walkability of site; sidewalks within development and along Long Lake, existing trails and pocket parks.

Mr. Maniaci said there is no specific price range of homes at this time. He said prices would be driven by the market at the time construction commences and he would build all ranch style homes should that be what home buyers desire.

Mr. Maniaci said the application before the Board this evening proposes to construct decks and seek relief of any setback requirements to alleviate any potential issues in the future. He explained when the Parkview on Beach cluster development application came before the Board, he did not have the foresight to include the construction of decks on each unit. Mr. Maniaci said years passed and homeowners wanted to construct decks on their homes. He said the homeowners were required to seek relief of the setback requirements from the ZBA, ZBA denied their requests and a lawsuit followed.

#### PUBLIC HEARING OPENED

- David and Lynn Irwin, 2180 E. Long Lake, Troy; voiced concerns with the proximity of the development to their home, pedestrian traffic, water runoff, liability of retention pond and loss of privacy.
- Renee Sarcina, 4735 Stoddard Drive, Troy; stated opposition, read a letter she sent to the Planning Commission and City Council dated December 12; comments related to green space and wildlife preservation, residents desire for no more residential development, potential flooding and water runoff. Ms. Sarcina specifically addressed transparency by the City and its posted sign “Open Space Preservation Development” on the subject site. She said the sign led her to believe development on the site was a continuation of trails and paths and she followed through with a phone call to the phone number posted on the sign. Ms. Sarcina suggested public hearings not be time-limited and offer residents a question-and-answer format.
- Pietro Sarcina, 4735 Stoddard Drive, Troy; said residents do not want more residential development, suggested City revise the Master Plan to reflect what residents want, voiced concerns with additional traffic, asked if there would be deceleration and acceleration lanes. He said existing trees on the subject site are in good condition.
- Mykola Murskyj, 5115 Saffron, Troy; shared childhood memories of playing in open space that now is residential developments, applauded cluster option development, addressed presentation of application as relates to only two options to develop property, responsibility of public servants to applicants and residents.

#### PUBLIC HEARING CLOSED

Mr. Savidant informed the audience that stormwater management is reviewed by the Engineering department during the final site plan approval process and there



are Zoning Ordinance regulations in place to assure there is no negative impact of water runoff on neighboring properties.

Mr. Savidant responded to comments about the posted signs on proposed developments and the contact number provided for further information. He said the phone number is the general Planning Department number and all voicemail messages are automatically converted to email messages to staff should a department staff member not be available to answer the call. Mr. Savidant assured that 100% of phone calls are returned to callers who leave messages.

Mr. Savidant reviewed what State law requires for public hearing notices and additional steps the City takes to inform residents of proposed developments. He said the language on the signs posted for proposed cluster developments has been crafted over the years to incorporate language suggested by a former member of City Council. Mr. Savidant said the City administration strives for transparency, responds to phone calls and email messages and provides any information it has on file upon request. He said he directs residents to the appropriate department for answers should he not know an answer. Mr. Savidant suggested implementing a QR code on posted signs might be advantageous to those with a smartphone.

Mr. Savidant replied to some comments made during the public hearing. He advised the family with the pond that there would be no liability on their part because of trespassing laws. He reported the City engineering department upon its initial review of the application made no recommendation for deceleration/acceleration lanes. He noted the applicant would be required to install deceleration/acceleration lanes should Engineering deem warranted during its final site plan review.

Mr. Lambert admitted he was the one who suggested language on the signs posted for cluster developments and acknowledged the language should be clarified so that it is understood cluster development is a residential project. Mr. Lambert addressed Planning Commission's limitations to meet requirements of the Zoning Ordinance in its consideration of a traditional site plan or cluster option development.

Mr. Carlisle said it would be beneficial if Planning Commission addressed the building materials in its recommendation to City Council.

Comments from across the Board were shared with the audience on transparency and engagement and participation on the part of the residents.

**Resolution # PC-2021-12-076**

Moved by: Hutson  
Support by: Rauch

**RESOLVED**, The Planning Commission hereby recommends to the City Council that the proposed Adler Cove Site Condominium (One Family Residential Cluster), 20 units/lots, South side of Long Lake, East of John R (Parcels 88-20-13-100-012, 88-20-13-100-014 and 88-20-13-100-025), Section 13, approximately 10 acres in size, Currently Zoned R-1C (One Family Residential) District, be **approved** for the following reasons:

1. The cluster development better protects the sites natural resources than if the site were not developed as a cluster.
2. The cluster development better protects the adjacent properties than if the site were not developed as a cluster.
3. The cluster development is compatible with adjacent properties.
4. The site can be adequately served with municipal water and sewer.
5. The cluster development preserves 38% open space, to remain open space in perpetuity.

Discussion on the motion on the floor.

Ms. Dufrane asked that the recommendation address the applicant's request for relief of setback requirements on the decks.

There was discussion on:

- Whether the motion specifically should reflect the relief of setback requirements or if the request of relief is inclusive of the site plan application.
- Whether the motion should specifically identify the number of homes affected by the setback requirements or should there be a blanket relief for all units.

Moved by: Hutson

Support by: Rauch

To **AMEND** my Resolution specifically approving the intrusion of the projected four decks on lots as approved.

Vote on the motion on the floor as amended.

Yes: All present (8)

Absent: Tagle

**MOTION CARRIED**



DATE: December 10, 2021

TO: Planning Commission

FROM: R. Brent Savidant, Community Development Director

SUBJECT: PUBLIC HEARING – PRELIMINARY SITE PLAN REVIEW (File Number SP2021-0020) – Proposed Adler Cove (One Family Residential Cluster), South side of Long Lake, East of John R (Parcels 88-20-13-100-012, 88-20-13-100-014 and 88-20-13-100-025), Currently Zoned R-1C (One Family Residential) Zoning District


The petitioner Mondrian Properties submitted the above referenced Preliminary Site Plan application for a 20-unit One Family Residential Cluster. The development proposes to preserve 38% open space on the 10-acre parcel. The Planning Commission is responsible for providing a recommendation to City Council for this item.

The attached report prepared by Carlisle/Wortman Associates, Inc. (CWA), the City's Planning Consultant, summarizes the project. CWA prepared the report with input from various City departments including Planning, Engineering, Public Works and Fire. City Management supports the findings of fact contained in the report and the recommendations included therein.

Attachments:

1. Maps
2. Report prepared by Carlisle/Wortman Associates, Inc.
3. Anticipated Traffic Impacts, prepared by OHM, dated November 15, 2021
4. Preliminary Site Plan Application
5. Public comment

G:\SITE PLANS\SP JPLN2021-0020 ADLER COVE- cluster\PC Memo 2021 12 14.docx




1,177 0 589 1,177 Feet



Note: The information provided by this application has been compiled from recorded deeds, plats, tax maps, surveys, and other public records and data. It is not a legally recorded map survey. Users of this data are hereby notified that the source information represented should be consulted for verification.





1,177 0 589 1,177 Feet



Note: The information provided by this application has been compiled from recorded deeds, plats, tax maps, surveys, and other public records and data. It is not a legally recorded map survey. Users of this data are hereby notified that the source information represented should be consulted for verification.



**Carlisle | Wortman**  
ASSOCIATES, INC.

117 NORTH FIRST STREET SUITE 70 ANN ARBOR, MI 48104 734.662.2200 734.662.1935 FAX

Date: November 2, 2021  
November 30, 2021

## **Preliminary Site Condominium Cluster Review For City of Troy, Michigan**

<b>Project Name:</b>	Alder Cove
<b>Plan Date:</b>	September 20, 2021
<b>Location:</b>	South of E. Long Lake, east of John R.
<b>Zoning:</b>	R-1C, One-family Residential District
<b>Action Requested:</b>	Preliminary Site Condominium Cluster Approval
<b>Required Information:</b>	Deficiencies noted.

### **PROJECT AND SITE DESCRIPTION**

We are in receipt of a preliminary site plan application for a twenty (20) unit detached single-family condominium cluster development. The twenty (20) new lots will be accessed from a new private road that is located off E. Long Lake Road. The site is three parcels and is a total of 10.0 acres. The site is vacant but encumbered with floodplain and tree cover. The applicant has not identified any wetlands on site.

The property is surrounded by R-1C on the north, east, south, and boarded by neighborhood node to the west. The applicant proposes a cluster development. The base density base under the R-1C, One-Family Residential as determined by the submission of a parallel plan is fifteen (15) units. The applicant is seeking five (5) additional units above the parallel plan density by doing a cluster, providing 38% of the total site as open space.

The applicant is proposing three housing option types which range in size from a 1,900 sq/ft ranch with second floor option to a 2,900 sq/ft colonial.



**Figure 1. - Location and Aerial Image of Subject Site**



Size of Subject Property:

The parcel is 10.0 acres

Proposed Uses of Subject Parcel:

Twenty (20) detached single family condominium cluster development.

Current Use of Subject Property:

The subject property is currently vacant

Current Zoning:

The property is currently zoned R-1C, One-family Residential District.

Surrounding Property Details:

Direction	Zoning	Use
North	R-1C, One-family Residential District	Single-family homes
South	R-1C, One-family Residential District	Single-family homes / Larson Middle School
East	R-1C, One-family Residential District	Single-family home / Larson Middle School
West	NN, Neighborhood Node	Commercial / Fire Station

**NATURAL FEATURES**


**Topography:** A topographic survey has been provided on sheet C-1.0. The central and northern portion of the site is relatively flat, but there is significant grade change around the southern portion of the site in the floodplain.

**Wetlands:** The wetland delineation report found one wetland and one watercourse likely regulated by the Michigan Department of Environment, Great Lakes & Energy (EGLE). The southern portion of the site is bounded by the Gibson Drain, which meets the states definition of a stream.

Wetland B is a scrub/shrub wetland approximately 0.2 acres in size located in the southeast corner of the site. The delineation report finds that in the wetland expert's opinion, Wetland B is regulated by the EGLE under Part 303 because it is within 500 feet of the Gibson Drain, which meets the definition of a regulated stream under Part 301. However, final determination is made by EGLE.

The applicant appears to preserve most of the wetland but does appear to require some grading within areas at the exterior of the wetland. The applicant should confirm impact upon wetland.

**Floodplain:** The submitted topography survey shows the existing conditions of the onsite floodplain. The applicant is proposing to modify the site based on a submitted letter to the FEMA for a Letter of Map Revision (LOMR) to adjust the floodplain limits. According to the applicant, when the Road Commission of Oakland County (RCOC) did improvements expanded the bridge and raised the road on Livernois, they did not submit for a LOMR for these improvements. The applicant notes that their submittal reflects the current conditions of the floodplain based on RCOC's improvements. The applicant is waiting on confirmation of a LOMR from FEMA.



### Woodlands:

A tree survey has been provided to inventory the natural features that exist onsite. The survey identified a total of approximately 450 trees on site. Many of the trees are either in poor condition, invasive, or not of high quality. There is an especially high number of Cottonwoods. The applicant has identified a total of 6 landmark trees and 27 woodland trees, preserving 2 and 9, respectively. Full replacement and preservation details are shown in **Table 2**.

**Table 2. – Woodland Protection Ordinance**

Replacement Details		
Protected Tree	Inches Removed	Replacement Required
Landmark	82 inches	82 inches
Woodland	149 inches	75 inches
Preservation/Mitigation	Inches Preserved	Credit
Landmark	36 inches	72 inches
Woodland	62 inches	124 inches
<b>Total</b>	<b>0 inches required for replacement.</b> The number of inches preserved and credited exceed the mitigation required.	

**Items to be addressed:** *Confirm impact upon onsite wetland.*



## **SITE ARRANGEMENT**

The proposed one-family cluster development consists of twenty (20) units. All twenty (20) new lots will be accessed from a new private road off Long Lake Road. The proposed lots range between 6,900 sq. ft. and 13,697 sq. ft.

The applicant has submitted a parallel plan to establish a base density and portray the visual difference between traditional site design versus a cluster development. The cluster option is offered as an alternative to traditional residential development. The cluster option is intended to:

1. Encourage the use of property in accordance with its natural character.
2. Assure the permanent preservation of open space and other natural features.
3. Provide recreational facilities and/or open space within a reasonable distance of all residents of the Cluster development.
4. Allow innovation and greater flexibility in the design of residential developments.
5. Facilitate the construction and maintenance of streets, utilities, and public services in a more economical and efficient manner.
6. Ensure compatibility of design and use between neighboring property.
7. Encourage a less sprawling form of development, thus preserving open space as undeveloped land.
8. Allow for design innovation to provide flexibility for land development where the normal development approach would otherwise be unnecessarily restrictive or contrary to other City goals

***Items to be addressed:*** Planning Commission shall determine if requirements are met to qualify for cluster development options and if the additional number of units is commensurate with open space being preserved.

## **AREA, WIDTH, HEIGHT, SETBACKS and REGULATORY FLEXIBILITY**

The intent of the cluster development provisions is to relax the typical R-1C district bulk requirements in order to encourage a less sprawling form of development that preserves open space and natural resources. As set forth in 10.04.E the applicant is able to seek specific departures from the dimensional requirements of the Zoning Ordinance for yards and perimeter setback as a part of the approval process.



**Table 1. – Bulk Requirements**

	Required/Allowed	Provided	Compliance
<b>Density</b>	Overall density shall not exceed the number of residential cluster units as developed under a conventional site condominium, unless a density bonus has been granted by City Council.	Base Density = 15 units + Cluster bonus (38% bonus) = 20 units are allowed  The applicant is seeking 20 units.	Complies. 20 units are permitted with City Council approval.
<b>Perimeter Setback</b>	Equal to the rear yard setback requirement for the underlying zoning district of the property directly adjacent to each border = 40 feet perimeter setback	Decks for Units 11, 13-18 encroach anywhere from 2 feet into 15-feet into the required perimeter setback	Decks on units 14-18 encroach into perimeter setback
<b>Lot Size</b>	10,500 sq. ft.	Range in size from 6,900 sq. ft. and 13,697 sq. ft.	Complies with approval of Cluster by City Council
<b>Front Setback (building)</b>	20 feet	25 feet	Complies
<b>Rear Setback (building)</b>	25-feet setback	25-feet minimum 10-feet with deck	Building envelopes comply. Decks encroach 15-feet into required rear yard. Applicant seeking relief to have minimum rear yard less than 25-feet due to deck.
<b>Side Setback (building)</b>	7.5-feet setback	7.5-feet minimum	Complies
<b>Open Space Requirements: Minimum Percentage</b>	20%	Proposing to preserve 3.8 acres of the 10.0 acres, or 38%, for open space.	Complies. Applicant must submit open space preservation covenant.


The applicant is showing decks on the rear of all properties. As set forth in Section 7.08.B:

An open, unenclosed, and uncovered porch, raised deck, or patio structure may project into a required rear yard for a distance not to exceed fifteen (15) feet, subject further to the requirement that the distance remaining between the encroaching facility and the rear lot line shall in no instance be less than twenty-five (25) feet. Porch, deck, patio, or terrace facilities encroaching into required front or rear yards shall not include fixed


*canopies, gazebos or permanent enclosures, and shall be at a grade no higher than that of the first or main floor of the building to which they are attached.*

The decks extend 15-feet from home and encroach 15-feet into the required 25-foot rear yard. Please note that provision 7.08.B was drafted for a conventional R 1 through R-5 lot that requires a 40-foot setback. Hence for a typical R-lot, the 40-foot rear yard requirement would allow a 15-foot deck and still maintain at least a 25-foot rear yard setback. However, due to the required additional perimeter setback required by the cluster provisions, the decks are further away from the northern property line via cluster than conventional layout. See graphic below:

Setbacks for non-cluster (underlying R-3 zoning) as compared to cluster development



Conventional R-3 layout, with decks 25-feet and house 40-feet from northern property line,



Proposed cluster layout with decks 35-feet and house 50-feet from northern property line

The City Council, based upon a recommendation from the Planning Commission, may waive the rear lot and perimeter setback provisions provided that the applicant has demonstrated innovative and creative site and building designs and solutions, which would otherwise be unfeasible or unlikely to be achieved absent this provision. The Planning Commission should consider the purpose and intent of the Cluster Development option in considering the setback deviations.

**Items to be addressed:** Consider the deck encroachment into rear setback and perimeter buffer

## OPEN SPACE REQUIREMENTS

A requirement of the Cluster Option is to provide at least one (1) of the following open space benefits:

- a. **Significant Natural Features.** Preservation of significant natural features contained on the site, as long as it is in the best interest of the City to preserve the natural features that might be negatively impacted by conventional residential development. The determination of whether the site has significant natural features shall be made by the City Council, after review of a Natural Features Analysis, prepared by the applicant, that inventories these features; or
- b. **Recreation Facilities.** If the site lacks significant natural features, it can qualify with the provision of usable recreation facilities to which all residents of the development shall have reasonable access. Such recreation facilities include areas such as a neighborhood park, passive recreational facilities, soccer fields, ball fields, bike paths, or similar facilities that provide a feature of community-wide significance and enhance residential development. Recreational facilities that are less pervious than natural landscape shall not comprise more than fifty (50) percent of the open space. The determination of whether the site has significant natural features shall be made by the City Council after review of a Site Analysis Plan, prepared by the applicant, that inventories these features; or
- c. **Preservation of Common Open Space or Creation of Natural Features.** If the site lacks significant natural features, a proposed development may also qualify if the development will preserve common open space or create significant natural features such as wetlands. The determination of whether the site has significant natural features shall be made by the City Council after review of a Site Analysis Plan, prepared by the applicant, which inventories these features.

The site is 10 acres, and the applicant is proposing to reserve 3.8 acres for common open space, or 38% of the total site. Open space is provided along the floodplain, area in southernmost portion of the site, and within an open space collar around the northern, western, and southern property line. The open space collar ranges from 10-feet in depth along the southeastern portion of the site to 25-feet along the eastern property line and well over 100 feet along the western property line. As part of the review, the Planning Commission is to consider and make a recommendation to City Council if the layout and open space plan meets the intent and standards of the Cluster provision and has the applicant creatively designed the site to either preserve significant natural resources (trees, wetland, and floodplain) or provide quality open space.



### **Guarantee of Open Space and Tree Preservation:**

The applicant shall provide documentation to guarantee that all open space portions of the development will be preserved and maintained as approved and that all commitments for such preservation and maintenance are binding on successors and future owners of the subject property. All such documents shall be subject to approval by the City Attorney. No structures (pools, sheds) or equipment (play structures, etc.) are permitted within the dedicated open space area.

***Items to be addressed:*** Planning Commission is to consider and make a recommendation to City Council if the layout and open space plan, and/or natural features meet the intent of the Cluster provision and has the applicant creatively designed the site to either preserve significant natural resources (trees) or provide quality open space.

### **SITE ACCESS AND CIRCULATION**

#### Vehicular

Access to the site will be from a single location off Long Lake Road. The development will be served by an internal twenty-eight (28) foot wide private road, located inside of a forty (40) foot roadway easement.

#### Pedestrian

The applicant proposes a five (5) foot wide concrete sidewalk along the perimeter of the private road. The internal sidewalk will connect to existing sidewalk on Long Lake Road.

***Items to be Addressed:*** City Engineer to review site access and circulation.

### **STORMWATER**

Stormwater will be managed by a detention system.

***Items to be Addressed:*** None.

### **LANDSCAPING**

One-Family Cluster development landscaping requirements are regulated by Section 13.02.F.2.

***Table 2. – Landscaping Requirements***

Frontage	Required	Provided	Compliance
Proposed Private Rd.	One (1) deciduous tree for every 50 lineal feet. $1,262/50 = 25.24$ trees = 26 trees	26 trees	Complies

Long Lake Road 120-foot ROW (section 13.02 F.2.c)	One (1) large evergreen tree per ten (10) lineal feet. 558 lf./10 lf = 56 evergreen trees	56 proposed	Complies
--	--	-------------	----------

**Items to be Addressed:** None.

## ELEVATIONS AND FLOOR PLANS

The applicant has submitted a three housing options ranging from 1,900 to 2,900 sq/ft. The first is a ranch style house, with a second-floor option. The other options are colonials.

Materials were not indicted

**Items to be Addressed:** Indicate materials.

## CLUSTER STANDARDS

As set forth in section 10.04.I, the applicant shall demonstrate that through the use of the Cluster option, the development will accomplish a sufficient number of the following objectives, as are reasonably applicable to the site, providing:

- a. Long-term protection and preservation of natural resources, natural features, and open space of a significant quantity and/or quality in need of protection or preservation, and which would otherwise be unfeasible or unlikely to be achieved absent these regulations.
- b. Innovative and creative site design through flexibility in the siting of dwellings and other development features that would otherwise be unfeasible or unlikely to be achieved absent these regulations.
- c. Appropriate buffer and/or land use transitions between the Cluster development and surrounding properties.
- d. A compatible mixture of open space, landscaped areas, and/or pedestrian amenities.
- e. Sustainable design features and techniques, such as green building, stormwater management best practices, and low impact design, which will promote and encourage energy conservation and sustainable development.
- f. A means for owning common open space and for protecting it from development in perpetuity.
- g. Any density bonus is commensurate with the benefit offered to achieve such bonus.
- h. The cluster development shall be adequately served by essential public facilities and services, such as: streets, pedestrian or bicycle facilities, police and fire protection, drainage systems, refuse disposal, water and sewage facilities, and schools. Such services shall be provided and accommodated without an unreasonable public burden.
- i. The architectural form, scale, and massing shall ensure buildings are in proportion and complementary to those of adjacent properties and the selected building materials are of high, durable quality. The garage shall not be the dominant feature of a residential building.


## RECOMMENDATIONS

Planning Commission shall determine if requirements are met to qualify for cluster development option, if the required standards have been met, and if the additional number of units is commensurate with open space being preserved.

Items to consider include:

- Applicant is seeking following relief:
  - Decks encroaching 15-foot into the required 25-foot rear yard
  - Decks for units 14-18 encroach into the 40-foot perimeter setback
- Indicate materials

The Planning Commission may request that either the applicant address aforementioned items or make a recommendation for City Council consideration.



CARLISLE/WORTMAN ASSOC., INC.  
Benjamin R. Carlisle, LEED AP, AICP



# memorandum



**Date:** November 15, 2021

**To:** Bill Huotari, PE  
**From:** Sara Merrill, PE, PTOE

**Re:** Adler Cove – Cluster Development  
Anticipated Traffic Impacts

The purpose of this memorandum is to provide an overview of anticipated traffic impacts resulting from Adler Cove, a proposed site condominium development consisting of 20 detached single-family homes. The development is located on the south side of Long Lake Road, east of John R Road. Access to the development is proposed via a private road, located directly across from Forest View Drive. In the immediate vicinity of the site, Long Lake Road is a 5-lane roadway, with two through lanes in each direction and a two-way center turn lane.

The Institute of Transportation Engineers (ITE) Trip Generation Manual, 10<sup>th</sup> Edition, provides trip generation rates for numerous land uses, based on thousands of studies throughout the United States and Canada. This data can then be used to estimate the number of vehicle trips generated by a development. For residential housing, traffic impacts are usually most noticeable during the peak hour of adjacent street traffic – that is, during morning and evening “rush hour”, when traffic on the roads is most congested. In most areas, the morning (AM) peak is a one hour period that occurs between 7 am – 9 am, and the evening (PM) peak is a one hour period usually between 4 pm – 6 pm.

The table below provides the calculated number of trips generated for the proposed Adler Cove development, based on the ITE Trip Generation Manual for Single-Family Detached Housing (ITE Land Use Code #210).

Number of Dwelling Units	Number of Site-Generated Trips								
	AM Peak Hour			PM Peak Hour			Daily		
	In	Out	Total	In	Out	Total	In	Out	Total
20 Units	5	14	19	14	8	22	119	119	238

During the morning (AM) peak hour, the proposed Adler Cove development is expected to generate 19 new trips: 5 inbound (entering the site), and 14 outbound (exiting the site). During the evening (PM) peak hour, the proposed site is expected to generate 22 new vehicle trips: 14 inbound (entering the site) trips, and 8 outbound (exiting the site). This pattern coincides with residents typically leaving in the morning for work, and returning home in the evening.

The traffic generated by the proposed development is minimal, adding fewer than two dozen vehicle trips during the peak (“busiest”) hour. The traffic impact of this site on the adjacent road network is negligible and would be imperceptible to the majority of road users.

As a point of comparison, traffic counts taken in 2018 (prior to the pandemic and I-75 construction) on Long Lake Road (between John R Road and Dequindre Road) indicate this segment carries approximately 22,000 vehicles per day, and over 2,100 vehicles during the PM peak hour. Traffic volumes in the area are generally close to but have not fully returned to pre-pandemic levels.



Amongst typical weekdays, traffic volumes during the peak hours alone often vary by 10%+ from one day to the next. These day-to-day fluctuations result in peak hour traffic volumes that vary by upwards of several hundred vehicles. The proposed Adler Cove subdivision is expected to generate less than 25 new vehicle trips during the peak hour.


With the presence of the Larson Middle School nearby, this immediate area experiences a brief spike in traffic volumes around the arrival and dismissal bell times for the nearby Larson Middle School. This concentrated traffic pattern is typical for schools, and often results in some congestion and backups at the beginning and end of the school day. The arrival time for the school overlaps the a.m. commuter peak, while the school dismissal usually occurs prior to the p.m. commuter peak. During these school transition times, there would be fewer gaps in traffic, resulting in increased delay for vehicles exiting the Adler Cove development to Long Lake Road.

PRELIMINARY SITE PLANS

# ADLER COVE

2112, 2125 & 2152 E. LONG LAKE  
TROY, OAKLAND COUNTY, MICHIGAN

PERMIT / APPROVAL SUMMARY		
DATE SUBMITTED	DATE APPROVED	PERMIT / APPROVAL




INDEX OF DRAWINGS	
NUMBER	TITLE
	COVER SHEET
P-1.0	TOPOGRAPHIC SURVEY
P-2.0	PRELIMINARY SITE PLAN
P-2.1	PARALLEL SITE PLAN
P-3.0	PRELIMINARY GRADING PLAN
P-4.0	PRELIMINARY UTILITY PLAN
L-1.0	PRELIMINARY LANDSCAPE PLAN
T-1.0	TREE PRESERVATION PLAN
T-1.1	TREE PRESERVATION LIST
T-1.2	TREE PRESERVATION LIST

DESIGN TEAM


OWNER/APPLICANT/DEVELOPER	CIVIL ENGINEER
MONDRIAN PROPERTIES 50215 SCHOENHERR SHELBY TWP., MI 48315 CONTACT: JOSEPH MANIACI PHONE: (586) 726-7350 EMAIL: JMANIACI@MONDRIANPROPERTIES.COM	PEA GROUP 2430 ROCHESTER COURT, STE. 100 TROY, MI 48063-1872 CONTACT: JOHN B. THOMPSON, PE PHONE: 844.813.2949 EMAIL: JTHOMPSON@PEAGROUP.COM
LAND PLANNER	LANDSCAPE ARCHITECT
J EPPINK PARTNERS, INC. 9336 SASHABAW ROAD CLARKSTON, MI 48348 CONTACT: JIM EPPINK PHONE: (248) 922-0789 EMAIL: JIM@JEPPINK.COM	PEA GROUP 45 W. GRAND RIVER AVE., STE. 501 DETROIT, MI 48226 CONTACT: KIMBERLY DIETZEL, RLA PHONE: 844.813.2949 EMAIL: KDIEZTEL@PEAGROUP.COM



REVISIONS	
DESCRIPTION	DATE
ORIGINAL ISSUE DATE	10/19/2021
CITY COMMENTS	11/9/2021







**LEGAL DESCRIPTION**  
(Per Oakland County)

PARCEL NO. 20-13-100-025  
T2N, R11E, SEC 13 PART OF NW 1/4 BEG AT PT DIST E 660 FT FROM NW SEC COR, TH S 00-50-00 W 778.55 FT, TH S 89-05-00 E 108 FT, TH N 00-50-00 E 778.55 FT, TH W 108 FT TO BEG

PARCEL NO. 20-13-100-012  
T2N, R11E, SEC 13 PART OF NW 1/2 OF NW 1/4 BEG AT PT DIST S 87-08-40 E 320 FT FROM NW SEC COR, TH S 87-08-40 E 340 FT, TH S 02-45-40 W 1253 FT, TH N 87-08-40 W 90.07 FT TO CEN OF GIBSON DRAIN, TH NLY 1288.75 FT ALG SD DRAIN TO BEG EXC N 60 FT TAKEN FOR RD

PARCEL NO. 20-13-100-014  
T2N, R11E, SEC 13 PART OF W 1/4 BEG AT PT DIST S 89-05-00 E 768 FT FROM NW SEC COR, TH S 00-50-00 W 778.55 FT, TH S 89-05-00 E 108 FT, TH N 00-50-00 E 778.55 FT, TH N 89-05-00 W 108 FT TO BEG

**BENCHMARKS**  
(GPS DERIVED - NAVD88)  
THE ELEVATIONS SHOWN ON TOPO ARE 0.14' HIGHER THAN CITY DATUM.

BM #302 (CITY BM #1425)  
ARROW ON A DIMPLE ON A HYDRANT LOCATED ON THE SOUTH SIDE OF LONG LAKE ROAD, APPROX. 230' WEST OF THE DRIVE TO #2180 E. LONG LAKE ROAD.  
ELEV. - 657.84

BM #303  
CUT "X" LOCATED ON THE NORTHEAST SIDE OF A LIGHT POLE BASE LOCATED ON THE SOUTH SIDE OF E. LONG LAKE ROAD, NORTHWEST OF DRAIN HEADWALL  
ELEV. - 657.72

**FLOODPLAIN:**  
(Per Flood Insurance Rate Map Number 26125C00553G, dated January 16, 2009)

BY GRAPHICAL PLOTTING, THE SITE LIES WITHIN:

SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD (The 1% annual chance flood (100 year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.


**ZONE AE - Base Flood Elevations determined.**

**FLOODWAY AREAS IN ZONE AE**  
The floodway is the channel of stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

**OTHER FLOOD AREAS**  
ZONE X - Area of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

- LEGEND**
- IRON FOUND
  - IRON SET
  - NAIL FOUND
  - NAIL & CAP SET
  - BRASS PLUG SET
  - MONUMENT FOUND
  - MONUMENT SET
  - SEC. CORNER FOUND
  - RECORDED
  - MEASURED
  - CALCULATED
- EXISTING**
- ELEC. PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE
  - UNDERGROUND CABLE TV, CATV PEDESTAL
  - TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE
  - ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE
  - GAS MAIN, VALVE & GAS LINE HANDBOOK
  - WATERMAIN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE
  - SANITARY SEWER, CLEANOUT & MANHOLE
  - STORM SEWER, CLEANOUT & MANHOLE
  - COMBINED SEWER & MANHOLE
  - SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN
  - POST REGULATOR VALVE
  - WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF
  - MAILBOX, TRANSFORMER, IRRIGATION CONTROL VALVE
  - UNIDENTIFIED STRUCTURE
  - SPOT ELEVATION
  - CONTOUR LINE
  - FENCE
  - GUARD RAIL
  - STREET LIGHT
  - SIGN
  - CONC.
  - ASPH.
  - GRAVEL SHOULDER
  - WETLAND

**PEA GROUP**  
t. 844.813.2949  
www.peagroup.com



**CAUTION!!**  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

**CLIENT**  
**MONDRIAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

**PROJECT TITLE**  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

**REVISIONS**  
CITY COMMENTS 11-9-21

**ORIGINAL ISSUE DATE:**  
OCTOBER 19, 2021

**DRAWING TITLE**  
**TOPOGRAPHIC SURVEY**

**PEA JOB NO.** 2016-266  
**P.M.** JBT  
**DN.** TMK  
**DES.** TMK  
**DRAWING NUMBER:**

NOT FOR CONSTRUCTION

P-1.0



REVISIONS	
CITY COMMENTS	11-9-21

ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021

DRAWING TITLE  
**PRELIMINARY  
SITE PLAN**































































PEA JOB NO.	2016-266
P.M.	JBT
DN.	TMK
DES.	TMK

DRAWING NUMBER:

P-2.0

NOT FOR CONSTRUCTION

#### LEGEND

	IRON FOUND		BRASS PLUG SET		SEC. CORNER FOUND
	MONUMENT FOUND		MONUMENT FOUND		
	NAIL & CAP SET				
<b>EXISTING</b>				<b>PROPOSED</b>	
	OH-ELEC-W-O		ELEC. PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE		SEC. CORNER FOUND
	UG-CATV		UNDERGROUND CABLE TV, CATV PEDESTAL		
	UG-PHONE		TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE		
	UG-ELEC-CH		ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE		
	W		GAS MAIN, VALVE & GAS LINE MARKER		
	W		WATERMAIN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE		
	W		SANITARY SEWER, CLEANOUT & MANHOLE		
	W		STORM SEWER, CLEANOUT & MANHOLE		
	W		COMBINED SEWER & MANHOLE		
	W		SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN		
	W		POST INDICATOR VALVE		
	W		WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF		
	W		MAILBOX, TRANSFORMER, IRRIGATION CONTROL VALVE		
	W		UNIDENTIFIED STRUCTURE		
	W		SPOT ELEVATION		
	W		CONTOUR LINE		
	W		FENCE		
	W		GUARD RAIL		
	W		STREET LIGHT		
	W		SIGN		
	W		CONC.		
	W		ASPH.		
	W		GRAVEL		
	W		GRAVEL SHOULDER		
	W		WETLAND		
			STD. DUTY		HEAVY DUTY ONLY
			STD. DUTY		HEAVY DUTY STRENGTH
			WETLAND		

#### SITE DATA:

LOCATION OF PROJECT:  
SOUTH SIDE OF LONG LAKE ROAD, EAST OF JOHN R

SIZE OF PROPERTY: 10.0 ACRES

AREA DEVELOPED: 4.73 AC (47.3%)  
TOTAL UNDEVELOPED AREA: 5.27 AC (52.7%)

PROPOSED USE OF PROPERTY: TWENTY (20) DETACHED, SINGLE FAMILY HOMES

CURRENT ZONING: R-1C, ONE-FAMILY RESIDENTIAL DISTRICT

PROPOSED: R-1C, ONE-FAMILY RESIDENTIAL DISTRICT, CLUSTER OPTION

#### CLUSTER OPTION CALCULATION:

- BASE NUMBER OF UNITS - PARALLEL PLAN = 16 UNITS
- 20% DENSITY BONUS PER 10.04H.1 = 3 UNITS
- EXTRA 10% OPEN SPACE PER 10.04H.1 = 1 UNITS  
(OPEN SPACE PROVIDED = 3.80 ACRES, 38.0%)
- OPEN SPACE INCLUDES UTILITY EASEMENTS
- TOTAL UNITS ALLOWED = 20 UNITS
- TOTAL UNITS PROVIDED = 20 UNITS

#### SURROUNDING PROPERTY DETAILS:

DIRECTION	ZONING	USE
NORTH	R-1C, ONE-FAMILY RESIDENTIAL DISTRICT	SINGLE-FAMILY HOMES
SOUTH	R-1C, ONE-FAMILY RESIDENTIAL DISTRICT	SINGLE-FAMILY HOMES
EAST	R-1C, ONE-FAMILY RESIDENTIAL DISTRICT	SINGLE-FAMILY HOMES
WEST	NN-K, NEIGHBORHOOD NODES	COMMERCIAL

#### REQUIRED AND PROVIDED LOT DIMENSIONS:

	REQUIRED (CLUSTER):	PROVIDED:
FRONT	20 FOOT SETBACK*	20 FOOT/25 FOOT SETBACK
REAR	40 FOOT SETBACK** 25 FOOT SETBACK	40 FOOT SETBACK** 25 FOOT SETBACK
SIDES	7.5 FOOT MIN. (ONE), 15 FOOT TOTAL	7.5 FOOT MIN. (ONE), 15 FOOT TOTAL
MAXIMUM HEIGHT	30 FEET, 2.5 STORY	30 FEET, 2.5 STORY
LOT WIDTH	85 FEET (R-1C)	60 FEET MIN.
OPEN SPACE	20%	38%

- \* 25' FOR GARAGE SETBACK (EDGE WALK TO GARAGE DOOR)
- \*\* WHEN ADJACENT TO R-1C

#### PROJECT AND SITE DESCRIPTION:

PROPOSED CONSTRUCTION OF A 20-LOT SINGLE FAMILY DETACHED SITE CONDOMINIUM PROJECT ON THE SOUTH SIDE OF LONG LAKE ROAD, EAST OF JOHN R ROAD. ACCESS TO ALL UNITS WILL BE VIA CONNECTION TO LONG LAKE ROAD. THE PROPOSED RESIDENTIAL USE IS PERMITTED BY-RIGHT IN THE R-1C DISTRICT. THE SITE IS CURRENTLY HEAVILY WOODED.

#### SITE ARRANGEMENT:

THE PROPOSED SITE CONDOMINIUM CONSISTS OF 20 LOTS (20 LOTS ALLOWED) WITH MINIMUM LOT SIZE OF 6,900 SQUARE FEET. THE AVERAGE LOT SIZE IS 8,399 SQUARE FEET. ALL UNITS FRONT ON A NEW PRIVATE STREET. THE PROPOSED LOTS ARE REGULAR IN SHAPE, ALLOW FOR ADEQUATE SETBACKS, AND PERMIT SUFFICIENT SPACE FOR THE HOMES AND INGRESS AND EGRESS FOR EACH UNIT ACCORDING TO THE CLUSTER OPTION. A MINIMUM OF 30% OPEN SPACE HAS BEEN PROVIDED.

#### NATURAL RESOURCES:

THE SITE CURRENTLY HAS SIGNIFICANT TREE COVER.

#### FLOODPLAIN:

THE PROPERTY IS LOCATED WITHIN THE FLOOD HAZARD AREA INDICATED BY FLOOD INSURANCE RATE MAP (FIRM) NO. 26125C00553G DATED: JANUARY 16, 2009.

#### ACCESS AND CIRCULATION:

VEHICULAR ACCESS AND CIRCULATION:  
VEHICULAR ACCESS TO ALL UNITS WILL BE VIA A NEW STREET LOCATED OFF LONG LAKE ROAD. THE NEW ROADWAY WILL HAVE A FORTY (40) FOOT WIDE PRIVATE ROAD EASEMENT.

#### PEDESTRIAN ACCESS AND CIRCULATION:


A 5-FOOT WIDE SIDEWALK IS PROVIDED AT BOTH SIDES OF THE NEW ROADWAY.

#### UTILITIES:

UTILITIES ARE PLACED WITHIN STREET RIGHT-OF-WAY, OR WITHIN EASEMENTS APPROVED AS TO SIZE AND LOCATION BY THE CITY ENGINEER.

ALL SITES ARE SERVED BY PUBLIC WATER, SANITARY SEWER, STORM WATER AND DETENTION/RETENTION SYSTEMS CONSTRUCTED TO CITY STANDARDS, AT THE EXPENSE OF THE DEVELOPER. EASEMENTS OVER THESE SYSTEMS SHALL BE CONVEYED AND RECORDED BEFORE OCCUPANCY PERMITS ARE ISSUED FOR DWELLING UNITS.

A 100-YEAR DETENTION BASIN IS PROPOSED WITH A RESTRICTED OUTLET DISCHARGING TO THE GIBSON-RENSHAW DRAIN THAT RUNS ALONG THE WEST SIDE OF THE PROPERTY.




TYPICAL UNIT DETAIL

SCALE: NTS

\* 40' SETBACK WHERE ABUTTING R-1C

ZONED R-1C  
(ONE-FAMILY RESIDENTIAL DISTRICT)



Parcel Area Table		Parcel Area Table		Parcel Area Table		Parcel Area Table	
PARCEL NO.	AREA (S.F.)	PARCEL NO.	AREA (S.F.)	PARCEL NO.	AREA (S.F.)	PARCEL NO.	AREA (S.F.)
1	12,430	6	6,900	11	8,039	16	6,900
2	7,751	7	7,554	12	8,174	17	7,383
3	7,142	8	8,365	13	7,638	18	7,730
4	8,510	9	10,089	14	7,192	19	7,680
5	6,900	10	10,058	15	6,900	20	14,649




LEGEND

● IRON FOUND	⊗ BRASS PLUG SET	⊙ SEC. CORNER FOUND
⊗ IRON SET	⊙ MONUMENT FOUND	R RECORDED
⊗ NAIL FOUND	⊗ MONUMENT SET	M MEASURED
⊗ NAIL & CAP SET		C CALCULATED

EXISTING	PROPOSED
—OH—ELEC—W—ELEC, PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE	—ELEC, PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE
—UG—CATV—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE	—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE
—UG—PHONE—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE	—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE
—UG—ELEC—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE	—ELEC, PHONE OR CABLE TV U.G. CABLE, PEDESTAL & MANHOLE
—GAS—VALVE & GAS LINE W/HAIRER	—ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE
—WATER—MAN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE	—GAS MAN, VALVE & GAS LINE W/HAIRER
—SANITARY SEWER, CLEANOUT & MANHOLE	—WATERMAN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE
—STORM SEWER, CLEANOUT & MANHOLE	—SANITARY SEWER, CLEANOUT & MANHOLE
—COMBINED SEWER & MANHOLE	—STORM SEWER, CLEANOUT & MANHOLE
—SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN	—COMBINED SEWER & MANHOLE
—POST INDICATOR VALVE	—SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN
—WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF	—POST INDICATOR VALVE
—MARB. TRANSFORMER, IRRIGATION CONTROL VALVE	—WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF
—UNIDENTIFIED STRUCTURE	—MARB. TRANSFORMER, IRRIGATION CONTROL VALVE
—SPOT ELEVATION	—UNIDENTIFIED STRUCTURE
—CONTOUR LINE	—SPOT ELEVATION
—FENCE	—CONTOUR LINE
—GUARD RAIL	—FENCE
—STREET LIGHT	—GUARD RAIL
—SIGN	—STREET LIGHT
—CONC.	—SIGN
—ASPH.	—CONC.
—GRAVEL	—ASPH.
—WETLAND	—GRAVEL
	—WETLAND



Parcel Area Table	
PARCEL NO.	AREA (S.F.)
1	36,129
2	22,201
3	18,352
4	17,822
5	18,049
6	18,231
7	18,270
8	31,174

Parcel Area Table	
PARCEL NO.	AREA (S.F.)
9	14,188
10	16,350
11	16,237
12	16,237
13	16,237
14	16,237
15	16,237
16	24,630



**FLOODPLAIN:**  
(Per Flood Insurance Rate Map Number 26125C0553G, dated January 16, 2009)

BY GRAPHICAL PLOTTING, THE SITE LIES WITHIN:

**SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD**  
The 1% annual chance flood (100 year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

ZONE AE - Base Flood Elevations determined.

**FLOODWAY AREAS IN ZONE AE**

The floodway is the channel of stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

**SYMBOLS: GRADING**

**PROPOSED SPOT ELEVATION:**  
TYPICALLY TOP OF PAVEMENT IN PAVED AREAS, GUTTER GRADE IN CURB LINES.

**PROPOSED CONTOUR LINE**

**ABBREVIATIONS:**

T/C = TOP OF CURB  
G = GUTTER GRADE  
T/P = TOP OF PAVEMENT  
T/S = TOP OF SIDEWALK  
T/W = TOP OF WALL  
B/W = BOTTOM OF WALL  
F.G. = FINISH GRADE  
RIM = RIM ELEVATION

**LEGEND**

IRON FOUND  
IRON SET  
NAIL FOUND  
NAIL & CAP SET

BRASS PLUG SET  
MONUMENT FOUND  
MONUMENT SET

SEC. CORNER FOUND  
RECORDED  
MEASURED  
CALCULATED

EXISTING  
OH-ELEC  
UG-CATV  
UG-PHONE  
UG-ELEC  
GAS MAIN  
WATERMAIN  
SANITARY SEWER  
STORM SEWER  
COMBINED SEWER  
POST INDICATOR VALVE  
WATER VALVE BOX  
MARB. TRANSFORMER  
UNIDENTIFIED STRUCTURE  
SPOT ELEVATION  
CONTOUR LINE  
FENCE  
GUARD RAIL  
STREET LIGHT  
SIGN  
CONC.  
ASPH.  
GRAVEL  
WETLAND

PROPOSED  
ELEC. OR CABLE TV O.H. LINE, POLE & GUY WIRE  
UNDERGROUND CABLE TV, CATV PEDESTAL  
TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE  
ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE  
GAS MAIN VALVE & GAS LINE WARMER  
WATERMAIN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE  
SANITARY SEWER, CLEANOUT & MANHOLE  
STORM SEWER, CLEANOUT & MANHOLE  
COMBINED SEWER & MANHOLE  
SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN  
POST INDICATOR VALVE  
WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF  
MARB. TRANSFORMER, IRRIGATION CONTROL VALVE  
UNIDENTIFIED STRUCTURE  
SPOT ELEVATION  
CONTOUR LINE  
FENCE  
GUARD RAIL  
STREET LIGHT  
SIGN  
CONC.  
ASPH.  
GRAVEL  
WETLAND

**PEA GROUP**  
t. 844.813.2949  
www.peagroup.com



0 25 50 100  
SCALE: 1" = 50'

**811** Know what's below.  
Call before you dig.

**CAUTION!!**  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT  
**MONDRIAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

PROJECT TITLE  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

REVISIONS  
CITY COMMENTS 11-9-21

ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021  
DRAWING TITLE  
**PRELIMINARY GRADING PLAN**


PEA JOB NO. 2016-266  
P.M. JBT  
DN. TMK  
DES. TMK  
DRAWING NUMBER:

NOT FOR CONSTRUCTION

P-3.0



S:\PROJECTS\2016\2016-266\2112, 2124 & 2152 E. LONG LAKE - TROY\DRAWINGS\2016 PRELIM\PEA-2016-266-P-4.0.dwg



#### LEGEND

● IRON FOUND	⊗ BRASS PLUG SET	⊙ SEC. CORNER FOUND
⊗ IRON SET	⊗ MONUMENT FOUND	R RECORDED
⊗ NAIL FOUND	⊗ MONUMENT SET	M MEASURED
⊗ NAIL & CAP SET		C CALCULATED

EXISTING	PROPOSED
—OH-ELEC—W—O—	ELEC. PHONE OR CABLE TV O.H. LINE, POLE & GUY WIRE
—UG-CATV—	UNDERGROUND CABLE TV, CATV PEDESTAL
⊗—UG-PHONE—	TELEPHONE U.G. CABLE, PEDESTAL & MANHOLE
—UG-ELEC—	ELECTRIC U.G. CABLE, MANHOLE, METER & HANDHOLE
⊗—GAS—	GAS MAIN, VALVE & GAS LINE MANHOLE
⊗	WATERMAIN, HYD. GATE VALVE, TAPPING SLEEVE & VALVE
⊗	SANITARY SEWER, CLEANOUT & MANHOLE
⊗	STORM SEWER, CLEANOUT & MANHOLE
⊗	COMBINED SEWER & MANHOLE
⊗	SQUARE, ROUND & BEEHIVE CATCH BASIN, YARD DRAIN
⊗	POST INDICATOR VALVE
⊗	WATER VALVE BOX/HYDRANT VALVE BOX, SERVICE SHUTOFF
⊗	MANHOLE, TRANSFORMER, IRRIGATION CONTROL VALVE
⊗	UNIDENTIFIED STRUCTURE
⊗	SPOT ELEVATION
—	CONTOUR LINE
—	FENCE
—	GUARDRAIL
—	STREET LIGHT
—	SIGN
CONC.	CONCRETE
ASPH.	ASPHALT
GRAVEL	GRAVEL SHOULDER
WETLAND	WETLAND

310	HEAVY FLOW DUTY ONLY
STD	HEAVY FLOW DUTY ONLY
STD	HEAVY DEEP DUTY STRENGTH

**PEA GROUP**  
t: 844.813.2949  
www.peagroup.com

**811** Know what's below. Call before you dig.  
CAUTION!!  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT  
**MONDRIAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

PROJECT TITLE  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

REVISIONS  
CITY COMMENTS 11-9-21

ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021  
DRAWING TITLE  
**PRELIMINARY UTILITY PLAN**

PEA JOB NO. 2016-266  
P.M. JBT  
DN. TMK  
DES. TMK

DRAWING NUMBER:

NOT FOR CONSTRUCTION

P-4.0



S:\PROJECTS\2016\2016-266\2112, 2124 & 2152 E. LONG LAKE - TROY - J:\Veg\Site Plans\11.0 - LANDSCAPE-10266.DWG




DECIDUOUS TREE PLANT LIST:					
QUANTITY	KEY SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE	SPEC
6	NS2.5	Sour Gum	<i>Nyssa sylvatica</i>	2.5" Cal.	B&B
10	QR2.5	Red Oak	<i>Quercus rubra</i>	2.5" Cal.	B&B
10	TC2.5	Greenspire Linden	<i>Tilia cordata</i> 'Greenspire'	2.5" Cal.	B&B
26	TOTAL DEC.				
EVERGREEN TREE PLANT LIST:					
QUANTITY	KEY SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE	SPEC
20	PA8	Norway Spruce	<i>Picea abies</i>	8' Ht.	B&B
16	PG8	Black Hills Spruce	<i>Picea glauca</i> 'Densata'	8' Ht.	B&B
20	PS8	Eastern White pine	<i>Pinus strobus</i>	8' Ht.	B&B
56	TOTAL EVG.				

**LANDSCAPE CALCULATIONS:**  
PER CITY OF TROY ZONING ORDINANCE, R-1C  
**INTERNAL PUBLIC ROADS STREET TREES**  
REQUIRED: 1 TREE / 50 LF (BOTH SIDES RD.) 1,262 LF / 50 LF = 26 TREES  
PROVIDED: 26 TREES  
NOTE: TREES SHALL BE PLACED AT A MINIMUM OF 5' AWAY FROM UTILITY LEADS.  
**GREENBELT TREES**  
REQUIRED: 1 LARGE EVG TREE / 10 LF OF STREET FRONTAGE. 558' OF RIGHT OF WAY/ 10 = 56 DEC TREES REQUIRED.  
PROVIDED: 56 EVG TREES PROVIDED  
NOTE: TREES SHALL BE PLANTED 5' AWAY FROM UTILITIES.  
**LANDMARK AND WOODLAND TREE REPLACEMENT**  
REQUIRED: WOODLAND TREES REPLACE AT 50% DBH AND LANDMARK AT 100% . 0" REQUIRED FOR REPLACEMENT. SEE SHEET T-1.0 FOR CALCS.

**KEY:**

- = GREENBELT TREES
- = STREET TREES
- = NON-IRRIGATED SEED LAWN
- = STORMWATER SEED MIX
- = EXISTING TREES TO REMAIN WITH TREE PROTECTION FENCE



**811** Know what's below. Call before you dig.

**CAUTION!!**  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR VERIFYING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT  
**MONDRIAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

PROJECT TITLE  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

REVISIONS	
CITY COMMENTS	11-9-21


ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021

DRAWING TITLE  
**PRELIMINARY LANDSCAPE PLAN**

PEA JOB NO.	2016-266
P.M.	JBT
DN.	TMK
DES.	TMK
DRAWING NUMBER:	

- GENERAL PLANTING NOTES:**
- LANDSCAPE CONTRACTOR SHALL VISIT SITE, INSPECT EXISTING SITE CONDITIONS AND REVIEW PROPOSED PLANTING AND RELATED WORK. IN CASE OF DISCREPANCY BETWEEN PLAN AND PLANT LIST, PLAN SHALL GOVERN QUANTITIES. CONTACT LANDSCAPE ARCHITECT WITH ANY CONCERNS.
  - CONTRACTOR SHALL VERIFY LOCATIONS OF ALL ON SITE UTILITIES PRIOR TO BEGINNING CONSTRUCTION ON HIS/HER PHASE OF WORK. ELECTRIC, GAS, TELEPHONE, CABLE TELEVISION MAY BE LOCATED BY CALLING MISS DIG 1-800-482-7171. ANY DAMAGE OR INTERRUPTION OF SERVICES SHALL BE THE RESPONSIBILITY OF CONTRACTOR. CONTRACTOR SHALL COORDINATE ALL RELATED ACTIVITIES WITH OTHER TRADES ON THE JOB AND SHALL REPORT ANY UNACCEPTABLE JOB CONDITIONS TO OWNER'S REPRESENTATIVE PRIOR TO COMMENCING.
  - ALL PLANT MATERIAL TO BE PREMIUM GRADE NURSERY STOCK AND SHALL SATISFY AMERICAN ASSOCIATION OF NURSERYMEN STANDARD FOR NURSERY STOCK. ALL LANDSCAPE MATERIAL SHALL BE NORTHERN GROWN, NO. 1. GRADE.
  - CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES SHOWN ON LANDSCAPE PLAN PRIOR TO PRICING THE WORK.
  - THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT ANY PLANT MATERIAL NOT MEETING SPECIFICATIONS.
  - ALL SINGLE STEM SHADE TREES TO HAVE STRAIGHT TRUNKS AND SYMMETRICAL CROWNS.
  - ALL SINGLE TRUNK SHADE TREES TO HAVE A CENTRAL LEADER; TREES WITH FORKED OR IRREGULAR TRUNKS WILL NOT BE ACCEPTED.
  - ALL MULTI STEM TREES SHALL BE HEAVILY BRANCHED AND HAVE SYMMETRICAL CROWNS. ONE SIDED TREES OR THOSE WITH THIN OR OPEN CROWNS SHALL NOT BE ACCEPTED.
  - ALL EVERGREEN TREES SHALL BE HEAVILY BRANCHED AND FULL TO THE GROUND, SYMMETRICAL IN SHAPE AND NOT SHEARED FOR THE LAST FIVE GROWING SEASONS.
  - ALL TREES TO HAVE CLAY OR CLAY LOAM BALLS, TREES WITH SAND BALLS WILL BE REJECTED.
  - NO MACHINERY IS TO BE USED WITHIN THE DRIP LINE OF EXISTING TREES; HAND GRADE ALL LAWN AREAS WITHIN THE DRIP LINE OF EXISTING TREES.
  - ALL TREE LOCATIONS SHALL BE STAKED BY LANDSCAPE CONTRACTOR AND ARE SUBJECT TO THE APPROVAL OF THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION OF THE PLANT MATERIAL.
  - IT IS MANDATORY THAT POSITIVE DRAINAGE IS PROVIDED AWAY FROM ALL BUILDINGS.
  - ALL PLANTING BEDS SHALL RECEIVE 3" SHREDDED HARDWOOD BARK MULCH WITH PRE EMERGENT, SEE SPECIFICATIONS. SHREDDED PALETTE AND DYED MULCH WILL NOT BE ACCEPTED.
  - ALL LANDSCAPED AREAS SHALL RECEIVE 3" COMPACTED TOPSOIL.
  - FOR NON-LAWN SEED MIX AREAS, AS NOTED ON PLAN, BRUSH MOW ONCE SEASONALLY FOR INVASIVE SPECIES CONTROL.
  - CONTRACTOR SHALL NOT INSTALL PLANTS UNDER BUILDING OVERHANG AND SHALL NOTIFY LANDSCAPE ARCHITECT IF DRAWINGS CONFLICT WITH BUILDING OVERHANGS.
  - TREES SHALL NOT CONFLICT/ BLOCK PROPOSED REGULATORY/ DIRECTION SIGNAGE, MONUMENT SIGNS, ADDRESS OR LIGHT POLES. SHIFT TREES AS NECESSARY TYP.





CAUTION!!  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. THE CONTRACTOR SHALL BE EXCLUSIVELY RESPONSIBLE FOR DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT  
**MONDRIAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

PROJECT TITLE  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

REVISIONS	
CITY COMMENTS	11-9-21

ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021

DRAWING TITLE  
**TREE  
PRESERVATION  
PLAN**

PEA JOB NO.	2016-266
P.M.	JBT
DN.	TMK
DES.	TMK

DRAWING NUMBER:


NOT FOR CONSTRUCTION

T-1.0



KEY

- EXISTING TREES TO SAVE
- EXISTING TREES TO REMOVE
- TREE PROTECTION FENCING



CAUTION!!  
THE LOCATIONS AND ELEVATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ON THIS DRAWING ARE ONLY APPROXIMATE. NO GUARANTEE IS EITHER EXPRESSED OR IMPLIED AS TO THE COMPLETENESS OR ACCURACY THEREOF. DETERMINING THE EXACT UTILITY LOCATIONS AND ELEVATIONS PRIOR TO THE START OF CONSTRUCTION.

CLIENT  
**MONDRIPAN PROPERTIES**  
50215 SCHOENHERR  
SHELBY TWP., MICHIGAN

PROJECT TITLE  
**ADLER COVE**  
2112, 2125 & 2152 E. LONG LAKE  
TROY, MICHIGAN

REVISIONS  
CITY COMMENTS 11-9-21

ORIGINAL ISSUE DATE:  
OCTOBER 19, 2021

DRAWING TITLE

**TREE  
PRESERVATION  
LIST**

PEA JOB NO. 2016-266  
P.M. JBT  
D.N. TMK  
DES. TMK  
DRAWING NUMBER:

NOT FOR CONSTRUCTION

T-1.1

TAG	CODE	DBH	COMMON NAME	LATIN NAME	COND	COMMENTS	CLASS	SAVE / REMOVE	ON-SITE	REPLACE
101	WP	20	(Eastern) White Pine	Pinus strobus	Fair		LANDMARK	R	Y	-
102	EE	15	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
103	EE	23	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
104	EE	25	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
105	EE	8	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
106	EE	8	Siberian Elm	Ulmus pumila	Very Poor	x1	INVASIVE	R	Y	-
107	BX	15	Box elder	Acer negundo	Very Poor		INVASIVE	R	Y	-
108	EE	11	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
109	EE	10	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
110	EE	10	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
111	EE	16	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
112	BX	20	Box elder	Acer negundo	Fair		INVASIVE	R	Y	-
113	RP	11	Red Pine	Pinus resinosa	Very Poor		WOODLAND	R	Y	-
114	BX	7	Box elder	Acer negundo	Very Poor		INVASIVE	R	Y	-
115	BX	10	Box elder	Acer negundo	Poor		INVASIVE	R	Y	-
116	BX	18	Box elder	Acer negundo	Very Poor		INVASIVE	R	Y	-
117	WP	20	(Eastern) White Pine	Pinus strobus	Fair		LANDMARK	R	Y	REPLACE
118	BX	21	Box elder	Acer negundo	Poor		INVASIVE	R	Y	-
119	BP	8	Bradford Pear	Pyrus calleryana	Fair		WOODLAND	R	Y	REPLACE
120	WS	12	White Spruce	Picea glauca	Poor		WOODLAND	R	Y	-
121	AS	19	Quaking Aspen	Populus tremuloides	Very Poor		INVASIVE	R	Y	-
122	EE	19	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
123	EE	16	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
124	WS	11	White Spruce	Picea glauca	Very Poor		WOODLAND	R	Y	-
125	BS	13	Blue Spruce	Picea pungens	Very Poor		WOODLAND	R	Y	-
126	EE	17	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
127	MR	17	Red Mulberry	Morus rubra	Poor		INVASIVE	R	Y	-
128	CT	20	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
129	EE	11	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
130	E	8	American Elm	Ulmus americana	Poor		INVASIVE	R	Y	-
131	BX	8	Box elder	Acer negundo	Poor		INVASIVE	R	Y	-
132	EE	19	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
133	BX	10	Box elder	Acer negundo	Very Poor		INVASIVE	R	Y	-
134	EE	33	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
135	BS	16	Blue Spruce	Picea pungens	Very Poor		WOODLAND	R	Y	-
136	BS	17	Blue Spruce	Picea pungens	Very Poor		WOODLAND	R	Y	-
137	BS	16	Blue Spruce	Picea pungens	Very Poor		WOODLAND	R	Y	-
138	AP	16	Domestic Apple	Malus sylvestris	Poor		LANDMARK	R	Y	-
139	BS	14	Blue Spruce	Picea pungens	Poor		WOODLAND	R	Y	-
140	WC	8	White Cedar	Thuja occidentalis	Poor	x2	WOODLAND	R	Y	-
141	BS	19	Blue Spruce	Picea pungens	Very Poor		LANDMARK	R	Y	-
142	BS	13	Blue Spruce	Picea pungens	Very Poor		WOODLAND	R	Y	-
143	WP	24	(Eastern) White Pine	Pinus strobus	Fair		LANDMARK	R	Y	REPLACE
144	WS	16	White Spruce	Picea glauca	Poor		WOODLAND	R	Y	-
145	BW	9	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
146	WC	15	White Cedar	Thuja occidentalis	Fair		LANDMARK	S	Y	-
147	WP	21	(Eastern) White Pine	Pinus strobus	Fair		LANDMARK	S	Y	-
148	BF	11	Balsam Fir	Abies balsamea	Fair		WOODLAND	S	Y	-
149	AP	19	Domestic Apple	Malus sylvestris	Poor		LANDMARK	R	Y	-
150	EE	35	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	N	-
151	EE	25	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	N	-
152	SM	52	Silver Maple	Acer saccharinum	Good		INVASIVE	S	Y	-
153	EE	17	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	N	-
154	BX	40	Box elder	Acer negundo	Poor		INVASIVE	S	N	-
155	PW	19	White Poplar	Populus alba	Fair		INVASIVE	R	Y	-
156	PW	15	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
157	PW	38	White Poplar	Populus alba	Fair		INVASIVE	R	Y	-
158	E	19	American Elm	Ulmus americana	Very Poor		INVASIVE	R	Y	-
159	SM	42	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y	-
160	BW	18	Black Walnut	Juglans nigra	Good		LANDMARK	S	Y	REPLACE
161	EE	24	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	Y	-
162	EE	19	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	Y	-
163	MR	8	Red Mulberry	Morus rubra	Poor		INVASIVE	S	N	-
164	BX	6	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
165	NS	9	Norway Spruce	Picea Abies	Poor		WOODLAND	S	N	-
166	EE	14	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	Y	-
167	BX	24	Box elder	Acer negundo	Poor		INVASIVE	S	N	-
168	MR	13	Red Mulberry	Morus rubra	Poor	x3	INVASIVE	S	N	-
169	EE	15	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	N	-
170	EE	15	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
171	EE	16	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
172	EE	21	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
173	EE	24	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
174	EE	32	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
175	EE	24	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
176	EE	24	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
177	EE	13	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
178	BW	8	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
179	MR	20	Red Mulberry	Morus rubra	Fair		INVASIVE	R	Y	-
180	BW	8	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
181	GA	8	Green Ash	Fraxinus pennsylvanica	Fair		INVASIVE	R	Y	-
182	GA	10	Green Ash	Fraxinus pennsylvanica	Very Poor		INVASIVE	R	Y	-
183	GA	6	Green Ash	Fraxinus pennsylvanica	Poor		INVASIVE	R	Y	-
184	GA	8	Green Ash	Fraxinus pennsylvanica	Poor		INVASIVE	R	Y	-
185	CT	22	Cottonwood	Populus deltoides	Good		INVASIVE	R	Y	-
186	SM	12	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y	-
187	E	12	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
188	E	6	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
189	SM	7	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
190	GA	9	Green Ash	Fraxinus pennsylvanica	Fair		INVASIVE	S	Y	-
191	CT	25	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
192	CT	23	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
193	CT	24	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
194	GA	8	Green Ash	Fraxinus pennsylvanica	Very Poor		INVASIVE	S	Y	-
195	GA	6	Green Ash	Fraxinus pennsylvanica	Fair		INVASIVE	S	Y	-
196	EE	14	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	Y	-
197	EE	9	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	N	-
198			NO TAG 198				#N/A	S	Y	#N/A
199	EE	12	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	N	-
200	EE	17	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	N	-
JUMP IN SEQUENCE							#N/A	S	Y	#N/A
225	EE	13	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	S	Y	-
227	EE	11	Siberian Elm	Ulmus pumila	Dead		INVASIVE	S	Y	-
228	EE	13	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	N	-
229	EE	11	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
230	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	S	Y	-
231	EE	12	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-

TAG	CODE	DBH	COMMON NAME	LATIN NAME	COND	COMMENTS	CLASS	SAVE / REMOVE	ON-SITE	REPLACE
232	EE	12	Siberian Elm	Ulmus pumila	Very Poor		INVASIVE	R	Y	-
233	SM	18	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y	-
234	EE	9	Siberian Elm	Ulmus pumila	Poor	x1	INVASIVE	R	Y	-
235	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
236	CT	32	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
237	E	6	American Elm	Ulmus americana	Poor		INVASIVE	R	Y	-
238	RM	9	Red Maple	Acer rubrum	Fair		WOODLAND	R	Y	REPLACE
239	EE	12	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
240	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
241	EE	9	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
242	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
243	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
244	EE	9	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
245	BE	12	Box elder	Acer negundo	Fair		INVASIVE	R	Y	-
246	SWO	6	Swamp White Oak	Quercus bicolor	Good		WOODLAND	R	Y	REPLACE
247	SM	15	Silver Maple	Acer saccharinum	Good	x2	INVASIVE	R	Y	-
248	E	14	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
249	PB	10	Paper Birch	Betula papyrifera	Fair		WOODLAND	R	Y	REPLACE
250	BC	6	Wild Black Cherry	Prunus serotina	Very Poor		WOODLAND	R	Y	-
251	PB	8	Paper Birch	Betula papyrifera	Very Poor	x3	WOODLAND	R	Y	-
252	PB	7	Paper Birch	Betula papyrifera	Poor		WOODLAND	R	Y	-
253	PB	9	Paper Birch	Betula papyrifera	Poor		WOODLAND	R	Y	-
254	PB	6	Paper Birch	Betula papyrifera	Poor		WOODLAND	R	Y	-
255	PB	6	Paper Birch	Betula papyrifera	Very Poor		WOODLAND	R	Y	-
256	PB	6	Paper Birch	Betula papyrifera	Poor		WOODLAND	R	Y	-
257	CT	32	Cottonwood	Populus deltoides	Very Poor		INVASIVE	R	Y	-
258	CT	11	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
259	CT	12	Cottonwood	Populus deltoides	Good	x1	INVASIVE	R	Y	-
260	CT	13	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
261	PB	8	Paper Birch	Betula papyrifera	Good		WOODLAND	R	Y	REPLACE
262	PB	6	Paper Birch	Betula papyrifera	Fair		WOODLAND	R	Y	REPLACE
263	E	6	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
264	RO	6	Red Oak	Quercus rubra	Fair		WOODLAND	R	Y	REPLACE
265	SWO	6	Swamp White Oak	Quercus bicolor	Fair		WOODLAND	R	Y	REPLACE
266	CT	38	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
267	E	8	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
268	E	10	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
269	CT	10	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
270	WC	14	White Cedar	Thuja occidentalis	Poor		LANDMARK	R	Y	-
271	CT	9	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
272	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
273	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
274	CT	12	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
275	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
276	CT	11	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
277	CT	13	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
278	CT	9	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
279	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
280	E	17	American Elm	Ulmus americana	Poor	x1	INVASIVE	R	Y	-
281	BX	13	Box elder	Acer negundo	Poor		INVASIVE	R	Y	-
282	WC	6	White Cedar	Thuja occidentalis	Poor		WOODLAND	R	Y	-
283	CT	9	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
284	WC	12	White Cedar	Thuja occidentalis	Very Poor		LANDMARK	R	Y	-
285	EE	18	Siberian Elm	Ulmus pumila	Fair		INVASIVE	R	Y	-
286	TH	6	Thornapple Hawthorne	Craegaea spp.	Poor		WOODLAND	R	Y	-
287	WC	6	White Cedar	Thuja occidentalis	Poor		WOODLAND	R	Y	-
288	EE	8	Siberian Elm	Ulmus pumila	Fair		INVASIVE	R	Y	-
289	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
290	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
291	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
292	CT	14	Cottonwood	Populus deltoides	Good		INVASIVE	R	Y	-
293	BW	5	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
294	AP	9	Domestic Apple	Malus sylvestris	Very Poor		WOODLAND	R	Y	-
295	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
296	CT	13	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
297	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
298	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
299	CT	11	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
300	CT	9	Cottonwood	Populus deltoides	Fair	x1	INVASIVE	R	Y	-
301	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
302	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
303	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
304	BX	8	Box elder	Acer negundo	Poor		INVASIVE	R	Y	-
305	BX	9	Box elder	Acer negundo	Very Poor		INVASIVE	R	Y	-
306	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
307	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
308	CT	10	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
311	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
309	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
310	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
312	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
313	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
314	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
315	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
316	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
317	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
318	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
319	CT	9	Cottonwood	Populus deltoides	Good		INVASIVE	R	Y	-
320	CT	8	Cottonwood	Populus deltoides	Good		INVASIVE	R	Y	-
321	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
322	WP	10	(Eastern) White Pine	Pinus strobus	Fair		WOODLAND	R	Y	REPLACE
323	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
324	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
325	CO	6	Chestnut Oak	Quercus Prinus	Fair		WOODLAND	R	Y	REPLACE
326	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
327	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
328	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
329	BW	9	Black Walnut	Juglans nigra	Poor		WOODLAND	R	Y	-
330	CT	21	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
331	BX	7	Box elder	Acer negundo	Fair		INVASIVE	R	Y	-
332	E	6	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
333	WP	7	(Eastern) White Pine	Pinus strobus	Very Poor		WOODLAND	R	Y	-
334	BW	7	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
335	WP	8	(Eastern) White Pine	Pinus strobus	Poor		WOODLAND	R	Y	-
336	PB	8	Paper Birch	Betula papyrifera	Poor		WOODLAND	R	Y	-
337	PW	10	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
338	PW	7	White Poplar	Populus alba	Very Poor		INVASIVE	R	Y	-



S:\PROJECTS\2016\2016-266\2112, 2124 & 2152 E. LONG LAKE - TREE PRESERVATION\2016-10266.dwg -- TROY -- J:\Veg\Site Plans\11-10 -- TREE PRESERVATION-10266.dwg



TAG	CODE	DBH	COMMON NAME	LATIN NAME	COND	COMMENTS	CLASS	SAVE / REMOVE	ON-SITE	REPLACE
2045	EE	7	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
2046	EE	7	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
2047	EE	6	Siberian Elm	Ulmus pumila	Poor		INVASIVE	R	Y	-
2048	CT	6	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2049	CT	9	Cottonwood	Populus deltoides	Fair	x1	INVASIVE	R	Y	-
2050	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2051	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2052	EE	7	Siberian Elm	Ulmus pumila	Fair		INVASIVE	S	Y	-
2053	AP	8	Domestic Apple	Malus sylvestris	Fair		WOODLAND	S	Y	-
2054	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2055	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2056	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2057	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2058	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2059	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2060	AP	7	Domestic Apple	Malus sylvestris	Poor		WOODLAND	S	Y	-
2061	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2062	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2063	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2064	AP	6	Domestic Apple	Malus sylvestris	Poor		WOODLAND	R	Y	-
2065	CT	8	Cottonwood	Populus deltoides	Poor	x1	INVASIVE	R	Y	-
2066	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2067	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2068	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2069	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2070	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2071	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2072	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2073	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2074	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2075	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2076	CT	6	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2077	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2078	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2079	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2080	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2081	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2082	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2083	CT	9	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2084	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2085	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2086	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2087	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2088	PW	6	White Poplar	Populus alba	Poor	x4	INVASIVE	R	Y	-
2089	RO	8	Red Oak	Quercus rubra	Fair		WOODLAND	R	Y	REPLACE
2090	PW	7	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
2091	BW	7	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
2092	BW	9	Black Walnut	Juglans nigra	Fair		WOODLAND	S	Y	-
2093	PW	10	White Poplar	Populus alba	Poor	x4	INVASIVE	S	Y	-
2094	BW	7	Black Walnut	Juglans nigra	Fair		WOODLAND	R	Y	REPLACE
2095	E	15	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
2096	CT	21	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2097	BW	7	Black Walnut	Juglans nigra	Good		WOODLAND	R	Y	REPLACE
2098	PW	6	White Poplar	Populus alba	Poor	x2	INVASIVE	R	Y	-
2099	E	17	American Elm	Ulmus americana	Poor		INVASIVE	R	Y	-
2100	E	25	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
2101	SWD	9	Swamp White Oak	Quercus bicolor	Poor		WOODLAND	R	Y	-
2102	SM	21	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y	-
2103	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2104	CT	6	Cottonwood	Populus deltoides	Poor		INVASIVE	R	Y	-
2105	CT	14	Cottonwood	Populus deltoides	Fair		INVASIVE	R	Y	-
2106	RM	7	Red Maple	Acer rubrum	Fair		WOODLAND	R	Y	REPLACE
2107	PW	7	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
2108	PW	7	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
2109	BW	7	Black Walnut	Juglans nigra	Very Poor		WOODLAND	R	Y	-
2110	PW	8	White Poplar	Populus alba	Very Poor		INVASIVE	R	Y	-
2111	PW	8	White Poplar	Populus alba	Very Poor		INVASIVE	R	Y	-
2112	PW	10	White Poplar	Populus alba	Very Poor		INVASIVE	R	Y	-
2113	PW	10	White Poplar	Populus alba	Fair		INVASIVE	R	Y	-
2114	PW	9	White Poplar	Populus alba	Poor		INVASIVE	R	Y	-
2115	SM	13	Silver Maple	Acer saccharinum	Fair	x4	INVASIVE	R	Y	-
2116	E	6	American Elm	Ulmus americana	Fair		INVASIVE	R	Y	-
2117	RP	6	Red Pine	Pinus resinosa	Poor		WOODLAND	R	Y	-
2118	AP	6	Domestic Apple	Malus sylvestris	Poor		WOODLAND	R	Y	-
2119	SM	6	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
2120	E	8	American Elm	Ulmus americana	Poor		INVASIVE	R	Y	-
2121	SM	7	Silver Maple	Acer saccharinum	Fair		INVASIVE	R	Y	-
2122	SM	7	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
2123	E	6	American Elm	Ulmus americana	Poor		INVASIVE	R	Y	-
2124	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2125	E	9	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2126	E	6	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2127	CT	15	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2128	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2129	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2130	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2131	CT	16	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2132	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2133	CT	14	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2134	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2135	CT	6	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2136	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2137	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2138	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2139	AP	7	Domestic Apple	Malus sylvestris	Poor		WOODLAND	S	Y	-
2140	CT	21	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2141	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2142	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2143	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2144	CT	9	Cottonwood	Populus deltoides	Fair	x1	INVASIVE	S	Y	-
2145	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2146	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2147	SM	7	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
2148	SM	15	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
2149	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2150	E	15	American Elm	Ulmus americana	Poor		INVASIVE	S	Y	-
2151	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-

TAG	CODE	DBH	COMMON NAME	LATIN NAME	COND	COMMENTS	CLASS	SAVE / REMOVE	ON-SITE	REPLACE
2152	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2153	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2154	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2155	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2156	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2157	CT	6	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2158	CT	15	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2159	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2160	CT	7	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2161	CT	24	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2162	CT	9	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2163	CT	8	Cottonwood	Populus deltoides	Fair	x1	INVASIVE	S	Y	-
2164	CT	18	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2165	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2166	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2167	CT	15	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2168	BW	8	Black Walnut	Juglans nigra	Fair		WOODLAND	S	Y	-
2169	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2170	E	8	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2171	E	7	American Elm	Ulmus americana	Poor		INVASIVE	S	Y	-
2172	E	7	American Elm	Ulmus americana	Fair		INVASIVE	S	Y	-
2173	E	7	American Elm	Ulmus americana	Very Poor		INVASIVE	S	Y	-
2174	SM	8	Silver Maple	Acer saccharinum	Fair		INVASIVE	S	Y	-
2175	E	6	American Elm	Ulmus americana	Poor		INVASIVE	S	Y	-
2176	RC	10	Red Cedar	Juniperus virginiana	Poor		INVASIVE	S	Y	-
2177	CT	9	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2178	E	7	American Elm	Ulmus americana	Poor	x1	INVASIVE	S	Y	-
2179	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2180	E	8	American Elm	Ulmus americana	Poor		INVASIVE	S	Y	-
2181	BW	10	Black Walnut	Juglans nigra	Poor		WOODLAND	S	N	-
2182	BX	10	Box elder	Acer negundo	Poor		INVASIVE	S	N	-
2183	BX	24	Box elder	Acer negundo	Poor		INVASIVE	S	N	-
2184	BX	7	Box elder	Acer negundo	Poor	x1	INVASIVE	S	N	-
2185	BX	10	Box elder	Acer negundo	Poor		INVASIVE	S	N	-
2186	E	7	American Elm	Ulmus americana	Poor		INVASIVE	S	Y	-
2187	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2188	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2189	BX	9	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2190	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2191	BX	8	Box elder	Acer negundo	Poor	x1	INVASIVE	S	Y	-
2192	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2193	CT	12	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2194	CT	6	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2195	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2196	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2197	CT	14	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2198	CT	12	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2199	CT	8	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2200	CT	13	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2201	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2202	CT	10	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2203	CT	22	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2204	CT	16	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2205	CT	8	Cottonwood	Populus deltoides	Fair		INVASIVE	S	Y	-
2206	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2207	CT	15	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2208	BX	6	Box elder	Acer negundo	Fair		INVASIVE	S	Y	-
2209	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2210	BX	6	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2211	CT	7	Cottonwood	Populus deltoides	Poor		INVASIVE	S	Y	-
2212	BX	12	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2213	BX	8	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2214	BX	10	Box elder	Acer negundo	Fair		INVASIVE	S	N	-
2215	BX	7	Box elder	Acer negundo	Poor		INVASIVE	S	Y	-
2216	BW	10	Black Walnut	Juglans nigra	Fair		WOODLAND	S	Y	-
2217	E	10	American Elm	Ulmus americana	Fair	x2	INVASIVE	S	Y	-
2218	E	7	American Elm	Ulmus americana	Poor		INVASIVE	S	N	-
2219	BW	6	Black Walnut	Juglans nigra	Fair		WOODLAND	S	N	-
2220	E	16	American Elm	Ulmus americana	Poor	x1	INVASIVE	S	N	-
2221	BW	6	Black Walnut	Juglans nigra	Fair		WOODLAND	S	N	-
2222	BW	8	Black Walnut	Juglans nigra	Fair		WOODLAND	S	N	-
2223	CT	9	Cottonwood	Populus deltoides	Very Poor		INVASIVE	S	N	-



# HOMWOOD RANCH W/ OPTIONAL SECOND FLOOR 1990 SQFT.


MONDRIAN PROPERTIES



OPTIONAL SECOND FLOOR

\*PLANS ARE CONCEPTUAL AND MAY VARY






MONDRIAN PROPERTIES



MONDRIAN | PROPERTIES





October 4, 2021  
UPDATE: November 9, 2021

Project Applicant / Developer:

**Mondrian Properties**

50215 Schoenherr Road  
Shelby Township, MI 48315

Attn: Joseph Maniaci  
586-726-7350  
jmaniaci@mondrianproperties.com

Development Team Consultants:

**Civil Engineer:**

**PEA Group**  
John Thompson, PE  
2430 Rochester Court  
Troy, MI 48083  
844-813-2949

**Site Planning:**

**J Eppink Partners, Inc.**  
Jim Eppink, RLA  
9336 Sashabaw Road  
Clarkston, MI 48348  
248-922-0789

Site Data:

**Parcel Size:**  
10 acres

**Location:**  
South side of E. Long Lake,  
east of John R Road within  
the City of Troy, MI

**Existing Zoning:**  
R-1C One Family Residential

**Proposed Zoning:**  
R-1C One Family Residential  
using the Cluster Option

**Proposed Uses:**  
20 single family residential  
homes

## Project Narrative

### Adler Cove

A Proposed Single-Family Residential Neighborhood  
City of Troy, Michigan

*The Adler Cove Site Plan Submission Package was updated in response to the Carlisle Wortman Associates review letter dated September 20, 2021*

#### Project Vision:

Adler Cove is a proposed single family residential neighborhood to be constructed in the City of Troy. The 10-acre site is currently undeveloped and is located on the south side of E. Long Lake Road, east of John R Road. Twenty single-family homes with nearly 60% open space will have direct access to 'Adler Court', a proposed private street that will have its connection to E. Long Lake Road.



The 10-acre Adler Cove site is located on the south side of E. Long Lake Road just east of John R Road. The property abuts Commercial / Neighborhood Node zoning to the west, R-1C residential to the east, and the Larson Middle School to the southeast.

The Adler Cove property is comprised of three adjacent parcels which were assembled to form the 10-acre subject property. The parcel is wooded and because of its adjacency to the Gibson-Renshaw Drain and associated floodway, the property is located within a 'Flood Hazard Area' (See Sheet P-1.0 within the attached Preliminary Site Plan Submission package for additional information).

#### Existing R-1C Zoning & Permitted Development Patterns:

The subject property is currently zoned R-1C One-Family Residential, which, according to the City's Zoning Ordinance, permits single family residential homes to be built on the site providing they meet the following standards:

R1-C – Lot Size per dwelling unit (when public sewer is available):

- Lot Area: 10,500sf
- Lot Width: 85'
- Lot Frontage: 85'
- Max Height: 30' / 2.5 stories
- Front Setback: 30'
- Side Setback: 10' / 20' total
- Rear Setback: 40'
- Open Space: 0% required

A 'parallel site plan' or 'by-zoning rights' plan was developed using the ordinance standards (see Sheet P-2.1 within the attached Preliminary Site Plan Submission package). The parallel site plan provides 16 single family lots all with access to E. Long Lake Road via a new public road. Each lot meets the minimum ordinance standards and could accommodate a 5,000-sf single family home. The parallel plan provides a detention basin at the southern end of the site, however, does not provide any additional community open space or preservation areas within the development.



*A conventional R-1C sub-division development pattern would provide only large-lot parcels and homes, as well as unnecessarily 'privatize' all natural areas within the development into the individual lots, leaving no community open space or ability to protect and set aside the natural features. Because of the desire to provide smaller homes and preserve significant open space within the development, alternate zoning vehicles within the Zoning Ordinance were evaluated.*

As noted, this property has significant natural features including densely wooded areas, floodways, and floodplain areas. A conventional R-1C single family development, designed according to the zoning ordinance would in-essence 'privatize' those features by incorporating them within the lot areas of the individual R-1C home sites. In so doing there would be limited means to prevent future homeowners from removing trees or altering the topography or native landscape if it was located within their lots. This predicably would have detrimental impacts on the natural features of the site over time. Because of the limited ability to protect the natural features of the site and the very large homes sizes that result from the use of the R-1C zoning, Mondrian Properties examined alternative zoning and development opportunities for the site to better align with the development objectives.



## R-1C One-Family Cluster Option:

Section 10.04 of the City's Zoning Ordinance permits One-Family Cluster Option developments within parcels currently zoned R-1C as an alternative to conventional residential development as a means to:

1. Encourage the use of property in accordance with its natural character
2. Assure the permanent preservation of open space and other natural features
3. Provide recreation and/or open space within a reasonable distance of all residents in the Cluster development
4. Allow greater flexibility in the design of the neighborhood
5. Facilitate the construction and maintenance of infrastructure in a more efficient manner
6. Ensure compatibility of design and use between neighboring property
7. Encourage a less sprawling form of development and ability to preserve open space
8. Allow for innovative design to align with City goals

Using the Cluster Option standards, Mondrian Properties developed site plan alternatives that sought to maximize and protect the open space preservation on the property as well as provide home sites that would accommodate smaller and various size homes compared to those that may typically be built in the large-lot R-1C conventional developments. To that end, we have developed Adler Cove, a premier single family residential neighborhood that will preserve 38% of the site as dedicated open space and existing trails, and cluster twenty homes within the center of the walkable community. In total, only 4.73 acres of the site will be developed, and 5.27 acres will remain undeveloped. (See the data table on Sheet P-2.0 for proposed site and development data)



*The R-1C Single Family Cluster Zoning Option enables the ability to develop a compact neighborhood with 38% dedicated open space and a total of 5.27 acres of undeveloped land on the 10-acre site **resulting in nearly 60% of the site being common area open space**. The walkable community will provide 20 homes of various size, adding additional housing choices to the vibrant Troy market.*

Using the R-1C Cluster Option standards outlined within the Zoning Ordinance, the minimum lots size within Adler Cove will be 6,900 sf (60'x115') with the average lot size of 8,341 sf. A 40' wide private road easement will be constructed with sidewalks located on each side of the private road as well as along the E. Long Lake frontage and a walking connection to the Larson Middle School.

The homes within Adler Cove will vary in size to appeal to a range of choices within the Troy housing market. There will be three homes styles beginning with a 1,990-sf ranch home with a ground floor owner's suite with options for additional bedrooms on an optional second-floor. All Cluster Option Zoning Ordinance dimensional and area standards, including perimeter setbacks, open space, and lot areas have been achieved or exceeded on the attached proposed site plan. Additionally, Cluster Option Calculations can be found of Sheet P-2.0 which provide the information needed to substantiate the total proposed density (20 units) based on the conventional plan's number of units allowed plus the 20% open space bonus as well as the additional 10% additional open space allowance which results in the permitted 20-unit density.



*Adler Cove, using the R-1C Single Family Cluster Option will provide a high-quality compact neighborhood of 20 homes while preserving 38% of the site as dedicated open space and a total of 5.27-acres of the site and non-developed area. The proposed Family Cluster Option plan will protect the important natural features of the site and maintain the existing community trail system.*





*A side-by-side comparison of the Conventional R1-C site plan and development pattern (on the left) and the proposed Adler Cove Single Family Cluster Option site plan and development pattern (on the right) demonstrates the ability to preserve and protect nearly 60% of the site as open space and common area while still providing a compact walkable neighborhood with several housing styles and sizes when the Single-Family Cluster Option is used. Using the less preferred Conventional R1-C zoning guidelines would result in a monolithic, standard large home subdivision with no common area open space or natural features preservation.*

### **Standards for Review:**

The Zoning Ordinance outlines standards from which the Planning Commission should review a Cluster Option Development, and may, based on its review, make a recommendation to the City Council. The proposed Adler Cove development will create a beautiful neighborhood within the City of Troy and will provide several of housing options while preserving a substantial portion of the site as permanent open space. We believe that the proposed development meets the standards of review in the following ways:

- a. Adler Cove provides long-term protection and preservation of the property's natural resources, natural features, and open space through the preservation of 38% dedicated open space and a total of 5.27-acres of undeveloped areas within the site. This amount of open space and neighborhood character would not be possible if developed under conventional R-1C zoning.
- b. Adler Cove incorporates innovative site design and flexibility in the placement and clustering of homes within the site. This innovative clustered design approach allowed the home sites to remain out of the floodway and enabled the ability to preserve quality natural features.
- c. Adler Cove provides appropriate buffers to the E. Long Lake frontage as well as to the adjacent single-family home to the east as outlined within the Zoning Ordinance.

- d. Adler Cove takes advantage of its proximity to Larson Middle School by providing walking trails to the school to maximize neighborhood connections and walkability. Additionally, sidewalks are provided throughout the neighborhood and along the E. Long Lake frontage.
- e. Stormwater features and other site design elements we're designed to minimize their impact on the site, integrate with the natural systems of the local area, and provide long-term sustainability of this floodway system.
- f. Adler Cove homeowner's associate will ultimately own the dedicated open space and will have systems in place within the Master Deed and Bylaws that ensure its long-term viability.
- g. Adler Cove seeks a density bonus of four units, as permitted by the Zoning Ordinance, in exchange for the significant open space (nearly 60% of the site), diverse housing types, and neighborhood character provided by the development.
- h. Adler Cove will be served by existing essential public facilities, services, and infrastructure and will not put an undue burden on those systems.
- i. Adler Cove will provide a range of housing types and sizes that are appropriate for the Cluster Option lots sizes including home sizes beginning at 1,990 sf.

We are proud of the innovative design solutions we are submitting and excited to bring the character, quality, and benefits of the Adler Cove neighborhood to the City of Troy. The attached Preliminary Site Plan Submission document set provides the information required by the city and outlines the technical details of the development. We appreciate the opportunity to have the project reviewed by the City Planning Department and related professionals and look forward to being placed on the next available Planning Commission agenda to review the merits of the project.

Our entire team is available to provide any additional information as requested.

Sincerely,

Joe Maniaci  
Mondrain Properties

Mailing Address:  
P.O. Box 2160  
Brighton, MI 48116-2160800 395-ASTI  
Fax: 810.225.3800[www.asti-env.com](http://www.asti-env.com)**Sent Via Email Only**

September 10, 2018

Mr. Joseph Maniaci  
**Mondrian Properties**  
50215 Schoenherr Road  
Shelby Township, MI 48315*RE: Wetland Delineation and Jurisdictional Assessment  
2112, 2124, & 2152 Long Lake Road  
City of Troy, Oakland County, Michigan  
ASTI File No. 10809*

Dear Mr. Maniaci:

A site investigation was completed on September 5, 2018 by ASTI Environmental (ASTI) to delineate wetland boundaries on three parcels with the addresses of 2112, 2124, and 2152 Long Lake Road located east of John R Road and west of Dequindre Road within the City of Troy, Oakland County, Michigan (Property). One wetland and one watercourse likely regulated by the Michigan Department of Environmental Quality (DEQ) were found on the Property (Figure 1 – *Approximate Wetland Boundaries*).

**SUPPORTING DATA**

The United States Geological Survey (USGS) Warren, Michigan 7.5' Quadrangle Map, the USDA Web Soil Survey (WSS), the National Wetland Inventory Map (NWI), the DEQ Wetlands Map Viewer web site, and digital aerial photographs were all used to support the wetland delineation and subsequent regulatory status determination. No reviewed data indicated the presence of wetlands on the Property. All reviewed data indicated the Gibson Drain along the western portion of the Property

The WSS indicates the Property is comprised of the soil complexes of Brookston and Colwood loams, Sebewa loam (disintegration moraine, 0-2% slopes), Cohoctah fine sandy loam, and Selfridge loamy sand (0-3% slopes). Colwood loams, Sebewa loam (disintegration moraine, 0-2% slopes), and Cohoctah fine sandy loam are on the list *Hydric Soils of Michigan*.

## **FINDINGS**

ASTI investigated the Property for the presence of lakes, ponds, wetlands, and watercourses. This work is based on MCL 324 Part 301, Inland Lakes and Streams and Part 303, Wetlands Protection. The delineation protocol used by ASTI for this delineation is based on the US Army Corps of Engineers' *Wetland Delineation Manual*, 1987, the *Regional Supplement to the Corps of Engineer Wetland Delineation Manual: Northcentral/Northeast Region*, and related guidance/documents, as appropriate. Wetland vegetation, hydrology, and soils were used to locate the wetland boundaries.

One wetland and one watercourse were found on the Property.

### Watercourse A/Gibson Drain

The Gibson Drain was observed in the western portion of the Property. This watercourse exhibited defined channel bed and banks and was flowing on the day of the site inspection; therefore it meets the definition of a stream under Part 301.

### Wetland B

Wetland B is a scrub/shrub wetland approximately 0.2 acres in size on the Property located in the eastern portion of the Property (see Figure 1). Vegetation within Wetland B was dominated by gray dogwood (*Cornus racemosa*), green ash saplings (*Fraxinus pennsylvanica*), and glossy buckthorn (*Frangula alnus*). Soils within Wetland B were comprised of fine sandy loams and are considered hydric because the criteria for a sandy redox matrix was met. Indicators of wetland hydrology observed within Wetland B included sparsely vegetated concave surfaces and soil cracks.

Vegetation observed within the upland adjacent to Wetland B was dominated by southern crab apple (*Malus angustifolia*), honeysuckle (*Lonicera tatarica*), gray dogwood, prickly ash (*Zanthoxylum americanum*), and multiflora rose (*Rosa multiflora*). Soils in the adjacent upland were comprised of sandy loams that did not exhibit hydric soil characteristics. No indicators of wetland hydrology were observed.

It is ASTI's opinion that Wetland B is regulated by the DEQ under Part 303 because it is within 500 feet of the Gibson Drain, which meets the definition of a regulated stream under Part 301.



Wetland Flagging

Wetland boundaries were marked in the field with day-glo pink and black striped flagging and numbered as follows:

Watercourse A/Gibson Drain = A-1 through A-11

Wetland B = B-1 through B-16

A professional survey should be conducted to determine the exact location of the wetland flagging on the Property.

**SUMMARY**

Based upon the data, criteria, and evidence noted above, it is ASTI's professional opinion the Property includes one watercourse (Gibson Drain) and one wetland (Wetland B) regulated by the DEQ. However, the DEQ has the final authority on the extent of regulated wetlands, lakes, and streams in the State of Michigan.

Attached are Figure 1, which shows the approximate locations of flagging on the Property, and a completed US Army Corps of Engineers (ACOE) Wetland Data Form.

Thank you for the opportunity to assist you with this project. Please let us know if we can be of any further assistance in moving your project forward.

Cordially,

ASTI ENVIRONMENTAL



Kyle Hottinger  
Wetland Ecologist  
Professional Wetland Scientist #2927



Dana R. Knox  
Wetland Ecologist  
Professional Wetland Scientist #213

Attachments: Figure 1 – Approximate Wetland Boundaries  
Completed ACOE Wetland Data Forms





2112, 2124, & 2152 E. Long Lake Road

Troy, Oakland Co., MI




Figure 1 - Approximate Wetland Boundaries



# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: UP1  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): flat Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Brookston and Colwood loams NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u> Hydric Soil Present? Yes _____ No <u>X</u> Wetland Hydrology Present? Yes _____ No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Conditions in the east central portion of the Property	

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) _____ FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:  Remarks:	



**VEGETATION** – Use scientific names of plants.

Sampling Point: UP1

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Juglans nigra</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A)  Total Number of Dominant Species Across All Strata: <u>12</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>33.3%</u> (A/B)																
2. <u>Fraxinus americana</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		<u>25</u>	=Total Cover																	
<b>Sapling/Shrub Stratum (Plot size: <u>15'</u>)</b>																				
1. <u>Fraxinus americana</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>	<b>Prevalence Index worksheet:</b>  <table style="width: 100%;"> <tr> <th>Total % Cover of:</th> <th>Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>15</u></td> <td>x 2 = <u>30</u></td> </tr> <tr> <td>FAC species <u>35</u></td> <td>x 3 = <u>105</u></td> </tr> <tr> <td>FACU species <u>75</u></td> <td>x 4 = <u>300</u></td> </tr> <tr> <td>UPL species <u>15</u></td> <td>x 5 = <u>75</u></td> </tr> <tr> <td>Column Totals: <u>140</u> (A)</td> <td><u>510</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.64</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>15</u>	x 2 = <u>30</u>	FAC species <u>35</u>	x 3 = <u>105</u>	FACU species <u>75</u>	x 4 = <u>300</u>	UPL species <u>15</u>	x 5 = <u>75</u>	Column Totals: <u>140</u> (A)	<u>510</u> (B)	Prevalence Index = B/A = <u>3.64</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>15</u>	x 2 = <u>30</u>																			
FAC species <u>35</u>	x 3 = <u>105</u>																			
FACU species <u>75</u>	x 4 = <u>300</u>																			
UPL species <u>15</u>	x 5 = <u>75</u>																			
Column Totals: <u>140</u> (A)	<u>510</u> (B)																			
Prevalence Index = B/A = <u>3.64</u>																				
2. <u>Cornus racemosa</u>	<u>15</u>	<u>Yes</u>	_____																	
3. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Frangula alnus</u>	<u>15</u>	<u>Yes</u>	<u>FAC</u>																	
5. <u>Malus angustifolia</u>	<u>5</u>	<u>No</u>	<u>UPL</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		<u>55</u>	=Total Cover																	
<b>Herb Stratum (Plot size: <u>5'</u>)</b>																				
1. <u>Apocynum cannabinum</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>	<b>Hydrophytic Vegetation Indicators:</b> <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 <sup>1</sup> <u>4</u> - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  <u>_____</u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Cirsium vulgare</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Euthamia graminifolia</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
4. <u>Digitaria ischaemum</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>																	
5. <u>Poa annua</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																	
6. <u>Solidago speciosa</u>	<u>10</u>	<u>Yes</u>	<u>UPL</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		<u>75</u>	=Total Cover																	
<b>Woody Vine Stratum (Plot size: <u>15'</u>)</b>																				
1. _____	_____	_____	_____	<b>Definitions of Vegetation Strata:</b>  <b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.  <b>Sapling/shrub</b> – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.  <b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.  <b>Woody vines</b> – All woody vines greater than 3.28 ft in height.																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		_____	=Total Cover																	
<b>Hydrophytic Vegetation Present?</b> Yes <u>_____</u> No <u>X</u>																				

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point      UP1

[illegible]

# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: UP2  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): flat Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Brookston and Colwood loams NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u> Hydric Soil Present? Yes _____ No <u>X</u> Wetland Hydrology Present? Yes _____ No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Conditions in the central portion of the Property	

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) _____ FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks:	



Sampling Point: UP2

Tree Stratum (Plot size: 30')	Absolute % Cover	Dominant Species?	Indicator Status
1. <i>Juglans nigra</i>	40	Yes	FACU
2. <i>Populus alba</i>	20	Yes	UPL
3. <i>Ulmus pumila</i>	10	No	FACU
4. <i>Fraxinus americana</i>	10	No	FACU
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	80 =Total Cover		
<b>Sapling/Shrub Stratum (Plot size: 15')</b>			
1. <i>Juglans nigra</i>	5	No	FACU
2. <i>Frangula alnus</i>	25	Yes	
3. <i>Cornus racemosa</i>	25	Yes	FAC
4. <i>Elaeagnus umbellata</i>	5	No	UPL
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	60 =Total Cover		
<b>Herb Stratum (Plot size: 5')</b>			
1. <i>Carex pensylvanica</i>	5	Yes	UPL
2. <i>Parthenocissus inserta</i>	5	Yes	FACU
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	10 =Total Cover		
<b>Woody Vine Stratum (Plot size: 15')</b>			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____ =Total Cover		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 16.7% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species 0	x 1 = 0
FACW species 0	x 2 = 0
FAC species 25	x 3 = 75
FACU species 70	x 4 = 280
UPL species 30	x 5 = 150
Column Totals: 125 (A)	505 (B)
Prevalence Index = B/A = 4.04	

**Hydrophytic Vegetation Indicators:**

1 - Rapid Test for Hydrophytic Vegetation \_\_\_\_\_

2 - Dominance Test is >50% \_\_\_\_\_

3 - Prevalence Index is ≤3.0<sup>1</sup> \_\_\_\_\_

4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet) \_\_\_\_\_

\_\_\_\_\_ Problematic Hydrophytic Vegetation<sup>1</sup> (Explain) \_\_\_\_\_

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?** Yes \_\_\_\_\_ No X \_\_\_\_\_

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point      UP2

[illegible]

# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: UP3  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): slight slope toe Local relief (concave, convex, none): gentle slope Slope %: 2-4  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Brookston and Colwood loams NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u> Hydric Soil Present? Yes _____ No <u>X</u> Wetland Hydrology Present? Yes _____ No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Conditions in the south west portion of the Property	

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) _____ FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:  Remarks:	

**VEGETATION** – Use scientific names of plants.

Sampling Point: UP3

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Populus deltoides</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A)  Total Number of Dominant Species Across All Strata: <u>9</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>44.4%</u> (A/B)																
2. <u>Juglans nigra</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Populus alba</u>	<u>10</u>	<u>Yes</u>	<u>UPL</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		<u>40</u>	=Total Cover	<b>Prevalence Index worksheet:</b>  <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>75</u></td> <td>x 3 = <u>225</u></td> </tr> <tr> <td>FACU species <u>45</u></td> <td>x 4 = <u>180</u></td> </tr> <tr> <td>UPL species <u>30</u></td> <td>x 5 = <u>150</u></td> </tr> <tr> <td>Column Totals: <u>150</u> (A)</td> <td><u>555</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.70</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>75</u>	x 3 = <u>225</u>	FACU species <u>45</u>	x 4 = <u>180</u>	UPL species <u>30</u>	x 5 = <u>150</u>	Column Totals: <u>150</u> (A)	<u>555</u> (B)	Prevalence Index = B/A = <u>3.70</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>75</u>	x 3 = <u>225</u>																			
FACU species <u>45</u>	x 4 = <u>180</u>																			
UPL species <u>30</u>	x 5 = <u>150</u>																			
Column Totals: <u>150</u> (A)	<u>555</u> (B)																			
Prevalence Index = B/A = <u>3.70</u>																				
<b>Sapling/Shrub Stratum (Plot size: <u>15'</u>)</b>																				
1. <u>Juglans nigra</u>	<u>30</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Frangula alnus</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Cornus racemosa</u>	<u>30</u>	<u>Yes</u>	<u>FAC</u>																	
4. <u>Elaeagnus umbellata</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		<u>90</u>	=Total Cover	<b>Hydrophytic Vegetation Indicators:</b> <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 <sup>1</sup> <u>4</u> - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  <u>  </u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
<b>Herb Stratum (Plot size: <u>5'</u>)</b>																				
1. <u>Toxicodendron radicans</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Parthenocissus inserta</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Verbena urticifolia</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		<u>20</u>	=Total Cover	<b>Definitions of Vegetation Strata:</b>  <b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.  <b>Sapling/shrub</b> – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.  <b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.  <b>Woody vines</b> – All woody vines greater than 3.28 ft in height.																
<b>Woody Vine Stratum (Plot size: <u>15'</u>)</b>																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		_____	=Total Cover																	
<b>Hydrophytic Vegetation Present?</b> Yes <u>  </u> No <u>  X  </u>																				

Remarks: (Include photo numbers here or on a separate sheet.)



## SOIL

Sampling Point      UP3

[illegible]

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
Applicant/Owner: Mondrian Properties State: MI Sampling Point: UP4  
Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): flat Slope %: 1-3  
Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
Soil Map Unit Name: Brookston and Colwood loams NWI classification: none  
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Conditions in the west west portion of the Property	

### HYDROLOGY

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>	
<u>Primary Indicators (minimum of one is required; check all that apply)</u>			
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)	
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)	
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)	
		<input type="checkbox"/> FAC-Neutral Test (D5)	
<b>Field Observations:</b>			
Surface Water Present? Yes _____ No <u>x</u>	Depth (inches): _____	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>	
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____		
Saturation Present? Yes _____ No <u>x</u>	Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks:			

**VEGETATION** – Use scientific names of plants.

Sampling Point: UP4

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer negundo</u>	<u>10</u>	<u>No</u>	<u>FAC</u>	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>5</u> (A)  Total Number of Dominant Species Across All Strata: <u>7</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>71.4%</u> (A/B)																
2. <u>Juglans nigra</u>	<u>40</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Populus deltoides</u>	<u>25</u>	<u>Yes</u>	<u>FAC</u>																	
4. <u>Prunus serotina</u>	<u>10</u>	<u>No</u>	<u>FACU</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>85</u>		=Total Cover		<b>Prevalence Index worksheet:</b>  <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>120</u></td> <td>x 3 = <u>360</u></td> </tr> <tr> <td>FACU species <u>60</u></td> <td>x 4 = <u>240</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>180</u> (A)</td> <td><u>600</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.33</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>120</u>	x 3 = <u>360</u>	FACU species <u>60</u>	x 4 = <u>240</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>180</u> (A)	<u>600</u> (B)	Prevalence Index = B/A = <u>3.33</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>120</u>	x 3 = <u>360</u>																			
FACU species <u>60</u>	x 4 = <u>240</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>180</u> (A)	<u>600</u> (B)																			
Prevalence Index = B/A = <u>3.33</u>																				
<b>Sapling/Shrub Stratum (Plot size: <u>15'</u>)</b>																				
1. <u>Cornus racemosa</u>	<u>30</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Frangula alnus</u>	<u>30</u>	<u>Yes</u>	<u>FAC</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>60</u>		=Total Cover																		
<b>Herb Stratum (Plot size: <u>5'</u>)</b>																				
1. <u>Toxicodendron radicans</u>	<u>15</u>	<u>Yes</u>	<u>FAC</u>	<b>Hydrophytic Vegetation Indicators:</b> <u>  </u> 1 - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>  </u> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <u>  </u> 4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  <u>  </u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Parthenocissus inserta</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Verbena urticifolia</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>35</u>		=Total Cover																		
<b>Woody Vine Stratum (Plot size: <u>15'</u>)</b>																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____		=Total Cover																		

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point      UP4

[illegible]



# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: UPA10  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): terrace along Gibson Drain Local relief (concave, convex, none): flat Slope %: 2-3  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Cohoctah fine sandy loam NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u> Hydric Soil Present? Yes _____ No <u>X</u> Wetland Hydrology Present? Yes _____ No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Upland adjacent to Gibson Drain at flag A10	

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) _____ FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:  Remarks:	

**VEGETATION** – Use scientific names of plants.

Sampling Point: UPA10

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)  Total Number of Dominant Species Across All Strata: <u>5</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)  <b>Prevalence Index worksheet:</b> <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>5</u></td> <td>x 3 = <u>15</u></td> </tr> <tr> <td>FACU species <u>60</u></td> <td>x 4 = <u>240</u></td> </tr> <tr> <td>UPL species <u>35</u></td> <td>x 5 = <u>175</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>430</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>4.30</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>5</u>	x 3 = <u>15</u>	FACU species <u>60</u>	x 4 = <u>240</u>	UPL species <u>35</u>	x 5 = <u>175</u>	Column Totals: <u>100</u> (A)	<u>430</u> (B)	Prevalence Index = B/A = <u>4.30</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>5</u>	x 3 = <u>15</u>																			
FACU species <u>60</u>	x 4 = <u>240</u>																			
UPL species <u>35</u>	x 5 = <u>175</u>																			
Column Totals: <u>100</u> (A)	<u>430</u> (B)																			
Prevalence Index = B/A = <u>4.30</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover																		
<b>Sapling/Shrub Stratum (Plot size: <u>15'</u>)</b>																				
1. <u>Malus angustifolia</u>	<u>10</u>	<u>Yes</u>	<u>UPL</u>	<b>Hydrophytic Vegetation Indicators:</b> <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 <sup>1</sup> <u>4</u> - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  <u>      </u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Elaeagnus umbellata</u>	<u>10</u>	<u>Yes</u>	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover																		
<b>Herb Stratum (Plot size: <u>5'</u>)</b>																				
1. <u>Bromus inermis</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>	<b>Definitions of Vegetation Strata:</b>  <b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.  <b>Sapling/shrub</b> – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.  <b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.  <b>Woody vines</b> – All woody vines greater than 3.28 ft in height.  <b>Hydrophytic Vegetation Present?</b> Yes <u>      </u> No <u>X</u>																
2. <u>Daucus carota</u>	<u>5</u>	<u>No</u>	<u>UPL</u>																	
3. <u>Sonchus arvensis</u>	<u>10</u>	<u>No</u>	<u>FACU</u>																	
4. <u>Trifolium pratense</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>																	
5. <u>Poa annua</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>																	
6. <u>Prunella vulgaris</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
7. <u>Symphyotrichum ericoides</u>	<u>10</u>	<u>No</u>	<u>FACU</u>																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		=Total Cover																		
<b>Woody Vine Stratum (Plot size: <u>15'</u>)</b>																				
1. _____	_____	_____	_____	<b>Hydrophytic Vegetation Present?</b> Yes <u>      </u> No <u>X</u>																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		=Total Cover																		

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point UPA10

[illegible]



# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: UPB2  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): slight slope Local relief (concave, convex, none): slight slope Slope %: 2-4  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Cohoctah fine sandy loam NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u> Hydric Soil Present? Yes _____ No <u>X</u> Wetland Hydrology Present? Yes _____ No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Upland adjacent to Wetland B at flag B2	

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) _____ FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:  Remarks:	

**VEGETATION** – Use scientific names of plants.

Sampling Point: UPB2

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Malus angustifolia</u>	<u>70</u>	<u>Yes</u>	<u>UPL</u>	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)  Total Number of Dominant Species Across All Strata: <u>6</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>33.3%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>70</u> =Total Cover																				
<b>Sapling/Shrub Stratum</b> (Plot size: <u>15'</u> )				<b>Prevalence Index worksheet:</b>  <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>15</u></td> <td>x 3 = <u>45</u></td> </tr> <tr> <td>FACU species <u>15</u></td> <td>x 4 = <u>60</u></td> </tr> <tr> <td>UPL species <u>70</u></td> <td>x 5 = <u>350</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>455</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.55</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>15</u>	x 3 = <u>45</u>	FACU species <u>15</u>	x 4 = <u>60</u>	UPL species <u>70</u>	x 5 = <u>350</u>	Column Totals: <u>100</u> (A)	<u>455</u> (B)	Prevalence Index = B/A = <u>4.55</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>15</u>	x 3 = <u>45</u>																			
FACU species <u>15</u>	x 4 = <u>60</u>																			
UPL species <u>70</u>	x 5 = <u>350</u>																			
Column Totals: <u>100</u> (A)	<u>455</u> (B)																			
Prevalence Index = B/A = <u>4.55</u>																				
1. <u>Cornus racemosa</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Frangula alnus</u>	<u>10</u>	<u>Yes</u>																		
3. <u>Lonicera tatarica</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>30</u> =Total Cover																				
<b>Herb Stratum</b> (Plot size: <u>5'</u> )				<b>Hydrophytic Vegetation Indicators:</b> <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 <sup>1</sup> <u>4</u> - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  <u>      </u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
1. <u>Toxicodendron radicans</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Parthenocissus inserta</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>10</u> =Total Cover																				
<b>Woody Vine Stratum</b> (Plot size: <u>15'</u> )				<b>Definitions of Vegetation Strata:</b>  <b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.  <b>Sapling/shrub</b> – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.  <b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.  <b>Woody vines</b> – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ =Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point UPB2

[illegible]



# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: 2112, 2124, & 2152 E. Long Lake Road City/County: Troy-Oakland Co. Sampling Date: 9-5-18  
 Applicant/Owner: Mondrian Properties State: MI Sampling Point: WETB2  
 Investigator(s): ASTI-KAH Section, Township, Range: Sec 13 T2N R11E  
 Landform (hillside, terrace, etc.): slight slope Local relief (concave, convex, none): slight slope Slope %: 2-4  
 Subregion (LRR or MLRA): LRR L Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_  
 Soil Map Unit Name: Cohoctah fine sandy loam NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No \_\_\_\_\_ (If no, explain in Remarks.)  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ significantly disturbed? Are "Normal Circumstances" present? Yes x No \_\_\_\_\_  
 Are Vegetation \_\_\_\_\_, Soil \_\_\_\_\_, or Hydrology \_\_\_\_\_ naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes <u>X</u>	No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Wetland B at flag B2			

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Water-Stained Leaves (B9) _____ High Water Table (A2) _____ Aquatic Fauna (B13) _____ Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) <u>x</u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u>x</u> Surface Soil Cracks (B6) _____ Drainage Patterns (B10) <u>x</u> Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) <u>x</u> Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
<b>Field Observations:</b> Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)		<b>Wetland Hydrology Present?</b> Yes <u>X</u> No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		

**VEGETATION** – Use scientific names of plants.

Sampling Point: WETB2

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>	<b>Dominance Test worksheet:</b>  Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A)  Total Number of Dominant Species Across All Strata: <u>5</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>80.0%</u> (A/B)  <b>Prevalence Index worksheet:</b> <table style="width: 100%;"> <tr> <th>Total % Cover of:</th> <th>Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>20</u></td> <td>x 2 = <u>40</u></td> </tr> <tr> <td>FAC species <u>80</u></td> <td>x 3 = <u>240</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>280</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>2.80</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>20</u>	x 2 = <u>40</u>	FAC species <u>80</u>	x 3 = <u>240</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>100</u> (A)	<u>280</u> (B)	Prevalence Index = B/A = <u>2.80</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>20</u>	x 2 = <u>40</u>																			
FAC species <u>80</u>	x 3 = <u>240</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>100</u> (A)	<u>280</u> (B)																			
Prevalence Index = B/A = <u>2.80</u>																				
2. <u>Acer saccharinum</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>10</u> =Total Cover																				
<b>Sapling/Shrub Stratum (Plot size: <u>15'</u>)</b>																				
1. <u>Cornus racemosa</u>	<u>50</u>	<u>Yes</u>	<u>FAC</u>	<b>Hydrophytic Vegetation Indicators:</b> <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <u>4</u> - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet) <u>      </u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain) <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Fraxinus pennsylvanica</u>	<u>30</u>	<u>Yes</u>	_____																	
3. <u>Cornus amomum</u>	<u>10</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Frangula alnus</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>110</u> =Total Cover																				
<b>Herb Stratum (Plot size: <u>5'</u>)</b>																				
1. <u>Symphyotrichum lateriflorum</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>	<b>Definitions of Vegetation Strata:</b>  <b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.  <b>Sapling/shrub</b> – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.  <b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.  <b>Woody vines</b> – All woody vines greater than 3.28 ft in height.  <b>Hydrophytic Vegetation Present?</b> Yes <u>X</u> No _____																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>10</u> =Total Cover																				
<b>Woody Vine Stratum (Plot size: <u>15'</u>)</b>																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ =Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

## SOIL

Sampling Point WETB2

[illegible]



**From:** [lena anaie](#)  
**To:** [Planning](#)  
**Subject:** New sub  
**Date:** Thursday, December 9, 2021 7:22:55 PM

---

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To whom it may concern,

My children currently attend Larson middle school and what I love about it is the long drive with trees surrounding the school. It makes the school feel homey and safe and it would be a shame to put giant houses do take away from the scenic grounds, I propose no on building giant houses that will affect wildlife and the scenic grounds.

Sent from my iPhone

12/12/21

Mr. Brent Savidant, AICP, Community Development Director  
City of Troy Planning Commission Board  
City of Troy City Council Members  
500 W. Big Beaver Road  
Troy, MI 48084

*Sent to Troy Development Director and Planning Commission: Via email to: [planning@troymi.gov](mailto:planning@troymi.gov)  
Sent to Troy City Council: Via email to: [CityCouncilEmail@troymi.gov](mailto:CityCouncilEmail@troymi.gov)*

**RE: Adler Cove Residential Development and Commitment to Green Space**

Dear Planning Development Director, Planning Commission Board Members, and City Council,

As a 33+ year resident who lives adjacent to Larson Middle School, I write this letter regarding your consideration of not approving the 10 - acre proposed "Adler Cover" residential development located on the south side of Long Lake just east of John R. As part of the many who favored further greening of the City, in the latest Troy survey, we are not in favor of the subject development. The proposed 16 or 20 new homes mean the loss of green space and many wildlife animals (deer, fox, ducks, birds, etc.). I understand the rights of the sellers to sell their property; however, the full intent was to build yet another high priced subdivision that the residents do not want and the City Council Members have communicated over and over again that they are committed to "saving green space". Currently, there are other proposed residential development sites, as well as others currently in phase one or two of their development. When will this stop.

Transparency is what everyone talks about, yet communication on new subdivisions is limited. The posted sign required by the City regarding this development appears very deceiving to me, because the quoted "Open Space Preservation Development" although legal terminology, it does not convey common understanding. I read it as a possible site that would be used to include continuation of the trails and path initiative by the City or nature related preservation. In my opinion, to be truly transparent, it should clearly state that the property is for a "Proposed Residential Development" or "Proposed Commercial Development". This might convey a clearer picture to the Troy residents that would be directly affected, and provide better feedback to those that approve these developments.

If the Adler Cove development is approved by the Planning Board and then the City Council, I ask that you stay as committed as possible to maintaining and preserving the green space on the site above what is currently proposed.

How much more developments does the City of Troy need? With 33.63 square miles and a population of 87,294 (from the 2020 census), Troy is the 13<sup>th</sup> most-populous municipality in the state. What kind of vision do you have for our City? How many more residential homes, condos, apartments, commercial buildings, etc. do we need to add? Let's stay committed to the voice of the residents.

Respectfully,  
Renee and Pietro Sarcina

**From:** [Julia E. Rodriguez](#)  
**To:** [Planning](#)  
**Subject:** Mondrian Properties on the south side of Long Lake Road east of John R  
**Date:** Thursday, December 9, 2021 3:53:38 PM

---

**CAUTION:** This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Planning Commission,

I would like to submit comment regarding the proposed Mondrian Properties development on the south side of Long Lake Road east of John R. I would like to Commission to consider the lack of green space in Troy and overdevelopment that will soon impact our quality of life. While the property owners may be developing within the present zoning code the commission has the ability to listen to residents and require more green space be preserved. The latest city survey strongly demonstrated that residents want more green space and this parcel is especially important being along the Clinton River Watershed. I hope you will consider residents wishes for a green more nature friendly Troy when evaluating the plans for this development.

Thank you,  
Julia Rodriguez  
5941 Endicott Dr  
Troy, 48085



**From:** [Kimberly Ethridge](#)  
**To:** [Brent Savidant](#); [Planning](#)  
**Subject:** Comments on the proposed Adler Cove Development  
**Date:** Thursday, December 9, 2021 12:59:23 PM

---

**CAUTION:** This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello, I am a resident of the Mount Vernon Subdivision in Troy, which neighbors the proposed Adler Cove one-family development planned for the South Side of East Long Lake Road, East of John R Road. I have reviewed the proposal and project narrative that was provided to me by Mondrian Properties. I advocate for the R-1C Single Family Cluster Zoning Option to be utilized at Adler Cove. The cluster option allows for a more compact neighborhood, with reasonably-sized homes that are similar in size to the homes in the Mt. Vernon Sub. More importantly, the cluster option would preserve over half of the natural habitat that is present on this property, valuable wildlife habitat in our neighborhood. This wooded 10-acres abuts the Gibson-Renshaw (G-R) Drain. The small amount of habitat surrounding this and other natural drains, are important wildlife travel corridors. It is important to keep native habitat along a contiguous corridor for wildlife to traverse it, to stay off the streets, to not get hit by cars. We enjoy our wildlife, I just say an 8 point buck in this woods a few days ago! If we lose their corridors for travel we lose the wildlife, even birds. Keeping at least some of this contiguous wildlife corridor along the drain, appears to be considered in the cluster home design that is proposed. The traditional single-residential option would be a bad alternative, wiping out all of the wildlife corridor along the G-R Drain.

The Cluster option also keeps substantial trees, shrubs, native soil and soil cover that will help with surface rainwater retention. Native soils and vegetation prevent runoff from new homes' roofs, yards, driveways. Fill sand brought in to replace native 'percolating' soils, often drastically increases soil erosion and runoff into waterways like the G-R Drain. Although there is a retention basin in the design, and explained to me that stormwater will be diverted into the stormwater system and not a direct discharge to the drain, that inevitably is released back into the G-R Drain, or other Drains in the Clinton River Watershed. I am concerned about the drastic increase in stormwater rushing through the drain this last year, an effect of the allowed increased development as a whole in this area (and climate change affecting our precipitation levels). Behind my home on Terova Dr., the drain has reached concerning levels this year, more than any of the last ten years I've lived here. Stormwater upwelling of this size, have made it a mess along the drain banks once they subside. Since July 2021, I've observed small white foam bubbles floating down the drain, daily. The bubbles are indicative of some kind of surfactant getting into stormwater. It is collecting in pools of white foam right at the three large stormwater discharge pipes under the southeast corner of Long Lake & John R. Surface water sample results from the drain, behind my home, had no detections of PFAS chemicals luckily. The more runoff is going to increase the load on this Drain which causes a mess downstream, more foam, etc. Even with the proposed stormwater retention basin and diverting the new homes' runoff, stormwater all eventually gets into waterways in an open drain system. No one wants surfactant bubbles floating down the creek, but non-degrading substances like this are the reality now, sadly. My point in this observation, is that the increased stormwater loads on our stormwater system need to be managed appropriately by everyone to prevent pollution from getting worse, regionally. To that effect, state and local stormwater discharge, soil erosion and floodplain/wetlands laws should be complied with when building Adler Cove. Any direct discharge into the drain during construction should be prevented: excavated sediments & soils, oils, petroleum products, should all be managed

responsibly being so close to the G-R Drain.

Even if Mondrian Properties itself will not reside in the new homes, the construction they propose, makes them our neighbor.

The development will be a direct neighbor to Larson Middle School. The cluster option that allows some natural area to remain, provides a buffer for LMS, which is safer and fosters LMS's science, ecologic, and environmental education to continue. That is important because LMS uses the woods and G-R Drain as learning tools by walking the trails and even outside gym class, to foster the 'get outside' lifestyle which we all greatly need. Adler Cove's traditional residential plan has houses surrounding LMS, then a big stormwater retention next to the west side of the school. That seems unrealistic, and unsafe for students that go outside for recess and gym and science class, to construct homes and utilities along that small strip of woods that close to LMS. The Cluster option proposes to leave it alone, I also support leaving the small strip of the property's southern woods alone. I think this is the most important reason to consider the Cluster Zoning option here.

Increased traffic, especially truck traffic during construction, should be taken into consideration and safely managed. This is an already congested area during the school year, near Athens HS and adjoining Larson MS; Care should be made to notify the school, so they may notify parents, if construction is planned during the school year, to prevent loaded trucks coming and going, before 7:30 am. During summer construction: The kids in our neighborhood use the wooded trail that will be destroyed, they walk it and ride their bikes or walk on it, to 7-11. To ensure no one inadvertently enter the construction zone, signage, caution tape and the like should be utilized so they know the trail isn't to be used by them anymore. So, this development is impacting wildlife corridor and the kids' Slurpee corridor, haha.

I have walked this path myself for many years, thinking it was school property not private. Our community spread wood chips on the muddy portion of this path as a community project to keep it less messy for kids and bikes. It is part of the natural features that make Troy distinctive, why residents and government was compelled to adopt a local Woodland Ordinance into the city's code. I am sad to see this wooded area go, but I understand it is the property owner's right to build, in compliance with Troy's Woodland Ordinance and other state and local laws. I am grateful Mondrian Properties seems to understand, our community uses this wooded area, and is attempting to preserve some of it. I am hopeful that the clearing of land and trees, and development of infrastructure to support the homes, then the homes themselves, are done in a fashion that preserves the natural health of the nature around it, and is protective of human health and the environmental as a whole. Thank you for your consideration of all these issues going forward, and good luck,  
Kim Ethridge, Terova Drive, Troy Mi 48085

**From:** [Kimberly Culbert](#)  
**To:** [Planning](#)  
**Subject:** New development by Mondrian Properties  
**Date:** Thursday, December 9, 2021 6:49:08 PM

---

CAUTION: This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

>  
> Dear Planning Commission,  
>  
> I don't believe we need so many new development. One of the reasons people are attracted to living in Troy is that there are still many undeveloped areas!! The wooded areas are so important to our community!!  
>  
> If you won't listen to what people truly want please make them plant 2 trees for every single tree they cut down. Make sure they are mature trees not tiny little one, please!!  
>  
> Thank you for taking the time to read my email!!  
>  
> Sincerely,  
>  
>  
> Kimberly Baker  
> Troy, MI 48085  
>  
>



**From:** [mary bain](#)  
**To:** [Planning](#)  
**Subject:** City Planning Commission/Adler Cover  
**Date:** Sunday, December 12, 2021 5:09:46 PM

---

**CAUTION:** This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I have learned of development of a new subdivision to be built along Long Lake Road, east of John R. Mondrian Properties. This is an area where families can see actual wooded land with trees, animals and water. My family and neighbors enjoy walking along the path to watch the ducks in the Clinton River creek, in the spring Red Winged Blackbirds are numerous. The loss of this area for yet another Mondrian Ghetto is truly sad. The new 16-20 near identical houses would be crammed into another area that would actually bring down property value. When we moved into this area 20 years ago, Troy motto was 'City of trees' now it is the City of Mondrian. No one wants their homes next door to a Mondrian Ghetto with decreased open land, decreased deer, rabbits and even coyotes. Troy is no longer considered a prime 'green' city.

Sincerely,

Mary Bain  
4710 Bramford Drive  
Troy, MI 48085

**From:** [Dale Lancaster](#)  
**To:** [Planning](#)  
**Subject:** Proposed Adler Cove subdivision  
**Date:** Wednesday, December 15, 2021 3:57:41 PM

---

**CAUTION:** This email did not originate from within the City of Troy. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Planning Manager,

Addressing the newly proposed Adler Cove by Mondrian Properties:

We, the residents of E.Long Lake, would like to see a deceleration.lane into the property. The sidewalk in that area is traveled by children on foot and via bicycle.to and from Larson Middle School.

Also, there needs to be a cul-de-sac to accommodate a standard school bus at the end of the street

School bus stops should not be attempted on Long Lake rd.

This is necessary for child safety and traffic .

Thirdly, we would like Mondrian Properties not to invade the 100 ft flood plane to the bank of the Gibson Drain.

Due to seasonal flooding this year in Macomb County,

We should not contribute to the flooding of the river system there.

Your consideration of these requests is sincerely appreciated.

Dale Lancaster

Citizen

[Sent from the all new AOL app for Android](#)